MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

n: Report
Births, Deaths
s of 1872)
ent Reminder Rel-d

MEDICAL LIBRARY

22500993440

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

22318 21995/490 5m(2) 3/27 J.P.D207 Gp.132
MED. LIBRARY I.

30/6

EIGHTEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1872.]

Presented to both Houses of Parliament by Command of Her Majesty.

MEDICAL LIBRARY
MINISTRY OF HEALTH

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1876.

[C.—1578. *Price* 1*s.* 8*d.*]

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. Scv
WA

REPORT.

TO THE

RIGHT HON^BLE. R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *7th August* 1876.

SIR,

ON the 16th May 1873, I had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80, to submit to the Secretary of State for the Home Department the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1872, along with some brief explanatory remarks.

On the same date, my Eighth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with all the usual relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1872).

It will be observed that the Marriage-rate during 1872 was the highest hitherto recorded in Scotland, and that the Birth-rate of the country has been well maintained.

The Death-rate has been somewhat higher than usual, a circumstance obviously due to the continued prevalence of an epidemic of Small-pox in some of the principal Town Districts.

The Vaccination Act continues to work very efficiently in Scotland. Those entrusted with its administration do not find their efforts for the public good thwarted by any popular prejudice; on the contrary, the people seem to have an intelligent appreciation of the benefits which the practice of Vaccination secures for them. Were four months after birth, instead of six months, fixed as the statutory limit beyond which a child cannot be suffered to continue unvaccinated without subjecting its parents or guardians to penalty, there is reason to believe that much good would result.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1872 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1872,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1872,	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1872,	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1872,	xiii

Births.

Births in 1872, and their Proportion to the Population, with relative Tables,	xi
Tables showing particulars relative to the Births during each of the years 1855 to 1872 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xiv

Marriages.

Number of Marriages in 1872, and their Proportion to the Population,	xv
Influence of Density of Population on the Marriages,	xv
Proportion of Legitimate Children to the Marriages in Scotland and England,	xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1872, and 1855–1872, with relative Tables,	xvii & xix
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xx & xxi

Page

DEATHS.

Number of Deaths in Scotland in 1872, and their Proportion to the Population, . . . xxii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1872, with relative Tables, ... xxii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1861–1872, ... xxiii
Series of Tables of the Deaths at different Ages in Scotland, its Five Great Groups of Districts, during the year 1872, ... xxiv
Mortality of Female lower than that of the Male at about every period of life, . . xxvi
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, xxvii
Causes of Death in 1872, with relative Tables, ... xxix
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxix
Small-pox Deaths in Scotland for eighteen years, ... xxxvii
Particulars relative to Vaccination in Scotland, with relative Tables, . . . xxxvi
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xxxix
The Nineteen most fatal Diseases in England and Scotland in 1872, ... xli

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1872.

Weather, Weekly and Monthly, and its Influence on the Mortality, ... xlvi
Table showing the Meteorology of Scotland during each month of the year 1872, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . . xlviii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1872, . . xlix
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1872, ... l
Influence of Season, etc., on the Mortality at different Ages liv
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1872, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, ... lv

APPENDIX TABLE.

Vaccinations in the several Counties of Scotland during 1872, ... lvi

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1872, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1872, also of the Illegitimate Births, in every Registration District, . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1872; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Page

Table of the Civil Condition of the Parties who married in 1872; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1872, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1872, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1872, together with the Populations in 1861 and 1871, ... 30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1872, together with the Male Populations in 1861 and 1871, ... 32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1872, together with the Female Populations in 1861 and 1871, ... 34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1872, ... 36
Do. Males, ... 38
Do. Females, ... 40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland in 1872, ... 42
Do. Males, ... 44
Do. Females, ... 46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1872, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1872, ... 60
Do. Males, ... 62
Do. Females, ... 64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1872, ... 66
Do. Males, ... 68
Do. Females, ... 70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1872, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1872, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1872, ... 96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 98–101
Do. Males, ... 102–105
Do. Females, ... 106–109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life, ... 110–113
Do. Males, ... 114–117
Do. Females, ... 118–121
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life, ... 122–125
Do. Males, ... 126–129
Do. Females, ... 130–133

Page

Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ... 134–137
Do. Males, ... 138–141
Do. Females, ... 142–145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ... 146–149
Do. Males, ... 150–153
Do. Females, ... 154–157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ... 158–161
Do. Males, ... 162–165
Do. Females, ... 166–169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 170–173
Do. Males, ... 174–177
Do. Females, ... 178–181
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 182–185
Do. Males, ... 186–189
Do. Females, ... 190–193
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 194–197
Do. Males, ... 198–201
Do. Females, ... 202–205
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 206–209
Do. Males, ... 210–213
Do. Females, ... 214–217
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 218–221
Do. Males, ... 222–225
Do. Females, ... 226–229
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 230–233
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 234–237
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 238–241
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 242–245
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1872, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 246

Constitution of the Compound Districts, ... 247
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 248
Index to Districts, ... 249

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

THE condition of the population of Scotland was, during 1872, considerably influenced by a sudden and great rise in the wages of labour, and in the prices of coal and iron, accompanied with or followed by corresponding increase in the cost of bread, as well as in the market value of many less necessary articles in constant demand. There was an excessive rainfall, and the harvest was a poor one. The demand for labour was, especially towards the close of the year, materially interfered with by the reciprocal processes of strikes and lock-outs, by which capital and labour occasionally seek to adjust their equilibrium. On the whole, the year cannot be held to have been by any means a prosperous one for those connected with the mining, manufacturing, or agricultural industries. Notwithstanding the unfavourable influences above alluded to, the Marriage-rate of the population was very high; indeed, so high a rate has not been

---

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1872, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0 6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2

observed in Scotland during the last eighteen years. The continued prevalence of an epidemic of Small-pox caused great destruction of human life, especially in some of the Principal Towns on the east coast; and hence the Death-rate of the whole country was unusually large, considerably exceeding the average rate of the ten years immediately preceding.

POPULATION.

In the estimates of the population presented in this Report, it is assumed that the enumeration of the males and females in the various districts of the country at the Census Periods of 1861 and 1871 were correct; and that the rate of increase or decrease in each district since last Census has been the average rate which prevailed in it between 1861 and 1871. From an examination of Table II. it may be seen that the population of the

TABLE II.—POPULATION of SCOTLAND in its FIVE new GROUPS of DISTRICTS, by the Censuses of 1861 and 1871, and estimated to the middle of 1872.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1872.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns	407,839	477,116	884,955	502,021	566,535	1,068,556	515,230	578,831	1,094,061
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	164,422	178,189	342,611
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	374,786	408,813	783,599
Mainland-Rural	513,554	548,239	1,061,793	508,787	540,327	1,049,114	508,192	539,344	1,047,536
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	60,780	70,638	131,418
SCOTLAND	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,623,410	1,775,815	3,399,225

TABLE III.—BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS in SCOTLAND, 1855–1872.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

Mainland-Rural and Insular-Rural Districts is supposed to be annually slowly decreasing, while that of the Towns, and especially of the Principal and Large Towns, is certainly increasing at a great rate. The constitution of the Groups of Registration Districts, into which it has for statistical purposes been found convenient to divide Scotland, was fully explained in our last Detailed Annual Report. Reference to these Groups is very instructive when it is desired to trace the influence which aggregation has upon the growth and health of a community.

According to our estimate, the population of Scotland at the middle of 1872 consisted of 1,623,410 males, 1,775,815 females, or, in all, of 3,399,225 persons.

BIRTHS.

The Births registered in Scotland during 1872 were 118,765, which was, as might have been expected, the largest number hitherto recorded in these Reports. The births were at the rate of 349 for every ten thousand of population, or, in other words, the birth-rate was 3·49 per cent. This may be regarded as a very high birth-rate. It considerably exceeds the average rate observed during the last ten years, and has not been surpassed since the year 1868.

On examining how the births were distributed through the different groups of Registration Districts, it may be seen that the highest rate has prevailed in the Large Towns, where the births were 13,318, being at the rate of 3·887 per cent. In the Principal Towns the 41,673 births were at the rate of 3·809 per cent. Although, for the preceding twelve years the birth-rate in the Principal Towns has been higher than in the Large Towns of Scotland, it may be noticed on consulting Table IV. that, in 1855, 1856, 1857, and 1859, the birth-rate in the Large Towns preponderated just as it did in 1872. In the Small Towns the births were 28,059, and the birth-rate 3·581 per cent. In the Mainland-Rural Districts the births

---

Table IV.—Percentage of Births, Deaths, and Marriages in the Five new Groups of Districts of Scotland, to the Population during each of the years 1855–1872.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3 062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2 040	0·634	3·052	1·689	0 546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·717	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3 545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2 524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·105	0·708	3·070	1·727	0·579	2·707	1·586	0·486

were 32,157, the rate 3·07 per cent.; and in the Insular-Rural Districts there were only 3558 births, being at the rate of 2·707 per cent. It will be observed that both in actual numbers, and in the decreasing rate of births, we have evidence that the decrease in the population of our Rural Districts, which the Census of 1871 demonstrated, has not yet reached its limit.

Of the 118,765 births, 10,927 were illegitimate. These numbers indicate 9·2 out of every hundred births as the rate of illegitimacy throughout the whole of Scotland. It is satisfactory to notice that the proportion of illegitimate births has not been lower since the year 1859. Tables V. and VI. present many details as to the proportions of illegitimacy in various localities. It seems to be sometimes assumed by newspaper correspondents, who busy themselves with the statistics of bastardy, that the proportion of illegitimate births to total births furnishes an infallible indication of the state of morality in a town or district. But it seems only fair to point out that the

---

TABLE V*a*.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1872, and their Proportion to the estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Estimated Population, 1872.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	489,421	20158	4·119	1840	9·1	14053	2·871	5121	1·046
Edinburgh .	205,009	6650	3·244	557	8·4	5484	2·675	1776	0·866
Dundee . .	124,817	4644	3·721	510	11·0	3491	2·797	1141	0·914
Aberdeen .	90,057	3080	3·420	361	11·7	2119	2·353	732	0·813
Greenock .	62,097	2726	4·390	158	5·8	1697	2·733	540	0·870
Paisley . .	48,355	1813	3·749	139	7·7	1430	2·957	477	0·986
Leith . .	47,888	1818	3·796	114	6·3	1338	2·794	445	0·929
Perth . .	26,417	784	2·968	63	8·0	587	2·222	195	0·738

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in ALL SCOTLAND: in the Five New Groups of Registration Districts, in each of the Principal Towns, and in Two Counties during 1872.

Localities.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1872.	Number of Illegitimate Children born during 1872.	Percentage of Illegitimate Children to the Unmarried and Widowed Women, aged 15–45.	Percentage of Illegitimates in Total Births.
All Scotland . . .	456,230	10,927	2·40	9·2
Principal Towns . . .	158,639	3,742	2·36	9·0
Large Towns . . .	45,016	979	2·17	7·3
Small Towns . . .	98,616	2,437	2·47	8·7
Mainland-Rural . . .	134,451	3,585	2·66	11·1
Insular-Rural . . .	19,488	184	0·94	5·2
Glasgow	65,992	1,840	2·79	9·1
Edinburgh . . .	34,808	557	1·60	8·4
Dundee	21,688	510	2·35	11·0
Aberdeen	13,252	361	2·72	11·7
Greenock	6,643	158	2·38	5·8
Paisley	7,174	139	1·94	7·7
Leith	5,271	114	2·16	6·3
Perth	3,811	63	1·65	8·0
County Wigtown . . .	5,631	185	3·28	16·8
County Banff . . .	7,719	317	4·10	16·5

proportion which the unmarried and widowed women, living at ages between 15 and 45, bear to the whole population varies exceedingly in different localities, and that it is with this fraction of the female population that the illegitimate births should be contrasted in order to derive a fair idea regarding the morality of females in different districts. In the little Occasional Table, which is here subjoined, an attempt is made to present

TABLE VI.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1872, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

Divisions and Counties.		Population Estimated to middle of year 1872.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per-cent. to Pop.	No.	Per-cent. to Births.	No.	Per-cent. to Pop.	No.	Per-cent. to Pop.
SCOTLAND		3,399,225	118765	3·4939	10927	9·2	75794	2·2297	25641	0·7543
1. Principal Town Dists.		1,094,061	41673	3·809	3742	9·0	30199	2·760	10427	0·953
2. Large Town Districts		342,611	13318	3·887	979	7·3	8940	2·609	2967	0·866
3. Small Town Districts		783,599	28059	3·581	2437	8·7	16478	2·103	5545	0·708
4. Mainland-Rural Dists.		1,047,536	32157	3·070	3585	11·1	18093	1·727	6063	0·579
5. Insular-Rural Dists.		131,418	3558	2·707	184	5·2	2084	1·586	639	0·486
	Divisions.									
I.	Northern	126,795	3268	2·577	203	6·2	1916	1·511	604	0·476
II.	North-Western	166,240	4331	2·605	255	5·7	2767	1·664	812	0·488
III.	North-Eastern	396,442	12887	3·251	1900	14·7	7079	1·786	2474	0·624
IV.	East-Midland	564,308	18214	3·228	1796	9·9	11835	2·097	4013	0·711
V.	West-Midland	252,109	8227	3·263	591	7·2	5613	2·226	1548	0·614
VI.	South-Western	1,206,559	49315	4·087	3889	7·9	31334	2·597	11255	0·933
VII.	South-Eastern	483,763	16275	3·364	1378	8·5	11488	2·375	3700	0·765
VIII.	Southern	203,009	6248	3·078	915	14·6	3762	1·853	1235	0·608
	Counties.									
1	Shetland	31,600	826	2·613	36	4·4	477	1·509	125	0·396
2	Orkney	31,137	818	2·627	37	4·5	434	1·394	178	0·572
3	Caithness	40,865	1137	2·782	102	9·0	634	1·551	184	0·450
4	Sutherland	23,193	487	2·100	28	5·7	371	1·600	117	0·404
5	Ross and Cromarty	82,051	2081	2·536	98	4·7	1238	1·509	353	0·430
6	Inverness	84,189	2250	2·673	157	7·0	1529	1·816	459	0·545
7	Nairn	8,375	230	2·746	23	10·0	136	1·624	54	0·645
8	Elgin	44,579	1325	2·972	212	16·0	746	1·673	232	0·520
9	Banff	59,215	1917	3·237	317	16·5	1011	1·707	344	0·581
10	Aberdeen	249,137	8297	3·330	1201	14·5	4606	1·849	1638	0·657
11	Kincardine	35,136	1118	3·182	147	13·1	580	1·651	206	0·586
12	Forfar	244,425	8480	3·469	921	10·9	5685	2·326	1961	0·802
13	Perth	127,981	3516	2·747	362	10·3	2461	1·923	702	0·548
14	Fife	161,580	5227	3·235	406	7·8	3089	1·812	1176	0·628
15	Kinross	7,822	226	2·889	33	14·6	137	1·751	37	0·473
16	Clackmannan	22,500	765	3·400	74	9·7	463	2·058	137	0·609
17	Stirling	93,960	3517	3·743	262	7·4	2249	2·394	690	0·734
18	Dumbarton	62,006	2229	3·595	127	5·7	1460	2·355	423	0·682
19	Argyll	79,103	2057	2·600	166	8·1	1505	1·903	334	0·422
20	Bute	17,040	424	2·488	36	8·5	399	2·341	101	0·593
21	Renfrew	198,787	7795	3·921	516	6·6	5061	2·546	1721	0·866
22	Ayr	201,016	7522	3·742	649	8·6	4346	2·162	1661	0·826
23	Lanark	806,756	33998	4·214	2724	8·0	21927	2·718	7873	0·976
24	Linlithgow	41,655	1688	4·052	155	9·2	871	2·091	299	0·718
25	Edinburgh	335,325	11273	3·362	903	8·0	8714	2·599	2761	0·823
26	Haddington	37,748	1120	2·967	107	9·5	717	1·899	238	0·630
27	Berwick	36,368	1044	2·891	108	10·3	558	1·545	178	0·493
28	Peebles	12,336	412	3·340	36	8·7	224	1·816	62	0·503
29	Selkirk	20,331	738	3·630	69	9·3	404	1·987	162	0·797
30	Roxburgh	48,078	1562	3·280	179	11·4	815	1·711	300	0·630
31	Dumfries	74,711	2307	3·088	367	15·9	1470	1·968	483	0·646
32	Kirkcudbright	42,013	1222	2·909	184	15·1	778	1·852	241	0·574
33	Wigtown	38,207	1157	3·028	185	16·8	699	1·829	211	0·552

such a view of the illegitimate births of 1872 as will include the relative frequency of such events among possible mothers, and this view will, in not a few localities (Greenock and Edinburgh for instance), be found to contrast rather strikingly with such deductions as might have been incautiously

TABLE VII.—BIRTHS in SCOTLAND, 1855–1872; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85

TABLE VIII.—BIRTHS, 1872. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	21376	20297	41673	19413	18518	37931	1963	1779	3742	482	6
Large Towns . .	6933	6385	13318	6427	5912	12339	506	473	979	144	1
Small Towns . .	14623	13436	28059	13385	12237	25622	1238	1199	2437	369	4
Mainland-Rural .	16520	15637	32157	14667	13905	28572	1853	1732	3585	335	–
Insular-Rural .	1841	1717	3558	1749	1625	3374	92	92	184	53	–
SCOTLAND . . .	61293	57472	118765	55641	52197	107838	5652	5275	10927	1383	11

TABLE IX.—PROPORTION OF BIRTHS in 1872. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportions of Mothers who bare.

FIVE GROUPS OF DISTRICTS.	Percentage of Births to Population.	Percentage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·809	9·0	105·3	104·8	110·3	86	6945
Large Towns .	3·887	7·3	108·7	108·7	107·0	92	13318
Small Towns .	3·581	8·7	108·8	109·0	103·3	76	7015
Mainland-Rural	3·070	11·1	105·6	105·4	107·0	96	–
Insular-Rural . .	2·707	5·2	107·2	107·6	100·0	67	–
SCOTLAND . . .	3·4939	9·2	106·6	106·6	107·1	86	10797

derived from merely examining the percentages of illegitimate to total births. While introducing the table, it is right to explain that the experience of the Insular-Rural Districts may be held as applicable to the whole of Shetland and Orkney, and that, on this account, we have deemed it unnecessary to swell the table by including for these Counties such details as we have computed for Banff and Wigtown.

Of the 118,765 registered births, 61,293 were males and 57,472 females; that is to say, for every hundred female births there were very nearly 106·7 male births. As is usual in Scotland, this preponderance of male births was most conspicuous among the illegitimate. While for every hundred legitimate live female births there were 106·6 males born, for every hundred illegitimate female births there were 107·1 males born.

During 1872 the preponderance of male births in England was not so well marked as in Scotland. For every hundred female births there occurred 104·09 male births among the legitimate, and 104·78 male births among the illegitimate.

In Holland, for every hundred legitimate female births there were 104·9 males born, while, for every hundred illegitimate female births, there were only 102·6 males.

In Sweden, for every hundred legitimate female births, there were 105·65 male births, and 110·1 illegitimate males for every hundred illegitimate female births.

In Austria the male births were to the females, in the case both of the legitimate and illegitimate, nearly as 106·6 to 100.

Twin births occurred, during 1872, 1383 times; triplet births, 11 times. Hence it appears that one mother in 86 gave birth to twins, and that only one in 10,797 bore triplets.

MARRIAGES.

There were 25,641 Marriages registered in Scotland during 1872, being 1622 more than took place during 1871. This is by far the largest number of marriages hitherto recorded during any one year in Scotland, and corresponds to a rate of 75·43 marriages to every ten thousand of estimated population. It is generally considered a well-established fact in our

TABLE X.—MARRIAGES, 1872. Number of Marriages contracted in Scotland and in its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

	Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
		Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.	Established Church .	11794	3829	1277	2756	3630	302	46·00	36·72	43·04	49·70	59·87	47·26
	Free Church . .	5661	2273	601	1019	1529	239	22·08	21·80	20·26	18·38	25·22	37·41
	United Presb. Church	3312	1401	419	893	557	42	12·92	13·44	14·12	16·11	9·19	6·57
	Roman Catholic Ch.	2461	1427	381	451	162	40	9·60	13·69	12·84	8·13	2·66	6·26
	Episcopal Church .	579	379	61	81	58	–	2·26	3·63	2·06	1·46	0·96	0·00
	Other Denominations	1681	982	222	338	123	16	6·55	9·42	7·48	6·10	2·03	2·50
	Denomin. not stated	5	–	1	3	1	–	0·02	0·00	0·03	0·05	0·02	0·00
	Irregular Marriages .	148	136	5	4	3	–	0·57	1·30	0·17	0·07	0·05	0·00
	Total Marriages .	25641	10427	2967	5545	6063	639	100·00	100·00	100·00	100·00	100·00	100·00

national statistics that the frequency of marriages is greatly influenced by the causes which affect national prosperity. Although the year 1872 can hardly be considered as having been one of unmixed prosperity, it may be remarked that, during a great part of it, the rate of wages was high, and the material condition of the labouring classes very satisfactory. This is the only explanation that we can suggest for the unprecedented number of marriages. An increase in the marriage-rate was observed in every division of the country; it was comparatively slight in the Rural, and especially in

TABLE XI.—MARRIAGES, 1855–1872. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1872.

Years.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Percentage to Population.	Established Church of Scotland.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148

TABLE XII.—Proportion of MARRIAGES, 1855–1872. Percetnage of Marriages contracted in Scotland, according to the Rites of the several Religious Denominations during each of the Years 1855–1872.

Years.	Percentage of Regular Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57

the Mainland-Rural Districts, but very great in all the Town Districts, and especially in the Large Towns. The relative frequency of marriage is in Scotland, beyond all question, connected with the density of population in its various districts. In examining the returns from the various Groups of Districts into which for statistical purpose the whole country is held to be divided, it is obvious that the marriages become less and less frequent as we pass from the more densely-peopled towns to the more sparse population of our Rural Districts. In the Eight Principal Towns the marriage-rate

---

TABLE XIII.—MARRIAGES, 1872. Ages of Men and Women at Marriage.

Ages.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	–	–	–	–	–	–	–	–	–	–	–
15—16	–	6	–	3	–	2	–	–	–	1	–	–
16—17	–	88	–	32	–	9	–	28	–	18	–	1
17—18	28	379	12	155	7	52	5	96	3	74	1	2
18—19	183	1035	90	444	26	146	39	256	26	182	2	7
19—20	598	1859	277	826	81	226	139	420	95	365	6	22
20—21	1169	2299	482	955	154	284	299	522	228	507	6	31
21—25	8736	9287	3510	3736	1075	1049	2034	2063	2010	2237	107	202
25—30	7656	6110	3078	2345	878	690	1595	1258	1893	1596	212	221
30—35	3233	2259	1334	953	322	229	646	429	789	565	142	83
35—40	1601	1105	647	474	161	123	294	207	421	259	78	42
40—45	1001	674	409	282	98	77	213	155	248	143	33	17
45—50	600	308	247	131	65	40	124	62	139	71	25	4
50—55	386	137	165	58	43	23	68	27	97	26	13	3
55—60	213	48	90	22	28	8	46	11	43	7	6	–
60—65	130	20	54	8	18	2	26	7	31	2	1	1
65—70	55	4	21	2	5	–	7	–	19	2	3	–
70—75	24	1	9	–	1	–	4	–	9	1	1	–
75—80	6	–	2	–	–	–	–	–	3	–	1	–
80—85	2	–	–	–	1	–	–	–	1	–	–	–
Not stated	20	22	–	1	4	7	6	4	8	7	2	3
Total	25641	25641	10427	10427	2967	2967	5545	5545	6063	6063	639	639

TABLE XIV.—MARRIAGES, 1872. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1872.

Ages.	Men.						Women.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·15	3·63	3·84	3·30	2·04	1·41	13·13	14·00	14·66	14·43	10·56	5·01
20—25	38·63	38·28	41·42	42·07	36·92	17·68	45·18	44·99	44·93	46·62	45·26	36·46
25—30	29·86	29·52	29·59	28·77	31·22	33·18	23·83	22·49	23·26	22·69	26·32	34·58
30—35	12·61	12·79	10·86	11·65	13·02	22·22	8·81	9·14	7·72	7·74	9·32	12·99
35—40	6·24	6·22	5·43	5·30	6·94	12·22	4·32	4·55	4·15	3·73	4·27	6·57
40—45	3·91	3·92	3·30	3·84	4·09	5·16	2·63	2·70	2·59	2·79	2·36	2·66
45—50	2·34	2·37	2·19	2·24	2·29	3·91	1·20	1·26	1·35	1·12	1·17	0·63
50 and above	3·18	3·27	3·24	2·72	3·35	3·91	0·82	0·86	1·11	0·81	0·63	0·63
Not stated	0·08	0·00	0·13	0·11	0·13	0·31	0·09	0·01	0·23	0·07	0·11	0·47
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

for every ten thousand inhabitants was 95; in the Large Towns it was 87; in the Small Towns, 71; in the Mainland-Rural Districts, 58; and in the Insular-Rural Districts hardly 49. We do not assert that the mere circumstance of dense aggregation of human beings is necessarily *the* cause of a high marriage-rate. It seems more rational to infer that some of the principal causes that lead to the formation of cities and of great centres of industry are the presence of natural advantages, the facilities for trade, the prospect of continued and well-remunerated occupation, and that such causes have likewise a most powerful influence in determining the frequency of marriages. Hence it may be readily understood why the marriage-rate should be very different in the thriving and rapidly-increasing city of Glasgow, from that which prevails in the sterile Hebrides with their dwindling population.

The number of marriages that took place during the year being 25,641, and the number of live legitimate births being 107,838, the births may be

TABLE XV.—MARRIAGES, 1855–1872. Number and Proportion of Men and Women in Scotland, at each quinquennial period of age, who contracted Marriage during the Years 1855–1872.

Ages.	Men.		Women.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—20 years	11534	2·91	50205	12·65
20—25	151660	38·20	180930	45·58
25—30	118680	29·90	96059	24·20
30—35	49707	12·52	34740	8·75
35—40	26145	6·59	17661	4·45
40—45	15757	3·97	9100	2·29
45—50	9898	2·49	4477	1·13
50 and above	13010	3·28	2750	0·69
Age not stated	580	0·14	1049	0·26
TOTAL	396971	100·00	396971	100·00

TABLE XVI.—MARRIAGES in SCOTLAND, 1855–1872. Numbers.

Years.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889

stated as in the proportion 4·21 live legitimate children for each marriage. This number is a little lower than that deduced from the experience of 1871—the extraordinary number of marriages in 1872 naturally affecting the computation. In England, during 1872, the marriages amounted to 201,267, and the number of live legitimate children registered was 781,141. There were, consequently, 3·88 live legitimate births for each marriage, or 388 for every hundred marriages. As there is reason to believe, according to the Registrar-General, that some thousands of legitimate births annually escape registration in England, we shall make no comment upon these numbers. In Sweden, a country in which the Life Statistics are kept with great accuracy, the marriages during 1872 were 29,470, and the live legitimate births 112,989. There were, consequently, 3·83 live legitimate births for each marriage, a proportion considerably lower than that observed in Scotland.

In Table X. are given details as to the number of marriages celebrated in the different divisions of the country by clergymen of different denominations, and as to the comparatively very small number of what are termed irregular marriages, *i.e.* marriages without previous publication of banns.

Of 25,641 recorded marriages, 11,794 were celebrated by ministers of the Established Church of Scotland, 5661 by ministers of the Free Church, 3312 by United Presbyterian clergymen, 2461 by Roman Catholic priests, 579 according to the forms of the Church of England, 1681 according to the forms of other Denominations, 5 according to the forms of some Unspecified Denomination, and 148 in an Irregular manner.

It is customary to refer to these numbers as affording some indication regarding the proportion of the people of Scotland that belong to each of the principal religious denominations. It should, however, be understood that the indication thus obtained must needs be a mere approximation; for the fact that a minister of a particular religious persuasion performs the ceremony of marriage may often be determined by reference to the convenience of the parties whom he unites in wedlock, and cannot be held as anything

TABLE XVII.—MARRIAGES in SCOTLAND, 1855–1872. Proportions.

Years.	Percentage who Married under 21 years.		Percentage who Married				Percentage who Signed				Proportion in every 100 Marriages between			
			Under 25 years		Above 25 years		By Writing.		By Mark.					
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·85	3·47

more than a sort of indirect acknowledgment that the contracting parties appeared to profess the faith of Christians. 46·00 per cent. of the marriages

TABLE XVIII.—MARRIAGES, 1872. Percentage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1871.	Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters	Widowers and Widows.
SCOTLAND	89·56	79·48	10·44	20·52	7·71	22·10	84·38	3·11	8·85	3·47
GROUPS.										
PRINCIPAL TOWNS . .	88·11	75·67	11·89	24·33	8·26	23·16	81·82	4·18	9·33	4·61
LARGE TOWNS	87·67	76·31	12·33	23·69	9·03	24·23	83·65	3·47	8·80	4·01
SMALL TOWNS	89·31	79·78	10·69	20·22	8·69	23·84	85·57	2·81	8·51	3·06
MAINLAND-RURAL . .	95·17	89·33	4·83	10·67	5·81	17·27	87·76	1·60	8·33	1·78
INSULAR-RURAL . . .	71·20	60·41	28·80	39·59	2·35	9·86	87·17	0·94	9·08	1·72
DIVISIONS.										
I. NORTHERN . . .	93·88	88·25	6·12	11·75	4·14	12·42	88·91	1·16	7·78	1·32
II. NORTH-WESTERN	72·17	53·33	27·83	46·67	1·11	11·33	89·04	1·23	8·50	0·86
III. NORTH-EASTERN	97·53	92·36	2·47	7·64	6·43	19·97	87·91	2·10	8·00	1·98
IV. EAST-MIDLAND .	94·50	86·25	5·50	13·75	8·10	18·49	84·85	2·22	9·72	3·06
V. WEST-MIDLAND .	90·57	81·01	9·43	18·99	6·07	21·38	83·59	1·84	9·56	3·62
VI. SOUTH-WESTERN	84·77	70·39	15·23	29·61	9·51	26·45	82·82	3·40	8·79	4·30
VII. SOUTH-EASTERN .	94·14	90·03	5·86	9·97	6·11	20·24	84·65	3·19	8·46	3·49
VIII. SOUTHERN . . .	95·63	94·01	4·37	5·99	5·58	16·68	84·86	2·27	9·23	2·67
COUNTIES.										
1 Shetland . . .	92·80	80·80	7·20	19·20	3·20	7·20	84·80	0·80	8·80	1·60
2 Orkney	97·75	97·75	2·25	2·25	8·43	17·98	92·70	0·56	4·49	2·25
3 Caithness . . .	91·85	91·30	8·15	8·70	3·26	12·50	85·87	1·63	11·41	1·09
4 Sutherland . . .	92·31	76·92	7·69	23·08	0·00	9·40	92·31	1·71	5·98	0·00
5 Ross & Cromarty	73·94	50·99	26·06	49·01	1·42	8·50	88·67	0·85	9·06	0·85
6 Inverness . . .	70·81	55·12	29·19	44·88	0·87	13·51	89·32	1·52	8·06	0·87
7 Nairn	92·59	85·19	7·41	14·81	1·85	5·56	81·48	3·70	11·11	3·70
8 Elgin	97·41	88·79	2·59	11·21	4·74	16·38	84·91	0·86	11·21	3·02
9 Banff	94·77	88·37	5·23	11·63	6·39	19·77	89·53	0·29	9·01	1·16
10 Aberdeen . . .	98·17	94·02	1·83	5·98	7·14	21·12	88·16	2·75	7·08	2·08
11 Kincardine . . .	98·54	91·75	1·46	8·25	3·88	18·45	88·83	0·97	9·22	0·97
12 Forfar	91·48	79·04	8·52	20·96	8·57	19·94	83·83	2·40	9·84	3·93
13 Perth	98·15	95·16	1·85	4·84	5·27	14·24	86·04	1·71	9·69	2·28
14 Fife	97·28	92·60	2·72	7·40	8·84	18·45	85·54	2·21	9·86	2·13
15 Kinross	100·00	97·30	0·00	2·70	10·81	10·81	86·49	0·00	13·51	0·00
16 Clackmannan . .	93·43	86·13	6·57	13·87	8·76	21·89	87·59	2·92	5·84	3·65
17 Stirling	92·90	83·77	7·10	16·23	8·70	26·67	84·93	1·88	8·84	3·77
18 Dumbarton . .	87·71	76·83	12·29	23·17	5·67	11·04	83·92	3·78	9·22	3·07
19 Argyll	88·32	81·14	11·68	18·86	2·39	14·67	83·83	2·69	10·18	2·69
20 Bute	94·06	79·21	5·94	20·79	1·98	8·91	72·28	5·94	13·86	7·92
21 Renfrew . . .	84·72	71·41	15·28	28·59	9·12	24·69	82·80	4·82	8·37	3·89
22 Ayr	88·56	74·59	11·44	25·41	11·44	28·66	84·83	3·07	8·61	3·43
23 Lanark	83·98	69·28	16·02	30·72	9·20	26·37	82·41	4·01	8·93	4·57
24 Linlithgow . . .	82·27	79·93	17·73	20·07	10·03	31·10	87·29	3·34	4·68	3·01
25 Edinburgh . . .	95·11	90·84	4·89	9·16	5·58	19·77	83·09	3·55	9·34	3·98
26 Haddington . .	89·50	82·77	10·50	17·23	5·46	14·71	89·50	2·10	6·72	1·26
27 Berwick	100·00	96·63	0·00	3·37	4·49	14·61	91·57	0·00	6·18	1·68
28 Peebles	98·39	93·55	1·61	6·45	4·84	24·19	82·26	6·45	8·06	3·23
29 Selkirk	98·15	96·91	1·85	3·09	11·11	20·99	92·59	0·62	5·56	1·23
30 Roxburgh . . .	95·67	97·00	4·33	3·00	5·67	18·33	88·67	1·00	8·67	1·67
31 Dumfries . . .	96·69	95·45	3·31	4·55	4·97	17·18	84·26	2·48	9·32	3·73
32 Kirkcudbright .	97·52	93·36	2·48	6·64	5·81	14·94	83·40	2·90	8·71	2·07
33 Wigtown . . .	91·00	87·20	9·00	12·80	6·63	15·17	82·46	2·84	10·43	1·42
EDINBURGH .	95·89	91·72	4·11	8·28	5·40	18·41	82·21	3·77	9·68	4·28
GLASGOW . .	84·12	68·00	15·88	32·00	8·96	24·80	81·06	4·26	9·55	5·08

were celebrated by clergy of the Church of Scotland, 22·08 per cent. by those of the Free Church, 12·92 per cent. by those of the United Presbyterian Church, 9·60 per cent. by those of the Roman Catholic Church, 2·26 per cent. by those of the Episcopal Church, 6·55 according to the rites of various minor Denominations, 0·02 per cent. according to the forms of some Unspecified Denomination, and 0·57 in an Irregular Manner, or without religious ceremony.

The ages of the 25,641 men who contracted marriage in 1872 were ascertained in all but 20 instances. In 1978 instances, or in 7·71 per cent. of all marriages recorded, the husband had not attained the age of 21 years. Of the females married during the year, 22 did not communicate their ages to the Registrar; 25 were aged 60 and upwards; and 5666, or 22·1 per cent. of all who married, were under the age of 21 years.

In 21,637, or 84·38 per cent. of all the marriages, bachelors became united to spinsters; in 2269 instances, or in 8·85 per cent. of all marriages, widowers espoused spinsters; in 889 cases, or in 3·47 per cent. of the marriages, widowers and widows were the contracting parties; while 798 bachelors married a like number of widows, thus constituting 3·11 per cent. of the whole registered marriages of 1872.

In Table XVIII. will be found the percentage of males and of females in the different Groups, Divisions, and Counties of Scotland, who at the time of their marriage signed the Register in writing, or merely made a "mark." This table furnishes a sort of rough index to the state of elementary education in various parts of the country. If it may be assumed that every man that can use a pen writes his name in the Register, we may gather from the table that education is most defective among men in the County of Inverness, where 29·19 per cent. of those that married preferred to sign by means of a mark. It is well known that many females who are conscious that their education has not been perfect, but who are nevertheless quite capable of signing their names, would feel considerable delicacy about attempting to sign the register in the presence of witnesses, and on so critical an occasion as a marriage. And although there cannot be a doubt that the education of females is apt to be less attended to than that of males, it is questionable whether 20·52 per cent. of the females of Scotland are at the time of their marriage unable to sign their names in writing. However that may be, it is pretty plain from Table XVIII. that in the Counties of Inverness, and still more in Ross and Cromarty, the custom of using marks, instead of writing a signature, is far more frequent than elsewhere among both males and females. In the last-named Counties, 49·01 per cent. of females signed the marriage register with a "mark" in 1872.

Of 25,641 men married in Scotland during the year, 22,965, or 89·56 per cent. signed the register by ordinary writing, while 2676, or 10·44 per cent. adhibited a mark. Of 25,641 females, 20,380, or 79·48 per cent. wrote their signatures at the time of marriage, while 5261, or 20·52 per cent., for various reasons resorted to the custom of making a mark. Appended to Table XVIII. will be found, as usual, particulars relative to the state of education in Edinburgh and in Glasgow.

It may be remarked that the relative numbers of those who sign the Marriage Register in these two cities has not materially varied of late years, and that writing appears to be a far rarer accomplishment among the inhabitants of the Western than among those of the Eastern Metropolis. Of course the reason is very obvious. Glasgow contains an enormous poor Irish population, among whom marriages are very frequent and penmanship little cultivated. In the course of a few years it may be expected that

the laws of the country respecting the education of children will cause the education of the lower classes in Edinburgh and in Glasgow to differ in no essential feature, and that the percentage of marks in the Marriage Registers of the latter city will undergo a rapid diminution.

DEATHS.

The number of registered Deaths in Scotland during 1872 was 75,794, which is very nearly in the proportion of 223 deaths for every ten thousand of estimated population. During the ten years terminating with 1871, the average death-rate of Scotland was 222·39 for every ten thousand inhabitants; so that the mortality during 1872 has been slightly in excess of recent experience.

TABLE XIX.—DEATHS of MALES and FEMALES in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855–1872.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37855	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076

TABLE XX.—Percentage of MALE and FEMALE DEATHS to the Population in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855–1872.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085		See	Note	
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114		on	p. 28.	
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523

The death-rate in England during 1872 was 223 per ten thousand, or the very same as that observed in Scotland. The average death-rate of the decennial period terminating with 1871 was in England 226 per ten thousand, consequently the mortality of 1872 did not quite reach the rate observed of late years.

As regards the Five Groups of Districts into which for Registration purposes it has been found convenient to divide Scotland, the deaths were,—in the Principal Towns, 30,199; in the Large Towns, 8603; in the Small Towns, 16,815; in the Mainland-Rural Group, 18,093; and in the Insular-Rural Districts, 2084.

The proportion of deaths to estimated population was in the Principal Towns, 27·6 per thousand; in the Large Towns, 26·52; in the Small Towns, 21·46; in the Mainland-Rural Districts, 17·27; and in the Insular-Rural Group, 15·86 per thousand.

These numbers are very instructive, illustrating in a sufficiently clear way the effects of dense aggregation upon the health of communities. There can be no doubt of the truth of the general proposition that the death-rate is highest where the population is most densely crowded together; but it would be an error to suppose that what we term the "death-rate" is an infallible index to the health of the population where it is observed. The death-rate which the numbers in this and similar reports express is the number of deaths that occur during a year divided by the estimated number of persons alive at the middle of the year—this ratio being usually multiplied by a 100, 1000, etc., according as we wish to indicate the death-rate per cent. per thousand, etc. But a most important circumstance in determining the number of deaths in a given population is the age of its members, or rather the relative proportions of infants, children, adolescents, adults, and aged persons that exist in it. Where marriages are very frequent, the number of infants will, of course, be large; and wherever the proportion of infants in a community is large, the influence of the large

TABLE XXI.—TOWN DEATHS, 1862–1872. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.
Glasgow . . .	11565	13329	13674	13914	12829	12578	13832	15648	13955	15790	14053
Edinburgh . . .	4760	4593	4678	4858	4813	4765	4781	5406	4715	5447	5484
Dundee	2599	2714	3105	3000	3130	2952	2917	3564	3185	3336	3491
Aberdeen . . .	1923	1750	2139	1981	2324	1824	2029	1787	1927	1997	2119
Greenock . . .	1370	1876	1929	1675	1488	1433	1658	1750	1674	1772	1697
Paisley	1253	1218	1521	1410	1345	1335	1221	1449	1352	1453	1430
Leith	872	913	928	948	924	1064	973	1169	1059	1081	1338
Perth	618	652	871	729	613	569	626	694	641	550	587

TABLE XXII.—Proportion of TOWN DEATHS, 1862–1872. Annual Percentage of Deaths to the Population in each of the Principal Towns of Scotland.

Towns.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	Mean Annual Mortality.	1872.
Glasgow .	2·85	3·22	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·29	3·098	2·871
Edinburgh	2·73	2·59	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·70	2·600	2·675
Dundee .	2·74	2·78	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·75	2·829	2·797
Aberdeen	2·54	2·27	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·26	2·405	2·353
Greenock	3·00	3·99	3·97	3·34	2·88	2·69	3·01	3·09	2·87	2·94	3·178	2·733
Paisley .	2·63	2·55	3·19	2·95	2·81	2·78	2·54	3·01	2·80	3·01	2·827	2·957
Leith .	2·34	2·39	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·371	2·794
Perth . .	2·36	2·49	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·456	2·222

mortality due to infantile diseases will be felt in the general death-rate of the whole community. A single example will show how very differently various Registration Districts may be constituted as regards the proportion of children living in each. At the Census, 1871, the population of the Eight Principal Towns was 1,068,556, and the number of infants living in these towns, and under one year old, was 33,889, or 317 for every ten thousand of the population. In the Insular-Rural Districts, the population was 132,004, and the number of infants 3060, or 232 for every ten thousand of population. The great mortality of infants during the first year of life is,

TABLE XXIII.—AGES of MALES and FEMALES who died in SCOTLAND, and in each of its GROUPS of DISTRICTS, during the year 1872.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8180	6540	3526	2956	1062	781	1907	1413	1539	1254	146	136
— 2	3073	2924	1490	1403	400	383	707	687	446	423	30	28
— 3	1468	1417	719	696	172	187	323	304	233	202	21	28
— 4	975	941	461	443	126	102	217	217	156	169	15	10
— 5	677	767	335	372	74	87	153	170	108	127	7	11
0– 5 Years	14373	12589	6531	5870	1834	1540	3307	2791	2482	2175	219	213
5–10	1983	1789	822	798	246	206	476	383	407	366	32	36
10–15	1081	1060	458	403	113	109	254	249	236	278	20	21
15–20	1331	1298	531	527	152	128	305	298	303	315	40	30
20–30	3014	2836	1296	1223	294	319	601	616	723	602	100	76
30–40	2322	2587	1071	1141	265	300	460	539	469	543	57	64
40–50	2487	2343	1141	1041	275	288	511	498	512	466	48	50
50–60	2795	2755	1147	1153	326	301	592	531	665	699	65	71
60–70	3329	3481	1163	1207	373	378	741	777	950	984	102	135
70–80	3279	4150	758	1145	320	423	818	981	1221	1412	162	189
80–90	1668	2446	253	438	155	203	374	547	756	1105	130	153
90–100	238	480	15	59	6	39	58	103	132	243	27	36
100 and above	10	17	1	1	–	3	1	2	6	10	2	1
Not stated	29	24	5	1	4	3	2	–	14	19	4	1
ALL AGES	37939	37855	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076

TABLE XXIV.—PERCENTAGE of DEATHS to the POPULATION at each AGE, 1872.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	15·820	12·963	20·057	17·264	19·344	14·455	15·405	11·776	10·414	8·688	9·618	8·900
— 2	6·848	6·715	10·215	9·901	8·449	8·341	6·698	6·616	3·288	3·233	2·120	2·147
— 3	3·145	3·130	4·945	4·808	3·564	3·906	2·820	2·793	1·626	1·481	1·369	1·877
— 4	2·126	2·102	3·241	3·169	2·672	2·231	1·951	1·972	1·103	1·238	0·917	1·640
— 5	1·517	1·774	2·471	2·821	1·636	1·949	1·415	1·625	0·770	0·938	0·409	0·710
0– 5 Years	6·149	5·539	8·768	8·048	7·551	6·466	5·872	5·100	3·502	3·182	2·803	2·864
5–10	0·957	0·884	1·350	1·318	1·164	0·999	0·944	0·781	0·609	0·567	0·406	0·489
10–15	0·562	0·575	0·826	0·736	0·583	0·585	0·544	0·557	0·376	0·475	0·256	0·285
15–20	0·785	0·763	1·000	0·906	0·889	0·687	0·772	0·773	0·566	0·637	0·644	0·460
20–30	1·170	0·958	1·316	1·102	1·078	1·046	1·100	0·957	1·027	0·751	1·357	0·739
30–40	1·241	1·139	1·584	1·413	1·368	1·289	1·116	1·064	0·891	0·852	0·879	0·715
40–50	1·668	1·319	2·363	1·751	1·792	1·641	1·495	1·240	1·113	0·876	0·896	0·679
50–60	2·546	2·076	3·633	2·819	3·038	2·409	2·363	1·754	1·772	1·637	1·359	1·133
60–70	4·552	3·675	6·507	4·571	5·752	4·436	4·434	3·560	3·375	2·979	2·704	2·815
70–80	9·359	8·437	11·931	10·025	11·684	10·180	9·994	8·573	8·063	7·487	6·596	6·199
80–90	20·265	18·439	23·823	18·726	28·758	20·280	21·782	19·315	18·345	18·691	17·105	13·552
90–100	40·746	38·616	19·480	29·950	18·750	41·935	46·774	46·606	46·479	40·635	37·500	32·432
100 and above	62·500	32·075	20·000	9·091	100·000	60·000	28·572	0·000	100·000	59·375	100·000	50·000
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523

of course, quite well known; and a little consideration will show that even were infants to die in the same proportion in the Principal Towns and in the Rural Districts of the Islands of Scotland, the far greater number of infants in our town population would have a decided effect in raising the general death-rate of the Eight Towns.

If, instead of the first year of life, we had selected any other year, and had studied the composition of the population in two places very dissimilar —say in Glasgow and in Stornoway—we should have found like reason to distrust the figures of the general death-rate as a direct index to the relative salubrity of the two places. But, in several of the tables which illustrate the mortality recorded in this and similar reports, an attempt is made to exhibit for each Group of Districts, and for each of the Principal Towns, the annual mortality experienced by a hundred persons, within certain stated limits of age; and it is to such tables, and especially to those numbered XXIV. and XXVII. that the reader must be referred for more precise information than a mere glance at the general death-rates can afford him. Now, whether we look at the general death-rates of the several groups of Districts into which Scotland is in our tabular statements supposed to be divided, or whether we consider the percentage of mortality at ages under one year, or at ages under five years—in short, whatever be the test applied to the materials contained in our tables—the result obtained is always to the same general effect. Just in proportion as there is reason to consider the population densely aggregated, public health seems to become impaired, and the effect is visible in all our comparative statements of infantile mortality, of mortality during the early years of life, and even in the numbers representing general death-rates.

The annual mortality in the Principal Towns of Scotland was, in 1872, 27·60 for every thousand inhabitants (Table XXVIII.). The highest death-rate—that recorded in Paisley—was 29·57 per thousand. The rate in Glasgow was 28·71; that in Dundee, 27·97; that in Leith, 27·94; that in Greenock, 27·33; that in Edinburgh, 26·75; that in Aberdeen, 23·53; and that in Perth, 22·22. (Table XXII.)

Table XXV.—Percentage of Deaths at each Age to the Total Deaths, 1872.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	21·56	17·28	23·21	19·70	24·34	18·42	22·44	16·99	17·34	13·60	14·48	12·64
— 2	8·10	7·72	9·81	9·35	9·17	9·03	8·32	8·27	5·02	4·59	2·98	2·60
— 3	3·87	3·74	4·73	4·64	3·94	4·41	3·80	3·66	2·63	2·19	2·09	2·60
— 4	2·57	2·49	3·03	2·95	2·89	2·41	2·55	2·61	1·76	1·84	1·49	0·93
— 5	1·78	2·03	2·21	2·48	1·70	2·05	1·80	2·04	1·22	1·38	0·69	1·02
0– 5	37·88	33·26	42·99	39·12	42·04	36·32	38·91	33·57	27·97	23·60	21·73	19·79
5–10	5·23	4·73	5·41	5·32	5·64	4·86	5·60	4·61	4·58	3·97	3·17	3·35
10–15	2·85	2·80	3·01	2·69	2·59	2·57	2·99	2·99	2·66	3·02	1·98	1·95
15–20	3·51	3·43	3·50	3·51	3·48	3·02	3·59	3·58	3·41	3·42	3·97	2·79
20–30	7·94	7·49	8·53	8·15	6·74	7·52	7·07	7·41	8·15	6·53	9·92	7·06
30–40	6·12	6·83	7·05	7·60	6·07	7·08	5·41	6·48	5·28	5 89	5·65	5·95
40–50	6·55	6·19	7·51	6·94	6 30	6·79	6·01	5·99	5·77	5·06	4·76	4·65
50–60	7·37	7·28	7·55	7·68	7·47	7·10	6·96	6·39	7·49	7·58	6·45	6·60
60–70	8·77	9·20	7·66	8·04	8·55	8·91	8·72	9·34	10·70	10·68	10·12	12·55
70–80	8·64	10·96	4·99	7·63	7·34	9·98	9·63	11·80	13·75	15·32	16·07	17·56
80–90	4·40	6·46	1·66	2·92	3·55	4·79	4·40	6·58	8·52	11·99	12·90	14·22
90–100	0·63	1·27	0·10	0·39	0 14	0·92	0·68	1·24	1·49	2·64	2·68	3·35
100 and above	0·03	0·04	0·01	0·00	0·00	0 07	0·01	0·02	0·07	0·10	0·20	0·09
Not stated	0·08	0·06	0·03	0·01	0·09	0·07	0·02	0·00	0·16	0·20	0·40	0·09
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

In Tables XIX to XXV. are contained the usual details regarding the relative frequency of death at various ages, as affected by the circumstance of sex. The total deaths in all Scotland were 75,794, namely, 37,939 males and 37,855 females. With the aid of the estimated population-numbers, which may be found in Table II., it is computed that for every thousand males the deaths were 23·37; for every thousand females, 21·32; and for every thousand persons, 22·30. When it is borne in mind that repeated Census enumerations have demonstrated that of the whole population of Scotland about 52·2 per cent. is female, and only 47·7 per cent. male, and yet, that for every 100 female live births at least 105 live male births are recorded, it becomes obvious that the deaths of males must be more frequent than those of females. Reference to our Tables, and especially to XXIV., will show that this is true not merely for Scotland considered as a whole, but likewise for each of the divisions under which its Registration Districts are ranged. At almost every period of life this preponderance of male mortality may be traced by means of our Table XXIV. Brief allusion may be made to the exceptional cases in which the mortality of females has, during 1872, exceeded that of males. In the Insular-Rural Districts this was the case at all ages after the first year of life up to the age of fifteen. It must, however, be remarked that the total deaths in the whole Insular-Rural Districts amounted to only 2084, a number far too small to justify us in claiming any particular attention to the above apparent exceptions. During the fourth year of life, females succumbed more frequently than males in the Small Towns, and likewise in both the Rural Districts. The fifth year of life was, as in former years, more fatal to females than to males in every division of the country.

Between the tenth and fifteenth years female deaths were, as usual, the more frequent in all Scotland, and in all its divisions except the Principal Towns, where there was a considerable preponderance in favour of female life. Between the ages of 15 and 20, females died in the larger proportion in the Mainland-Rural Districts.

The subject of infant mortality is well illustrated by Tables XXIII.,

---

TABLE XXVI.—DEATHS at different Ages in each of the Eight Principal Towns of Scotland during the Year 1872.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3198	980	820	393	425	292	286	88
— 2	1565	365	358	144	186	158	94	23
— 3	736	178	186	93	95	51	63	13
— 4	475	141	101	63	44	32	39	9
— 5	349	106	101	38	39	25	43	6
0– 5 Years	6323	1770	1566	731	789	558	525	139
5-10	734	342	176	124	87	57	88	12
10-15	385	188	83	68	47	33	45	12
15-20	516	199	99	72	53	52	44	23
20-30	1183	535	249	172	97	111	111	61
30-40	998	458	244	137	119	98	121	37
40-50	1047	404	267	125	121	96	80	42
50-60	1019	450	265	164	134	111	100	57
60-70	939	508	277	211	122	144	93	76
70-80	675	434	197	201	90	121	95	90
80-90	213	177	62	100	28	43	33	35
90-100	20	18	6	14	4	6	3	3
100 and above	1	1	–	–	–	–	–	–
Not stated	–	–	–	–	6	–	–	–
ALL AGES	14053	5484	3491	2119	1697	1430	1338	587

XXIV., and XXV. If attention be directed exclusively to the mortality of infants during the first year of life, it cannot escape notice that this mortality varies most remarkably in the various Registration Districts. In the Principal Towns the mortality of male infants exceeded 20 per cent.; in the Large Towns it was 19·3 per cent.; in the Small Towns, 15·4 per cent.; in the Mainland-Rural Districts, 10·4 per cent.; and in the Insular-Rural Districts only 9·6 per cent.

It is impossible to resist the impression that there must be something in modern civilization, something connected with the tendency of masses of our population to congregate towards great centres, something connected with the habits or occupations of the dwellers in our large cities which is peculiarly detrimental to infant life. It cannot be mere poverty, and the absence of those comforts which riches can command, that confer upon a newly-born child in our Highlands or Islands a far better chance of arriving at mature age than is possessed by the average number of children born and reared in Edinburgh or in Glasgow. It cannot be that medical care is more readily available in the country than in our great towns; and attention to cleanliness and to ordinary sanitary arrangements is not more common among the poor of the Scottish Highlands and Islands than in the streets of the Old Town of Edinburgh. It may, however, be that the amount of intemperance and vice of all kinds in the inhabitants of our great cities, their crowded dwellings, their unwholesome occupations, often pursued in the midst of a dull smoky filthy atmosphere, degrade their offspring both morally and physically, and favour the development among them of those diseases of the Zymotic and Tubercular class which are the most frequent causes of death during the earlier years of life.

It is not, however, merely during the periods of infancy and childhood that the density of aggregation seems to be commensurate with the death-rates of the population in the various Registration Districts. In Table XXIV. the same fact may be clearly traced at every period of life up to the eightieth year. One apparent exception may, however, be here explained. It will be observed that, between the ages of 20 and 30, the percentage of deaths of males was in the Insular-Rural Districts 1·357,

---

TABLE XXVII.—PERCENTAGE of DEATHS to the POPULATION at each AGE in each of the PRINCIPAL TOWNS of SCOTLAND, in 1872.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	19·61	16·68	21·69	13·72	19·75	20·19	17·65	13·23
— 2	11·92	7·43	11·33	5·84	10·15	12·82	6·77	3·62
— 3	5·65	3·53	5·38	3·95	5·33	4·04	4·32	2·05
— 4	3·80	2·93	3·01	2·54	2·47	2·54	2·82	1·40
— 5	2·94	2·27	3·12	1·67	2·30	2·06	3·45	1·02
0– 5 Years	9·46	7·00	9·21	5·88	8·53	8·70	7·40	4·39
5–10	1·36	1·63	1·22	1·18	1·19	1·00	1·54	0·41
10–15	0·78	0·97	0·63	0·73	0·77	0·61	0·91	0·44
15–20	1·04	0·93	0·74	0·80	0·94	0·98	1·02	0·91
20–30	1·20	1·33	1·10	1·15	0·81	1·40	1·26	1·45
30–40	1·49	1·62	1·47	1·18	1·31	1·66	1·78	1·07
40–50	2·17	1·99	2·10	1·46	2·09	2·07	1·73	1·45
50–60	3·30	3·07	3·29	2·48	3·59	3·25	3·28	2·72
60–70	5·42	5·35	5·70	4·44	5·56	6·09	5·24	5·09
70–80	10·93	10·32	10·89	9·14	10·86	11·46	13·44	11·64
80–90	19·61	22·01	22·00	18·80	17·61	20·98	25·98	20·96
90–100	21·50	29·51	20·69	34·15	36·36	31·58	42·86	18·75
100 and above	10·00	25·00	–	–	–	–	–	–

while in the Principal Towns it was only 1·316. This apparent anomaly may be disposed of by referring to Table XXVIII., where, under the head of Drowning, we find a mortality of only 31 per ten thousand recorded in the Principal Towns, but a mortality of 51 per ten thousand in the Insular-Rural Districts. Next, turning to Table XXIII., we find that of the whole male deaths in the Principal Towns only 8·53 per cent. took place between the ages of 20 and 30; but that among our Island population very nearly 10 per cent. of male deaths took place between these limits of age. Now, it must be further remarked that this apparent inversion of the order of mortality does not exist in the case of females at all; but the examination of several previous Detailed Annual Reports convinces us that, as regards the males, the observation is not new. Next, we have to point out that of those who are exposed to the risks of drowning—our young fishermen and seamen, between the ages of 20 and 30—constitute the great majority among the inhabitants of our islands. Then it must be further noted that, when a wreck takes place, or when bodies are washed ashore upon the long and dangerous coasts of our Northern and Western Islands, the deaths of all who appear to have lost their lives by drowning are recorded in the books of the district where they find a grave, although when in life they may never have trod its soil. The estimated number of males living, between 20 and 30, in the Insular Group of Districts at the middle of 1872, were 7371; and if, in the course of 1872, we may suppose only twelve male strangers between the ages of 20 and 30 to have been brought ashore drowned on the coasts of our islands, we may deduct at least ·162 from the percentage of 1·357 shown in Table XXIV., and thus leave 1·195 as the percentage of male deaths to the male population of our Islands at the above ages.

Up to this point our remarks upon the mortality recorded in various districts have had reference either to the absolute number of deaths observed, or to the ratio between the numbers of those who have died during the course of 1872, and of those estimated as living at the middle of that year.

Another view of the mortality may be obtained from Table XXV., where the number of deaths at each age is contrasted with the deaths at All Ages. This view is separately given for the males and for the females in each Registration Group of Districts. To illustrate the use that may be made of such a table, we may confine our attention to the interval between birth and the completion of the fifth year of life—the period denoted in the Table by Age, 0–5. It may be seen that in the Principal Towns 42·99 per cent. of the deaths of males in 1872 occurred at this period of life, while the rate for females was 39·12 per cent. In the Large Towns the rates were 42·04 for males and 36·32 for females; in the Small Towns, 38·91 for males and 33·57 for females; in the whole of Scotland, 37·88 for males and 33·26 for females; in the Mainland-Rural Districts, 27·97 for males and 23·60 for females; and, finally, in the Insular-Rural Districts, it is seen that, of a hundred deaths of males, 21·73 took place during the first five years of life, but of a hundred deaths of females only 19·79 occurred at that early age.

The Table affords likewise an instructive view of the longevity experienced in the various Registration Divisions of the country. As an example of the information which it is meant to convey, we may, as in 1871, consider the numbers of females who have in each District at the time of their death attained the age of seventy years or more. Of such long-lived females there were, in 1872, for every 100 deaths very nearly 10 in the Principal Towns; about 15¾ in the Large Towns; about 18¾ in all Scot-

land; about 19½ in the Small Towns; about 30 in the Mainland-Rural; and about 35¼ in the Insular-Rural Districts.

NOTE.—In reference to Table XX., the last four columns of which are left blank, except for the years 1871 and 1872, it seems right to explain that the alterations upon the constitution of the Mainland and Insular-Rural Districts have been such that we do not feel justified in attempting to adjust the numbers of males and females in these Districts between 1855 and 1870.

CAUSES OF DEATH.

Of the 75,794 Deaths which were recorded in all Scotland during 1872, 73,681 were in the certificates referred to Specified Causes, and, consequently, 2113, or nearly 2·8 per cent. must be regarded as due to Causes Unknown. Even among the deaths which in the tables of this and similar reports are referred to certain diseases, there are many in which no medical certificate was forthcoming, or in which the medical certificates were not so framed as to be available for statistical purposes. A certain number of deaths are referred to their causes on the authority of ordinary or non-medical informants, after due inquiry by the Registrars; and the numbers of unspecified deaths which we record are to be regarded as the numbers of deaths which it has been found impossible, with the aid either of medical or ordinary testimony, to refer with fair degree of probability to any of the Specific Causes recognised in our Nosology. The proportion of deaths from Unknown Causes varies very much in different localities. Thus, in Edinburgh, the proportion of deaths from Cause Unknown was, during 1872, about 0·72 out of every hundred deaths from All Causes, while in Shetland the rate was fully 11·5 per cent.

The Class of Zymotic Diseases, which includes all those affections commonly termed Epidemic and Contagious, caused in Scotland, during 1872, no less than 15,861 of the deaths from Specified Causes. Table XXIX., to which we shall now have frequent occasion to refer, informs us that the deaths from Zymotics constituted 21·53 per cent. of All Deaths that occurred. From the companion Table XXVIII. it may be seen that out of a hundred thousand males there died of zymotic disorders 493, while out of the same number of females the deaths were 468. Thus, for every hundred thousand persons living at the middle of 1872, it is computed that there occurred 480 deaths from zymotic diseases.

In Table XXXII. may be found the actual numbers of those who perished during each of five periods of life from each of the most common of the zymotic diseases; and, by means of the second part of the table, it can be ascertained almost at a glance, as regards each disease, at what period of life its lethal influence was most felt during 1872. It is during the early period of life, the period between birth and the fifteenth year, that deaths from zymotic disorders are most frequent. To this rule, however, there are certain exceptions. Of the deaths from Small-pox, during 1872, only 41·2 per cent. occurred during the first fifteen years of life, and only 22·5 per cent. at ages below five years. Of the deaths from all Fevers, only 39·3 per cent. occurred at ages below fifteen, and only 17·4 per cent. during the first five years of life. But it was very different in the case of most of the other zymotic diseases. Taking account of the first five years of life only, we may learn from Table XXXII. that 94·6 per cent. of the deaths from Hooping-cough, 88·2 per cent. of those from Croup, 89·8 per

cent. of those from Measles, 14·7 per cent. of those from Diphtheria, and 57·7 per cent. of those from Scarlatina took place before the age of five. It may be noted, too, that of 193 deaths referred to Syphilis, 158 appear to have

---

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2230	2337	2132	2760	2949	2593	2511	2652	2379
1. Zymotic Class . . .	480	493	468	685	726	649	517	525	509
2. Uncertain Seat . .	77	62	91	79	65	90	67	55	77
3. Tubercular Class .	381	392	371	490	504	478	464	474	454
4. Nervous System . .	201	223	180	238	270	209	252	295	212
5. Organs of Circulation	119	126	113	132	141	126	131	132	129
6. Respiratory Organs	349	383	318	502	545	463	416	474	363
7. Organs of Digestion	146	167	139	164	172	157	161	164	159
8. Urinary Organs . .	38	52	25	47	62	33	34	47	22
9. Generative Organs .	17	–	33	18	–	34	16	–	30
10. Locomotive Organs .	14	16	13	17	20	14	15	16	15
11. Skin, etc.	3	3	3	3	3	3	3	2	3
12. Malformation . . .	8	10	6	10	12	8	7	11	5
13. Premature Debility .	109	131	90	134	159	112	131	157	108
14. Atrophy	16	15	18	21	20	22	22	18	26
15. Age	188	149	223	112	82	139	181	135	222
16. Sudden Deaths . .	5	6	5	8	10	7	6	6	6
17. Violent Deaths . .	78	123	37	100	158	49	88	141	39
Small-pox	74	83	66	143	162	127	35	42	27
Measles	28	29	27	31	35	28	38	36	41
Scarlatina	64	68	59	86	92	80	73	86	61
Diphtheria	32	32	31	38	41	35	31	32	30
Hooping-cough . .	86	80	92	145	139	150	108	99	117
Croup	35	40	30	42	49	35	41	47	35
DIARRHŒA . .	47	50	45	64	71	57	62	66	59
Dysentery	6	6	7	5	4	5	6	5	7
Cholera	2	3	2	2	4	2	2	2	2
Influenza	3	3	3	2	2	2	2	2	1
ALL FEVERS, viz.	71	73	70	88	95	81	75	76	75
Typhus . .	24	25	23	38	42	34	26	26	26
Enteric . .	37	37	37	37	40	34	39	41	37
Relapsing . .	3	4	3	6	6	6	6	5	7
Continued . .	3	3	3	2	2	2	1	1	2
Infantile . .	4	4	4	5	5	5	3	3	3
Metria	7	–	13	8	–	16	9	–	18
Erysipelas	9	10	9	11	11	11	11	11	11
Dropsy	17	15	19	17	14	20	18	14	22
Cancer	47	33	60	45	32	56	38	28	48
Scrofula	25	30	20	30	35	25	26	33	19
Tabes Mesenterica .	32	36	28	44	50	39	45	54	36
PHTHISIS . . .	264	256	270	331	322	340	294	281	305
Hydrocephalus . .	61	70	53	84	97	73	99	105	93
Apoplexy	47	51	44	52	55	48	56	62	49
Paralysis	61	61	61	63	62	63	73	75	71
Epilepsy	8	9	7	8	10	7	10	11	9
Convulsions . . .	31	39	24	45	59	37	43	57	30
BRONCHITIS . .	239	251	228	357	377	340	291	321	263
Pneumonia . . .	78	93	64	106	124	89	92	113	72
Teething	23	24	22	34	35	33	23	22	23
Enteritis	26	31	23	28	31	25	27	31	22
All Liver Diseases .	33	35	31	36	37	35	37	42	33
CHILDBIRTH . .	12	4	23	12	–	23	11	–	21
Burns and Scalds .	8	9	7	10	12	9	7	8	6
Drowning	17	32	4	16	31	4	20	39	2
Fracture & Contusion	33	56	12	42	73	15	39	64	17

been cases of Congenital Syphilis, fatal before the age of five. Thus, of all deaths from Syphilis, nearly 82 per cent. appear to have occurred during early childhood. Of every hundred deaths from All Diseases, 35·5 took

---

Hundred Thousand Persons of the Population in 1872, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS to every 100,000 Persons living.								
	Small Town Districts.			Mainland-Rural Districts.			Insular-Rural Districts.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Total Deaths . .	2146	2268	2033	1727	1747	1709	1586	1658	1523
1. Zymotic Class . . .	456	464	448	298	293	304	224	238	213
2. Uncertain Seat . .	79	64	92	78	59	96	82	74	88
3. Tubercular Class .	393	403	383	252	259	244	203	246	167
4. Nervous System . .	196	216	178	162	171	153	88	111	68
5. Organs of Circulation	121	127	114	109	115	103	52	72	34
6. Respiratory Organs	300	335	267	224	245	205	167	172	164
7. Organs of Digestion	141	151	133	132	142	124	93	103	83
8. Urinary Organs . .	32	48	18	35	47	23	26	35	19
9. Generative Organs .	17	–	32	15	–	29	32	–	59
10. Locomotive Organs .	12	10	14	11	13	9	31	35	27
11. Skin, etc.	4	4	4	3	3	3	1	2	–
12. Malformation . . .	10	13	7	6	8	5	1	2	–
13. Premature Debility .	121	152	93	74	87	63	53	55	51
14. Atrophy	15	15	14	12	9	14	7	6	8
15. Age	175	152	198	255	200	306	461	404	510
16. Sudden Deaths . .	4	5	3	2	2	2	8	8	8
17. Violent Deaths . .	70	109	35	59	94	26	57	95	24
Small-pox	48	56	41	39	42	37	17	21	14
Measles	35	34	36	17	17	17	15	18	14
Scarlatina	63	66	60	41	42	41	31	43	20
Diphtheria	34	32	35	26	25	27	9	14	5
Hooping-cough . .	70	64	76	35	31	39	31	27	34
Croup	42	46	38	21	26	17	24	23	24
DIARRHŒA . .	46	51	41	30	26	33	18	14	22
Dysentery	8	9	7	7	6	7	4	6	2
Cholera	3	3	3	2	2	2	2	–	3
Influenza	3	4	2	3	3	3	7	6	8
ALL FEVERS, viz.	74	72	75	53	52	55	45	45	46
Typhus . . .	21	21	22	11	11	10	24	25	22
Enteric . . .	43	42	44	35	34	36	16	12	20
Relapsing . .	2	2	2	1	2	1	1	2	–
Continued . .	4	3	4	4	4	5	3	4	2
Infantile . .	4	4	3	2	1	3	1	2	2
Metria	7	–	13	4	–	8	1	–	2
Erysipelas	7	8	5	9	7	9	10	12	8
Dropsy	18	18	18	15	12	16	34	25	42
Cancer	47	32	61	54	35	70	38	39	37
Scrofula	25	31	19	19	22	16	12	14	10
Tabes Mesenterica .	32	39	26	16	15	15	7	4	10
PHTHISIS . . .	275	259	290	185	184	185	177	218	141
Hydrocephalus . .	60	73	49	31	35	28	7	10	5
Apoplexy	51	54	49	41	44	38	9	12	7
Paralysis	64	65	63	57	55	59	42	58	27
Epilepsy	6	8	5	8	8	7	10	10	10
Convulsions . . .	26	35	18	17	20	14	5	6	5
BRONCHITIS . .	205	215	195	140	143	137	82	74	88
Pneumonia	69	84	55	55	67	44	34	43	25
Teething	23	25	22	13	15	12	6	6	7
Enteritis	31	38	25	24	27	20	6	10	3
All Liver Diseases .	31	31	31	32	36	28	26	29	24
CHILDBIRTH . .	12	–	24	10	–	19	26	–	49
Burns and Scalds .	8	10	7	5	5	6	8	8	8
Drowning	16	28	5	18	32	5	26	51	5
Fracture & Contusion	31	53	10	23	41	7	16	25	8

place during the first five years of life, while of every hundred deaths from zymotic diseases only, no less than 56·3 per cent. were deaths of children of this tender age.

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2153	2110	2195	2483	2462	2504	2059	1980	2139
2. Uncertain Seat	346	265	426	285	221	349	266	209	323
3. Tubercular Class	1709	1677	1742	1776	1711	1842	1847	1787	1907
4. Nervous System	900	955	844	862	915	808	1002	1112	890
5. Organs of Circulation	534	537	530	479	475	483	520	496	545
6. Respiratory Organs	1565	1637	1494	1816	1848	1783	1656	1786	1524
7. Organs of Digestion	654	659	650	595	584	606	643	618	668
8. Urinary Organs	169	221	117	169	212	127	134	176	92
9. Generative Organs	76	–	153	65	–	130	63	–	128
10. Locomotive Organs	64	67	60	62	69	54	61	59	63
11. Skin, etc.	14	13	14	11	9	13	11	9	12
12. Malformation	36	44	28	35	40	30	30	40	19
13. Premature Debility	491	561	422	486	539	433	524	594	453
14. Atrophy	74	64	83	76	68	85	89	68	111
15. Age	843	639	1046	407	277	538	720	510	936
16. Sudden Deaths	23	25	22	30	33	27	24	24	24
17. Violent Deaths	349	525	173	363	537	188	351	532	166
Small-pox	332	356	308	520	550	488	138	160	116
Measles	125	123	128	114	118	109	152	134	171
Scarlatina	285	292	279	310	311	309	290	325	256
Diphtheria	142	137	146	138	139	136	125	122	128
Hooping-cough	387	343	430	524	471	577	431	372	492
Croup	155	171	140	151	165	136	162	176	147
DIARRHŒA	212	213	212	231	239	222	249	249	248
Dysentery	28	26	31	17	13	20	25	19	31
Cholera	11	11	11	11	14	9	7	7	7
Influenza	13	13	12	7	7	7	9	9	9
ALL FEVERS, viz.	320	312	327	320	325	313	300	287	313
Typhus	108	108	107	138	144	132	104	96	111
Enteric	166	160	172	134	135	132	155	156	154
Relapsing	16	16	16	22	21	22	24	19	29
Continued	14	12	15	8	8	8	4	2	7
Infantile	16	16	17	18	17	19	13	14	12
Metria	30	–	59	30	–	60	37	–	75
Erysipelas	42	42	42	40	39	42	43	40	46
Dropsy	78	65	91	62	48	76	71	52	92
Cancer	212	143	280	162	110	215	154	106	203
Scrofula	110	127	93	109	121	97	104	125	82
Tabes Mesenterica	142	154	130	160	168	152	179	205	152
PHTHISIS	1183	1097	1269	1201	1091	1311	1169	1061	1280
Hydrocephalus	275	300	250	306	330	281	395	397	393
Apoplexy	211	217	205	187	188	186	221	235	207
Paralysis	276	263	288	228	211	245	290	282	299
Epilepsy	36	38	33	30	33	27	40	42	39
Convulsions	140	167	113	172	199	144	170	214	125
BRONCHITIS	1072	1073	1071	1294	1278	1311	1160	1211	1107
Pneumonia	349	399	299	384	422	345	365	426	304
Teething	103	103	102	122	119	126	90	85	96
Enteritis	119	131	106	102	106	98	106	118	94
All Liver Diseases	149	152	146	130	126	134	148	158	137
CHILDBIRTH	53	–	106	44	–	89	43	–	87
Burns and Scalds	36	37	34	37	40	35	29	31	26
Drowning	78	136	20	60	105	14	80	148	10
Fracture & Contusion	146	239	54	154	248	58	157	242	70

Between the ages of fifteen and sixty 56·5 per cent. of the deaths from Small-pox, 51 per cent. of those from Fevers, and, in particular, 63 per cent. of those from Typhus, and 47·8 per cent. of those from Enteric Fever,

---

Diseases to the Total Deaths from Specified Causes in 1872.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2124	2047	2201	1728	1676	1777	1415	1435	1395
2. Uncertain Seat	367	281	455	453	338	563	515	447	580
3. Tubercular Class	1831	1777	1885	1456	1485	1429	1283	1482	1094
4. Nervous System	915	954	875	936	977	897	556	671	446
5. Organs of Circulation	562	562	563	629	656	604	326	435	223
6. Respiratory Organs	1397	1477	1315	1300	1404	1201	1054	1036	1071
7. Organs of Digestion	658	666	651	767	811	725	584	623	547
8. Urinary Organs	151	210	91	201	271	136	166	212	123
9. Generative Organs	79	–	159	88	–	171	200	–	391
10. Locomotive Organs	56	45	68	62	74	51	195	212	179
11. Skin, etc.	18	18	18	16	17	16	6	12	–
12. Malformations	46	57	34	36	45	28	6	12	–
13. Premature Debility	564	672	456	432	500	366	332	329	335
14. Atrophy	68	66	71	68	55	81	46	35	56
15. Age	816	664	969	1474	1142	1789	2904	2436	3348
16. Sudden Deaths	20	23	16	12	10	12	51	47	56
17. Violent Deaths	328	481	173	342	539	154	361	576	156
Small-pox	223	247	200	228	239	217	109	129	89
Measles	165	152	179	98	98	98	97	106	89
Scarlatina	294	293	296	240	242	237	195	259	134
Diphtheria	158	143	174	150	141	158	57	82	33
Hooping-cough	328	284	372	203	176	228	195	165	223
Croup	195	202	187	124	151	98	149	141	156
DIARRHŒA	214	225	203	172	150	193	114	82	145
Dysentery	39	41	37	40	37	44	23	35	11
Cholera	15	12	17	10	9	10	11	–	22
Influenza	14	18	10	18	19	18	46	35	56
ALL FEVERS, viz.	345	320	371	309	297	320	286	271	301
Typhus	98	91	106	62	64	61	148	153	145
Enteric	201	185	218	200	194	207	103	71	134
Relapsing	9	8	9	9	9	8	6	12	–
Continued	18	13	22	26	23	27	17	23	11
Infantile	19	23	16	12	7	17	12	12	11
Metria	32	–	65	25	–	50	6	–	11
Erysipelas	31	36	26	52	51	52	63	71	56
Dropsy	85	79	91	87	78	95	218	153	279
Cancer	220	141	301	314	214	410	240	235	245
Scrofula	116	139	92	112	132	94	74	82	67
Tabes Mesenterica	149	173	126	94	97	90	46	23	67
PHTHISIS	1283	1144	1424	1070	1056	1083	1117	1318	926
Hydrocephalus	282	321	243	180	199	162	46	59	33
Apoplexy	239	237	241	236	253	220	57	71	45
Paralysis	299	287	310	331	313	347	263	353	179
Epilepsy	30	34	26	46	47	44	63	59	67
Convulsions	122	153	91	98	114	82	34	35	33
BRONCHITIS	954	950	959	811	819	803	515	447	580
Pneumonia	320	371	269	321	386	259	212	259	167
Teething	109	111	107	76	85	79	40	35	45
Enteritis	145	168	122	137	154	120	40	59	22
All Liver Diseases	145	139	152	185	205	165	166	176	156
CHILDBIRTH	57	–	116	57	–	112	166	–	324
Burns and Scalds	39	43	34	32	28	33	51	47	56
Drowning	75	123	27	103	182	28	166	306	33
Fracture & Contusion	144	235	52	135	233	42	103	153	56

took place. At ages from sixty upwards 44·5 per cent. of all the deaths from Dysentery, 31·2 per cent. of those from Erysipelas, 20·7 of those from Diarrhœa, and 9·6 per cent. of those from All Fevers occurred. The Class of Zymotic Diseases caused 685 deaths for every ten thousand persons living in the Principal Towns; in the Large Towns, 517; in the Small Towns, 456; in the Mainland-Rural Districts, 298; and in the Insular-Rural Districts, 224 out of like numbers of inhabitants. Thus we again observe, in a special Class of Diseases, a descending scale of mortality decreasing with the density of the population.

We proceed, with the help of Tables XXX. and XXXI., to illustrate the condition of each of the Eight Principal Towns during 1872, as regards the prevalence of zymotic disease. As in the Report for 1871 we shall arrange the towns in the order suggested by the number of deaths due to epidemic disorders that occurred in each.

(1.) In Leith these zymotic deaths amounted to 1041 for every hundred thousand inhabitants, and constituted 37·26 per cent. of the deaths from All Causes. This extraordinary mortality was chiefly due to the prevalence of Small-pox, which caused 16·71, and of Scarlatina, which caused 6·51 per cent. of the total deaths. The deaths from Fevers and from

---

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the year 1872, allowing for causes not specified.

Diseases and Classes of Disease.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Total Deaths . . .	2871	2675	2794	2353	2733	2957	2794	2222
Zymotic Class . . .	612	844	777	592	583	631	1041	367
Tubercular Class . .	594	365	445	368	486	541	340	367
Brain, etc., ...	231	269	217	225	237	277	235	210
Heart, etc., ...	105	178	155	138	149	96	134	180
Respiratory Organs .	612	366	549	358	419	444	360	306
Organs of Digestion .	186	135	126	142	175	230	126	161
Premature Debility . .	142	102	147	101	172	155	155	122
Old Age	85	111	120	127	132	245	115	252
Violent Deaths . . .	116	78	75	67	165	77	105	96
Small-pox	31	353	242	145	15	19	467	65
Measles	22	3	100	57	10	65	25	–
Scarlatina	74	168	6	75	72	25	182	23
Diphtheria	29	26	85	74	35	27	19	23
Hooping-cough . . .	211	93	68	35	184	201	63	4
Croup	38	14	70	47	73	54	65	31
Diarrhœa	69	43	88	49	62	65	54	76
Dysentery	3	4	10	1	12	4	4	11
Cholera	3	4	2	3	8	–	–	4
Fevers, viz.	93	89	70	64	73	130	100	96
Typhus	37	50	15	18	38	78	40	61
Enteric	41	31	39	31	32	27	50	27
Relapsing . . .	7	2	10	6	–	6	8	4
Continued . . .	3	2	2	1	3	–	2	–
Infantile	5	4	4	8	–	19	–	4
Dropsy	16	5	23	13	23	52	8	8
Cancer	35	67	48	55	38	57	27	38
Phthisis	493	246	310	248	322	352	199	275
Apoplexy	47	66	51	37	55	69	42	53
Paralysis	52	75	60	56	62	119	73	88
Bronchitis	440	240	407	259	302	337	249	203
Pneumonia	129	86	118	57	92	77	82	65
Teething	40	17	25	33	57	54	17	34

Croup appear likewise to have slightly exceeded their usual numbers. Other epidemics were comparatively in abeyance.

(2.) In Edinburgh the deaths from zymotic diseases removed 844 out of every hundred thousand of the estimated population, and constituted 31·55 per cent. of the deaths from All Causes. Of the total mortality, 13·20 per cent. was due to Small-pox, 6·28 per cent. to Scarlatina, 3·48 per cent. to Hooping-cough, and 3·32 per cent. to Fevers. The influence of all other epidemic disorders, and especially of Measles, was far less marked than usual.

(3.) In Dundee the deaths from zymotics were 777 out of every hundred thousand inhabitants, or 27·81 per cent. of the deaths from All Causes. Of the total mortality 8·66 per cent. was due to Small-pox, 3·58 per cent. to Measles, 3·15 per cent. to Diarrhœa, and 3·04 per cent. to Diphtheria. The deaths from other epidemic disorders were by no means numerous, and to Scarlatina very few indeed were attributed.

(4.) In Paisley the deaths from zymotics were 631 to every hundred thousand inhabitants, or 21·34 of the deaths from All Causes. The ruling epidemic was Hooping-cough, which accounted for 6·8 per cent. of the whole mortality. Next in order of fatality was the class of Fevers, causing 4·4 per cent. of the deaths. It may be noted in passing that the deaths from Typhus were nearly three times as numerous as those from Typhoid

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the year 1872.

Diseases and Classes of Disease.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2132	3155	2781	2516	2133	2134	3726	1652
Tubercular Class	2069	1364	1593	1564	1778	1830	1217	1652
Brain, etc.	805	1006	777	956	867	937	841	945
Heart, etc.	366	665	555	586	545	325	480	810
Respiratory Organs	2132	1368	1965	1521	1533	1501	1288	1377
Organs of Digestion	648	505	451	603	640	778	451	725
Premature Debility	495	381	526	429	629	524	555	549
Old Age	296	415	429	540	483	828	412	1134
Violent Deaths	404	292	268	285	604	260	376	432
Small-pox	108	1320	866	616	55	64	1671	292
Measles	77	11	358	242	37	220	89	–
Scarlatina	258	628	21	319	263	84	651	103
Diphtheria	101	97	304	314	128	91	68	103
Hooping-cough	735	348	243	149	673	680	225	18
Croup	132	52	250	200	267	183	233	139
Diarrhœa	240	161	315	208	227	220	193	342
Dysentery	10	15	36	4	44	13	14	49
Cholera	10	15	7	13	29	–	–	18
Fevers, viz.	323	332	250	271	267	440	358	432
Typhus	129	187	54	76	139	264	143	274
Enteric	143	116	140	132	117	92	179	122
Relapsing	24	7	35	25	–	20	29	18
Continued	10	7	7	4	11	–	7	–
Infantile	17	15	14	34	–	64	–	18
Dropsy	56	19	82	55	84	176	29	36
Cancer	122	250	172	234	139	193	97	171
Phthisis	1404	920	1109	1054	1178	1190	712	1238
Apoplexy	164	247	182	157	201	233	150	238
Paralysis	181	280	215	238	227	402	261	396
Bronchitis	1533	897	1457	1101	1105	1140	891	914
Pneumonia	449	321	422	242	337	260	293	292
Teething	139	63	89	140	209	183	61	153

Fever. Diarrhœa and Measles each caused 2·2 per cent. of the deaths from All Causes. The remaining epidemics were, during 1872, by no means destructive.

(5.) In Glasgow 612 out of every hundred thousand of population fell victims to epidemics. Such deaths constituted 21·32 per cent. of the mortality from All Causes. Hooping-cough was very prevalent, accounting for 7·35 per cent. of All Deaths. The mortality from Small-pox and from all other zymotic diseases was low.

(6.) In Aberdeen the zymotic diseases proved fatal to 592 out of every hundred thousand of population, causing 25·16 per cent. of All Deaths. Small-pox caused 6·16 per cent. of the general mortality, Scarlatina and Diphtheria respectively contributed 3·19 and 3·14 per cent. Fevers, Measles, Diarrhœa, and Croup prevailed rather extensively, and indeed Hooping-cough seems to have been the only one of the more common epidemics which did not, during 1872, exhibit destructive activity.

(7.) In Greenock, out of every hundred thousand inhabitants, zymotics carried off 583, constituting 21·33 per cent. of the total mortality; Hooping-cough occasioned 6·73 per cent. of the general mortality; Fevers and Croup each 2·67 per cent.; Scarlatina, 2·63 per cent. The deaths attributed to other zymotic diseases were not so numerous as to require mention here.

(8.) In Perth, which of the Eight Principal Towns is by far the smallest, and that in which the habits of the population are most akin to those of country people, zymotic disease proved fatal to only 367 out of every hundred thousand of estimated population. Deaths from epidemic diseases consequently constituted only 16·52 per cent. of deaths from All Causes. Fever was the most active agent in producing these deaths, accounting for 4·32 per cent. of the general mortality, while Diarrhœa and Small-pox respectively accounted for 3·42 and 2·92 per cent. of such deaths.

TABLE XXXII.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1872.

Diseases.	Number of Deaths at each Age.						Percentage at each Age.					
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60	Total.
Small-pox . . .	552	228	231	1384	53	2448	22·6	9·3	9·4	56·5	2·2	100
Measles	831	72	9	12	1	925	89·8	7·8	1·0	1·3	0·1	100
Scarlatina . . .	1210	625	135	125	6	2101	57·7	29·7	6·4	5·9	0·3	100
Diphtheria . . .	676	247	44	69	9	1045	64·7	23·6	4·2	6·6	0·9	100
Hooping-cough .	2695	150	5	–	–	2850	94·6	5·3	0·1	–	–	100
Croup	1010	132	3	–	–	1145	88·2	11·5	0·3	–	–	100
Diarrhœa . . .	1059	27	11	144	325	1566	67·7	1·7	0·7	9·2	20·7	100
Dysentery . . .	66	4	–	46	93	209	31·6	1·9	–	22·0	44·5	100
Cholera	47	6	1	21	8	83	56·7	0·7	0·1	2·5	1·0	100
All Fevers, viz. .	410	288	228	1201	227	2354	17·4	12·3	9·7	51·0	9·6	100
Typhus . . .	78	58	66	501	92	795	9·8	7·3	8·3	63·0	11·6	100
Enteric . . .	202	186	141	584	110	1223	16·5	15·2	11·5	47·8	9·0	100
Relapsing . . .	14	10	13	71	7	115	12·2	8·7	11·3	61·7	6·1	100
Simple Contd. .	21	11	8	45	18	103	20·4	10·7	7·8	43·7	17·4	100
Infantile . . .	95	23	–	–	–	118	80·5	19·5	–	–	–	100
Syphilis	158	1	–	24	10	193	81·9	0·5	–	12·4	5·2	100
Erysipelas . . .	115	6	2	89	96	308	37·3	1·9	0·7	28·9	31·2	100
All Zymotics . .	8930	1818	710	3502	901	15861	56·3	11·5	4·5	22·0	5·7	100
All other Diseases, exclud'g Zymotics	18032	1954	1431	20266	18250	59933	30·1	3·3	2·4	33·8	30·4	100
Total Deaths . .	26962	3772	2141	23768	19151	75794	35·5	5·0	2·8	31·4	25·3	100

Small-pox is, of all the diseases belonging to the zymotic class, that on which our information is most precise. It has now been ascertained that, during the year 1872, no less than 2448 lives were lost in Scotland by this loathsome pestilence. The disease, it will be remembered, had gained footing in some of the Principal Towns, and even in some of the adjoining parts of the country in 1871. In 1872 its ravages were continued in the Principal Towns, in which no less than 1555 deaths took place. The towns which suffered most severely were Leith, Edinburgh, and Dundee. Aberdeen and Perth were also visited, but less seriously; and it is remarkable that Glasgow, Paisley, and Greenock may be said to have almost escaped the epidemic. In the Large Towns the Small-pox deaths were 116; in the Small Towns, 365; in the Mainland-Rural Districts, 393; and in the Islands only 19. On examining Table XXVIII. it may be seen that the percentage of Small-pox deaths to population was in the Principal Towns about three times as great as that recorded in the Small Towns, that the inhabitants of the Large Towns and of Mainland-Rural Districts suffered about equally, but in lower proportion than the population of the Small Towns; and, finally, that the dwellers in the Insular-Rural Districts were, as regards Small-pox, nine times more fortunate than the inhabitants of the Eight Principal Towns.

During 1872 there died of Small-pox 552 children who had not completed the fifth year of life. In all probability by far the greater number

Table XXXIII.—Percentage of Deaths from the ZYMOTIC and ORDINARY Diseases at each Age.

Age.	Number of Deaths.			Percentage of Deaths at each Age from	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0— 5	26,962	8,930	18,032	33·1	66·9
5—10	3,772	1,818	1,954	48·2	51·8
10—15	2,141	710	1,431	33·2	66·8
15—60	23,768	3,502	20,266	14·7	85·3
Above 60	19,151	901	18,250	4·7	95·3
0—15	32,875	11,458	21,417	34·9	65·1
15 and upwards	42,919	4,403	38,516	10·3	89·7

Table XXXIV.—SMALL-POX DEATHS in SCOTLAND.

Year.	Small-pox Deaths.	Year.	Small-pox Deaths.
1855	1,309	1864	1,741
1856	1,306	1865	383
1857	845	1866	200
1858	332	1867	100
1859	682	1868	15
1860	1,495	1869	64
1861	766	1870	114
1862	426	1871	1,442
1863	1,648	1872	2,448

of these lives might have been spared but for the carelessness or procrastination of parents or guardians who had neglected to secure for the children under their charge, within the usual period, the immunity from Small-pox which vaccination confers. It seems necessary to repeat here an opinion often expressed in former Reports of this nature, viz. that the period of six months, during which the existing Vaccination Act permits a child to remain unvaccinated without rendering its parents or guardians liable to penalty, should be reduced to four months. The most obvious benefit which this abridgment of the statutory period would secure is, that the number of unvaccinated children would be immediately and greatly reduced; and as during an epidemic of Small-pox every unvaccinated child must, in a certain sense, be regarded as dangerous to the community, regard for the

TABLE XXXV.—VACCINATIONS in SCOTLAND, 1864–1872, and proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000

TABLE XXXVI.—VACCINATIONS in SCOTLAND, 1864–1872, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000

public health seems to call for alteration of the existing law. Then, a very large number of children who are at present believed to escape the provisions of the Act, in consequence of the migratory habits of their natural protectors —children that are lost sight of by the Registrars before the expiry of the period of six months after birth—would undoubtedly be duly vaccinated before the fourth month had expired. Finally, the number of cases in which postponements are authorized would be sensibly diminished; for the existence of a teething-rash, or of some such ailment connected with dentition, is at present by far the most common excuse for postponement. But were the vaccination made obligatory before the usual period of dentition is close at hand, it of course follows that these postponements would no more occur at the rate of nearly 0·75 per cent.—the proportion attributed to them in Table XXXVI. It may be stated, in explanation of Tables XXXV. and XXXVI., that, of 118,959 children born, 108,634 had completed the sixth month of life in 1872; that of these survivors 104,902, or 96·565 per cent. had been successfully vaccinated as the Act directs; that 386, or 0·355 per cent. had either had Small-pox, or been vaccinated without obtaining certificates; that 2535, or 2·333 per cent. remained unprotected either from having removed from the district where their births were registered, or from having received certificates that they were constitutionally insusceptible of vaccination. This last term must be held to convey no further meaning than that more than one vain attempt to vaccinate them had been made. Besides these, there was the very heavy list of postponements to which we have above alluded—811 children, or 0·747 per cent. of those that survived their birth for six months. Adding together the numbers of those who, from various causes, are presumably unprotected against

TABLE XXXVII.—DEATHS from FEVER in 1872.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage of Total Fever Deaths.
Typhus . . .	134	23·0	661	37·3
Enteric . . .	364	62·4	859	48·5
Relapsing . . .	16	2·7	99	5·6
Simple Continued . .	46	7·9	57	3·2
Infantile . . .	23	4·0	95	5·4
ALL FEVERS . .	583	100·0	1771	100·0

TABLE XXXVIII.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Seven Years 1865–1872; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	1328	903	285	July . .	928	627	221
February .	1190	806	258	August .	809	504	234
March .	1279	882	284	September .	786	477	246
April . .	1130	804	235	October .	950	538	316
May . .	1085	740	253	November .	1119	688	293
June . .	982	685	229	December .	1134	666	323

Small-pox, we compute that they amounted in 1872 to 3346, or to fully 3·08 per cent. of all who, during that year, attained the age of six months. There seems good reason for believing that, in 1872, fully one hundred thousand of the population were unvaccinated. It is hardly to be wondered at that the deaths from Small-pox should, in such circumstances, have reached the highest number recorded since the Vaccination Act came into operation in this country.

Fevers were the causes of 2354 deaths, or of 74 deaths out of every hundred thousand of our population, thus constituting 3·20 per cent. of All Deaths that occurred during the year. Fevers cannot be said to have been unusually prevalent; on the contrary, the deaths from these diseases were far less numerous than those recorded in 1870 and 1871. It would seem, indeed, that, in accordance with the general laws that govern epidemics, the extraordinary prevalence of Small-pox had for a time disarmed Fevers of their virulence. The diminution in the frequency of deaths from Typhus was especially remarkable; as regards Enteric Fever, the deaths were quite as numerous as usual. Till of late years Typhus was incomparably a more frequent cause of death in Scotland than Typhoid Fever; such was at least the case in Edinburgh, and probably in most of the other Principal Towns. But how different the experience of 1872 has been, the following figures will suffice to prove. The frequency of death by Typhus has been to that of death by Typhoid Fever as 24 to 37 in All Scotland; as 38 to 37 in the Principal Towns; as 26 to 39 in the Large Towns; as 21 to 43 in the Small Towns; as 11 to 35 in the Mainland-Rural; and as 24 to 16 in the Insular-Rural-Districts. In Glasgow the deaths from Typhus have been to those from Enteric Fever as 37 to 41; in Edinburgh as 50 to 31; in Dundee as 15 to 39; in Aberdeen as 18 to 31; in Greenock as 38 to 32; in Paisley as 78 to 27; in Leith as 40 to 50; and in Perth as 61 to 27. These figures, while they illustrate the relative frequency of these two forms of Fever, likewise show what number of deaths have occurred from each of them out of an estimated population of one hundred thousand in each Group of Districts, and in each of the Eight Towns. It will be observed that, in the Small Towns, and in the Mainland-Rural District, as well as in Leith, and in other three of the Principal Towns, the mortality from Enteric Fever greatly preponderated. It is generally admitted that it is the faulty arrangements of our dwellings, and more especially the contamination of the supply of drinking water that chiefly favour the development and spread of Typhoid Fever; and if this popular belief be really well founded, it is hardly creditable to modern civilization that so insidious a pestilence should be year after year acquiring fresh force from the absence or imperfection of sanitary appliances.

In Table XXXVIII. will be found an account of the number of deaths from Fevers of all sorts, and likewise from each of the two most common forms of Fever which have occurred in the Eight Principal Towns of Scotland during each month of the last eight years. It will be seen that the mortality from Fever is at a maximum in January, falls a little in February, again rises in March to nearly the same point which it had attained in January, then falls steadily till September, when it is at its minimum, and, during the last three months of the year, rises steadily towards the annual maximum.

Hooping-Cough was a more frequent cause of death than either Small-pox or Fever. It proved fatal to 86 out of every hundred thousand of the population of Scotland in General, and in the Principal and Large Towns its ravages were unusually extensive. In Glasgow, Paisley, and Greenock the

deaths from Hooping-cough were 211, 201, and 189 for every hundred thousand inhabitants, while in Perth only one death was ascribed to this disease. As usual, females suffered more than males from Hooping-cough, in the proportion of 115 to 100 deaths.

Scarlatina caused deaths in the proportion of 64 to every hundred thousand of the population. This rate was, however, largely exceeded in Leith and in Edinburgh. In the former of these towns the deaths from Scarlatina were 182 for every hundred thousand inhabitants, and constituted 6½ per cent. of the mortality from All Causes, while in Edinburgh the rate was 168 per hundred thousand, which is equivalent to fully 6¼ per cent. of the total mortality from All Causes.

Diarrhœa proved fatal to 47 out of every hundred thousand inhabitants of Scotland, and was far more frequent in the Principal and Large Towns than in other divisions of the country. From Table XXX. it may be readily seen that it was far more destructive in Dundee and in Perth than elsewhere.

Croup was the cause of 35 deaths in every hundred thousand of our population, and, as usual, was more fatal to males than to females in the proportion of 4 to 3. It occurred most frequently in Greenock, Dundee, and Leith.

Diphtheria was the registered cause of 32 deaths out of every hundred thousand. It was far more frequent in Dundee and in Aberdeen than elsewhere. That no necessary connection can be traced between the prevalence of Scarlatina and of Diphtheria the following facts tend to prove:—During 1872, for every death by Scarlatina, there were registered in Dundee fully 14 deaths by Diphtheria; in Aberdeen the number of deaths by the two diseases were about equal; while in Leith the deaths by Scarlatina were fully 9½ times as numerous as those by Diphtheria.

Measles seems to have been, comparatively speaking, in abeyance during 1872. It was not specially frequent in the Principal Towns, except in

TABLE. XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1872, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	264	Phthisis	230
Bronchitis	239	Bronchitis	187
Old Age	188	Atrophy, Debility, and Premature Birth	176
Atrophy, Debility, Premature Birth	125	Old Age	118
Heart, etc., Diseases of	119	Heart, etc., Diseases of	118
Hooping-cough	86	Convulsions	111
Pneumonia	78	Diarrhœa	97
Small-pox	74	Pneumonia	88
All Fevers	71	Small-pox	83
Scarlatina	64	All Fevers	61
Hydrocephalus	61	Hooping-cough	60
Paralysis	61	Scarlatina	52
Diarrhœa	47	Apoplexy	52
Cancer	47	Paralysis	51
Apoplexy	47	Cancer	44
Croup	35	All Liver Diseases	39
Liver Diseases	33	Measles	37
Fractures and Contusions	33	Fractures and Contusions	31
Diphtheria and Tabes (each)	32	Tabes Mesenterica	30

Dundee, where it was fatal to 1 per thousand of the inhabitants, and caused about 3½ per cent. of the mortality from All Causes.

The deaths from other diseases of the Zymotic Class were quite trifling in number, and require no comment here.

To Diseases of Uncertain Seat 2548 deaths were attributed. The mortality from such causes amounted to 77 deaths out of every hundred thousand of population, or to 3·46 per cent. of all recorded deaths. In every division of the country females suffer more from this class of diseases than males. This is probably explicable by reference to two circumstances: *first*, to the frequency of Cancer in women, and, *secondly*, to the deaths from Ovarian Disease, which are often returned to the Registrars as cases of Dropsy. Of every hundred thousand males there died of Cancer 33, while a like number of females furnished 60 deaths. Of the total deaths of males 1·43 per cent. were due to Cancer, but among females the proportion was 2·8 per cent.

To Dropsy 573 deaths were attributed, and no information was obtained as to the pathological cause of the dropsical symptoms. It is perfectly certain that well-informed medical men could have referred almost all these cases to Disease of the Heart, of the Kidneys, of the Liver, of the Lungs, of the Peritoneum, or of the Ovaries. But it must be recollected that very many of these deaths were not certified on medical authority, and are perforce referred to the ambiguous heading Dropsy, in terms of certificates furnished by credible but unprofessional informants. It will be noted that such is the frequency of this alleged cause of death in the Insular-Rural Districts, that it has the effect of making diseases of Uncertain Seat appear far more lethal in our Island Districts than in any other parts of the country. Were the dropsies distributed among the true causes of death with equal accuracy in our Islands and Principal Towns, there can be little doubt that the above anomaly would disappear. The extraordinary frequency with which, during the last three years, Dropsy has been returned as the cause of deaths in Paisley seems to demand some notice in this place. That Dropsy should appear to be in Paisley three times as frequent as it is in Glasgow, more than twice as frequent as in Greenock, and ten times as frequent as in Edinburgh, seems to indicate some want of care in ascertaining the true cause of death, or in filling up certificates of death in Paisley.

The deaths from Hæmorrhage of unspecified seat were 66; from Abscess, 161; from Ulcer, 38; from Fistula, 14; from Mortification, 115; and from Gout, 22. Of these deaths from Gout, 19 occurred in persons above 60 years of age. To the Class of Tubercular Diseases, 12,596 deaths were ascribed. Of these 6171 occurred among males, and 6425 among females. For every hundred thousand living there consequently were 381 deaths, and 17·09 per cent. of the total mortality of the year was due to Tubercular disorders. These diseases were most rife in the Large Towns, where they proved fatal to 1847 out of every hundred thousand inhabitants. In a like number of population the deaths were 1831 in the Small Towns, 1776 in the Principal Towns, 1456 in the Mainland-Rural, and 1283 in the Insular-Rural Districts. The rate of mortality from Tubercular disease, per hundred thousand inhabitants, was 594 in Glasgow, 541 in Paisley, 486 in Greenock, 445 in Dundee, 368 in Aberdeen, 367 in Perth, 365 in Edinburgh, and 340 in Leith.

To Pulmonary Consumption 8715 deaths were in 1872 ascribed. This number is equivalent to a mortality of 264 out of every hundred thousand of population, and to 11·83 per cent. of deaths from All Causes. As a general rule, it would appear that this disease is more fatal to women than

to men. Our tables show that this has been the case during 1872 in all the Town Districts of Scotland. In the Midland-Rural Districts, neither sex seem to have suffered more than the other; but, in the Insular-Rural Districts, the male deaths from Consumption exceeded the female deaths in equal numbers of population in the proportion of 3 to 2.

That residence in our Large Cities increases the liability to Pulmonary Consumption is so generally admitted as hardly to require illustration from our Tables. It is, therefore, not surprising to find that while the death-rate from Consumption was in the Principal Towns 331, and in Glasgow 403 to every hundred thousand inhabitants, it was in the Mainland-Rural 185, and in the Insular-Rural only 177.

It is a generally acknowledged fact that, in the early stages of adult life, the deaths from Consumption are more numerous than in the later stages. It may be ascertained from the figures of the Census of Scotland for 1871, and from those of our Detailed Annual Report for that year, that of the whole population, aged 15 years and upwards,

61 per cent. are aged between 15 and 40, and
39 per cent. are aged 40 and upwards.

Of the deaths by Consumption which occur in such a population,

72 per cent. occur in persons between 15 and 40, and
28 per cent. occur in persons of 40 and upwards.

In a large and long-established Life Assurance Company it was ascertained, in 1866, that its Lives at Risk had been

35 per cent. aged between 15 and 40,
65 per cent. aged 40 and upwards.

Of the deaths by Consumption which had occurred among its members,

41·6 per cent. occurred among those aged 15 and 40,
58·4 per cent. occurred among those 40 and upwards.

Persons little accustomed to deal with statistics might from such figures infer that the large relative proportion of deaths at the more advanced ages in the Assurance Society showed that the benefit of selection did not protect the Society in any degree against the occurrence of Consumption among its members who had passed the age of 40, and that, in fact, Consumption is a disease quite as likely to manifest itself after 40 as before that age. But such gross errors may be easily disposed of.

In All Scotland, during 1871, the deaths by Consumption were at the following rates:—

Out of 100,000 persons aged 15 and under 40 . .	421
Out of 100,000 persons aged 40 and upwards . .	250

In the Assurance Society the corresponding numbers were

Out of 100,000 persons aged 15 and under 40 . .	160
Out of 100,000 persons aged 40 and upwards . .	115

It is now plain enough that, both in All Scotland and among the assured lives, the fatality of Consumption was far greater between the ages of 15 and 40 than at the ages of 40 and upwards.

And a very simple computation suffices to show that, between the ages of 15 and 40, the deaths by Consumption among the assured were only 38 per cent. of those that might have been anticipated had no selection been made; while, at the ages of 40 and upwards, 46 per cent. of the deaths from this cause that might have been anticipated among unselected lives were experienced.

The above details have been introduced in this place, as they illustrate the principles on which the mortality from a special disease must be

calculated. Strictly speaking, the numbers of those alive at the Census, at ages from 15 upwards, are not the same as the Years of Life at these ages, but, for our present purpose, the difference may be disregarded.

Of the other diseases regarded as Tubercular, Hydrocephalus caused 2027 deaths; and, as usual, the majority of these occurred in male children. The deaths from Tabes Mesenterica were 1044; those from Scrofula, 810.

Diseases of the Nervous System caused 6630 deaths—an unusually large number, representing 9·0 per cent. of the total mortality from All Causes, and equivalent to the removal of 201 out of every hundred thousand of the population. This Class of Diseases was more frequent among men than among women in all the Groups of Registration Districts. Its fatality was greatest in the Principal Towns, and especially in Edinburgh.

Diseases of the Heart and Blood Vessels accounted for 3933 deaths, *i.e.* for 5·34 per cent. of the general mortality. They were fatal to 119 out of every hundred thousand of our population. They were more destructive in Perth and in Edinburgh than in any other of the Principal Towns. We attribute little consequence to the circumstance of deaths from these causes being comparatively seldom returned from the Rural, and especially from the Insular-Rural Districts. There can be little doubt that many of the deaths vaguely attributed to Old Age, in these Groups of Districts, were deaths from diseases of the Circulatory System.

To Diseases of the Organs of Respiration 11,535 deaths were ascribed. This indicates a share in the total mortality amounting to 15·65 per cent.; and is equivalent to the deaths of 349 out of every hundred thousand persons living. These deaths, everywhere more numerous among men than among women, were especially frequent in the Town Districts. For every hundred thousand of population there were attributed to these diseases 502 deaths in the Principal Towns, 416 in the Large Towns, 300 in the Small Towns, 224 in the Mainland-Rural, and only 167 in the Insular-Rural Districts; while in Glasgow the rate was 612; in Dundee, 549; in Paisley, 444; in Greenock, 419; in Edinburgh, 366; in Leith, 360; in Aberdeen, 358; and in Perth, 306. As of late years, no disease of this class caused so many deaths as Bronchitis. No less than 7897 persons succumbed to this one cause, to which, accordingly, there falls to be ascribed 10·72 per cent. of the total mortality of Scotland, and the deaths of 239 out of every hundred thousand of our population. In the Insular-Rural Districts only 82 deaths to every hundred thousand living were ascribed to this cause. This statement will, however, be received with fitting reserve by any physician who knows that the deaths attributed to Old Age in these districts were actually 461 to every hundred thousand living. In the Principal Towns the death-rate from Bronchitis was 357, and in Glasgow 440, for a like number of inhabitants.

The registered deaths attributed to Pneumonia were 2570; those from Asthma, 480; from Unspecified Lung Diseases, 266; from Pleurisy, 231; and from Laryngitis, 163.

To Diseases of the Organs of Digestion 4822 deaths were ascribed, being 146 deaths to every hundred thousand persons, and 6·54 per cent. of the mortality from All Causes. Males suffered from these diseases more frequently than females, and the Town Districts more severely than the country.

The deaths from the very numerous diseases which are combined into this Class were: from Enteritis, 874; from Teething, 759; from Liver Disease, 741; from Stomach Disease, 702; from Peritonitis, 319; from Ileus, 281; from Ulceration of the Intestines, 227; from Jaundice, 217;

from Gastritis, 215; from Hepatitis, 140; from Ascites, 81; from Quinsey, 54; from Intussusception, 38; from Spleen Disease, 34; from Stricture of the Intestines, 31; and from Disease of the Pancreas, 2.

Diseases of the Urinary Organs caused 1244 deaths, being in the proportion of 38 to every hundred thousand of the population, and constituting 6·54 per cent. of the whole mortality recorded. The deaths from these causes were far more frequent among males than among females. Of the former there died 812; of the latter, 432. From Nephria there were 353 deaths, and a like number from Unspecified Diseases of the Urinary Organs; from Cystitis, 192; from Diabetes, 95; from Ischuria, 62; from Stone, 58; from Stricture of the Urethra, 14; and from Disease of the Suprarenal Capsules, 9.

From Diseases of the Generative Organs there died 563. Of these, 391 were registered as deaths in childbirth, and, if to this number there be added 219 deaths from Metria, we obtain 610 as the number of deaths referrible to puerperal causes. The number of live children born in 1872 was 118,765; and, after making the necessary correction for cases of twin and triplet births, we find the number of mothers of live children to have been 117,360. It would appear, therefore, that one mother in 192 died in childbed. But, as has been formerly explained in similar Reports, the means of accurately estimating the number of mothers do not exist in Scotland. This is due to the circumstance that there is no record kept of the still-births; and yet it is from these that a great many lives of mothers are lost. There are cases in which it is the duty of the medical attendant to induce premature labour in order to save the life of a child, or that of a mother who may have some pelvic deformity. In such cases the child is often born dead. There are cases in which, during the course of such diseases as Small-pox or Scarlatina, a female dies after giving birth to a dead child. There are cases of placenta prævia, of hæmorrhage from various causes, of malposition, of necessary operative interference, which need only be alluded to in order to prove that still-births are more likely than live-births to lead to the death of mothers. In the experience of other countries (and we select Holland as one inhabited by a race akin to the Scottish) there commonly occur five still-births for every hundred live-births. This renders it probable that there occurred 5868 still-births in Scotland during 1872, and that the total number of mothers was not less than 123,228. If this be so, the mortality experienced in childbed should be stated as 1 out of every 202 mothers. But it must not be lost sight of that, mainly in consequence of the absence of any register of still-births, we have no trustworthy information as to the true cause of death of any woman that has borne a dead child. That there have been many such deaths, and that they figure in our tables as deaths from Peritonitis, Inflammation, Disease of the Heart, and Consumption can hardly admit of doubt.

The deaths from Ovarian Dropsy or Tumours were 96; from Diseases of the Uterus, 66; and from the various disorders peculiar to females grouped under the heading Paramenia, 30.

From Diseases of the Organs of Locomotion the deaths were 469. Of these, 168 were attributed to Rheumatism, 156 to Diseases of the Joints, and 145 to Diseases of the Bones.

There were 101 deaths from Affections of the Skin. Of these, 58 were from various unspecified disorders, 23 from Carbuncle, and 20 from Phlegmon.

From Malformations there were 268 deaths, whereof 162 occurred in males; from Infantile Debility, 3619 deaths, whereof 2064 incurred in males; from Atrophy, 542; and from Old Age no less than 6208, of which

3857 occurred in females. It is quite plain that the term Old Age, when used as denoting a cause of death, is little better than a confession of ignorance, and greatly vitiates our statistics, especially in reference to the Insular-Rural Districts, where Old Age is actually the only cause assigned for about 25 per cent. of the deaths from All Causes. In the Principal Towns it is given as the cause of only 4 per cent. of All Deaths.

From Sudden Deaths, not otherwise defined, there were 171 deaths.

There were 2571 Violent Deaths, of which 1933 occurred in males. Of these deaths 1058 were due to Fractures and Contusions, 576 to Drowning, 263 to Burns and Scalds, 151 to Drunkenness, 137 to Suffocation, 125 to various unspecified causes of a violent nature, 78 to Want of Breast-milk, 49 to Poison, 38 to Hanging, 32 to Cuts and Stabs, 19 to Wounds with Firearms, 19 to Exposure to Cold, 3 to Privation, 2 to Neglect, and 1 to a Poisoned Wound.

Eleven males and three females lost their lives in a Railway Accident at Kirtlebridge on 2d October. Eleven males and four females were killed by the explosion at Tradeston Flour Mills on the 9th July.

Suicide was the registered cause of 106 deaths. Of these, 71 occurred in males and 35 in females. The means of self-destruction resorted to were in 34 cases Hanging, in 25 Drowning, in 25 Throat Cutting, in 8 Firearms, in 1 Precipitation, and in 9 Poison. The poison selected was in five cases Laudanum, in one case Opium, in one Salt of Sorrel, and in one Arsenic. In one case the nature of the poison used was not communicated to the Registrar. In four of the 71 Cases of Suicide, the mode in which death was effected was not clearly specified.

No less than twenty-six deaths of persons aged 100 years and upwards were registered. It must, however, be distinctly understood that we do not vouch for the accuracy of such entries. The wildest statements pass current, especially in remote parts of the country, as to the age of some of the inhabitants. In the absence of a birth certificate, a most rapid promotion in age is apt to be attributed by gossip and popular rumour to any man or woman who has passed the age of 90 years.

Of the ten males who are stated to have died at very advanced ages, five were aged 100 years, one was 101 years old, three were 102, and one was 103.

Of the 16 females who died at great ages, six had reached 100, three were aged 101, three were 102, one was 103, and three were 105.

Weather and its Influence on the Mortality.

It is a matter of popular observation that there exists a certain connection between the weather and the fatality of certain diseases. This connection has never been more strikingly illustrated in Scotland than in those sudden and general outbursts of Influenza or Epidemic Catarrh which occur occasionally under the ungenial influences of cold east winds. The very term 'a cold,' which is commonly applied to every slight case of Catarrh, Bronchitis, or Febricula, is a virtual acknowledgment that a diminution of atmospheric temperature is pernicious to human life, or at least trying to human health. Since attempts have been made scientifically to investigate this subject in Scotland, and to trace the connection between the prevalence of inclement weather and the spread of various epidemic disorders, the conclusion has been arrived at that cold is the agent which has the most powerful effect in increasing the mortality of the great majority of the known causes of death. No doubt there are some few diseases, such

as the Diarrhœas and Bowel Complaints of children, which seem to be generated or fostered by heat, and to such diseases we have had frequent occasion to allude in the course of this and of similar reports. But the geographical portion of Scotland, and the conformation of the country, are such as to secure it most effectually from any long-continued prevalence of excessive heat; and consequently such diseases as Ague and the pernicious Remittent Fevers met with in more southern latitudes, as the products of telluric miasmata, are in Scotland all but unknown.

Under the influence of excessive cold, and especially of cold at an unusual season, the mortality from almost all Causes of Death increases; and this increase is not less strongly marked in the epidemic than in the sporadic diseases.

In reading Tables drawn up with the view of showing the influence of season or weather on the mortality, it is very necessary to bear in mind that if the extreme cold weather should occur at the end of a month, the great majority of the diseases induced and aggravated by the cold would not prove fatal till the beginning of the next month, so that the deaths truly caused by the cold weather would be registered in a month to which they properly did not belong, and would make its mortality, though a milder month, to appear greater than that of the colder month. A notable instance of this happened in 1872. (Table XL.) After a comparatively open winter, the last ten days of March proved truly wintry; hard frosts, with heavy falls of snow, and bitterly keen north-west, north-east, and north winds prevailed, and the health of the population suffered a rude trial. But a very large number of the persons whose diseases were induced or aggravated by this severe wintry weather did not die till April, and these deaths so raised the mortality of this month that it far exceeded that of March, though it was a month not particularly differing from the average Aprils of former years.

It is this circumstance which makes it so necessary in an annual Report where an attempt is made to trace the influence of weather, to go year after year over the same ground; because, when a ten-yearly average is shown, all these minute and really important particulars are lost.

One other general law deducible from the observations of former years seems tolerably well established, and that is, that when the cold first sets in it does not prove so fatal to the general population as it does later in the winter, when the constitutions of the people are somewhat weakened by the previous cold. This is noticed every year, and 1872 was no exception

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during the year 1872, compared with the Mean of the Ten Years 1855–1864.

	Year 1872.				1855–1864.	
Months.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Proportion.	Mean Temperature.
January	39·0°	7700	7700	1200	1134	37·2°
February	41·2	6774	7240	1129	1193	37·4
March	41·8	6771	6771	1055	1145	39·8
April	45·2	7062	7264	1132	1083	44·1
May	47·4	6385	6385	995	1010	49·5
June	55·1	5598	5797	904	956	55·6
July	59·3	5951	5951	928	895	57·6
August	56·5	5572	5572	869	856	57·3
September	51·5	5169	5341	833	843	52·8
October	45·8	5909	5909	921	858	47·2
November	41·3	5944	6142	957	954	40·2
December	38·3	6906	6906	1077	1073	38·6
Year	46·9	75,741	76,978	12,000	12,000	46·7

to the general law. December had a lower temperature than either January or February, but both these latter months had a higher mortality.

Table XL. affords the means of comparing the monthly mean temperatures and proportion of deaths in 1872 with those of the ten years 1855 to 1864. During these ten years, January and February were the coldest months, their mean temperatures averaging respectively 37°·2 and 37°·4; after which follows December, with a mean temperature of 38°·6; then March, with a mean temperature of 39°·8. During these ten years, July was the warmest month; but its mean temperature differed so little from that of August that there was only a difference of three-tenths of a degree in favour of July. It will be seen that the year 1872 differed considerably from the average; for December was its coldest month, and in July, its warmest month, the mean temperature was nearly two degrees higher than the average of the ten years, and nearly three degrees higher than during August of its own year. The characteristics of the weather during the several months of 1872 may be summarized as follows:—

The year 1871 had closed with a cold December, whose mean temperature was below the mean, viz. 38°, and with the high mortality of 236 deaths daily.

January 1872 opened with comparatively mild weather, and had a mean temperature nearly two degrees higher than the ten years' average, viz. 39°, and a degree higher than that of the previous month; yet its deaths were higher, for they averaged 249 daily. A heavy snow-storm occurred on the 6th, under the influence of a north-west wind, and it was not till the 9th,

TABLE XLI.—Meteorology of Scotland for the Year 1872, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1872; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1872, as stated in the Quarterly Reports.

1872.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR
Highest Temp. in shade	56°·0	56°·0	63°·9	68°·5	70°·2	82°·0	85°·3	82°·3	73°·0	69°·0	68°·6	59°·0	85°·3
Lowest Temp. in do	18°·2	22°·0	16°·8	23°·0	25°·0	32°·0	35°·0	33°·6	30°·0	20°·0	21°·0	10°·0	10°·0
Mean Day Temp. . .	43°·3	45°·6	47°·3	51°·5	54°·2	62°·0	66°·6	63°·5	57°·2	51°·4	46°·1	42°·5	52°·6
Mean Night Temp. .	34°·8	36°·8	36°·4	38°·9	40°·7	48°·1	51°·9	49°·6	45°·9	40°·1	36°·5	34°·1	41°·1
Daily Range	8°·5	8°·9	10°·9	12°·6	13°·5	13°·8	14°·8	13°·9	11°·3	11°·3	9°·6	8°·4	11°·5
Mean Temperature .	39°·0	41°·2	41°·8	45°·2	47° 4	55°·1	59°·3	56°·5	51°·5	45°·8	41°·3	38°·3	46°·9
Highest Temperature in sun	85°·0	104°·0	105°·9	120°·0	136°·0	143°·4	147°·2	139°·0	128°·0	109°·0	98°·0	80°·0	147°·2
Lowest on grass at night	8°·0	17°·0	12° 4	18°·0	13°·5	21°·0	23°·0	22°·0	15°·0	12°·0	12°·0	5°·0	5°·0
Wet-bulb Temperature	37°·9	39°·3	39°·4	42°·3	44°·8	52°·5	56° 3	54°·1	49°·3	43°·6	39°·7	37°·1	44°·8
Dew-point Temperature	36°·3	37°·7	37°·4	39°·5	42°·3	50°·2	54°·1	52°·2	47°·4	41°·8	37°·9	35°·4	42°·7
Humidity of Air . .	90	90	87	83	84	85	84	86	87	88	90	90	87
Elastic force of Vapour (inches)	·215	·226	·224	·243	·271	·365	·419	·391	·328	·265	·229	·208	·282
Number of Rainy Days	20	18	17	14	19	20	13	16	22	19	21	18	217
Amount of Rain (inch.)	6·48	4·28	3·26	2·14	3·32	5·16	3·59	3·89	5·94	4·75	6·01	5·33	54·15
Amount of Cloud . .	7·1	7·2	7·0	6·7	6·9	7·2	6·5	6·8	7·1	6·2	6·7	7·2	6·9
Hours of Sunshine .	61	78	108	151	169	175	229	161	110	127	75	56	1500
Mean Barometer (in.)	29·365	29·664	29·715	29·874	29·848	29·781	29·927	29·944	29·682	29·587	29·530	29·464	29·698
Easterly Winds (number of days) . . .	8	11	11	9	9	6	12	14	5	7	9	11	112
Westerly Winds (do.)	14	9	10	12	14	14	10	8	17	16	13	10	147
Births	10258	9382	9866	10595	10443	9688	10436	9675	9070	10056	9432	9972	118873
Deaths	7700	6774	6771	7062	6385	5598	5951	5572	5169	5909	5944	6906	75741
Marriages	2983	1481	1356	1670	1150	3578	2784	1588	1519	1662	2595	3254	25580
Daily Births	331	323	318	353	337	323	337	312	302	324	314	323	324
Daily Deaths	249	234	218	235	206	187	192	180	172	191	198	223	206

when the wind changed to the south-west and west, that the snow melted. No truly wintry weather occurred during the remainder of the month, but the rainfall was very great.

February was a mild month, with the high mean temperature for the season of 41°·2; and under the influence of such weather the deaths fell to 234 daily. There was no wintry weather during the month, but a full rainfall.

March entered with mild weather and balmy south-westerly breezes, which continued till the 19th, when the wind changed to north-east, and snow began to fall; and under the influence of keen north, north-west, and north-east winds, snow fell heavily from the 21st to the 26th, and more lightly till the 28th, accompanied by keen frosts at night. After this the weather and winds became variable, and the snow melted. As above explained, the effect of the cold weather on the deaths was not observed during the month, for they fell below those of February and those of April, and only averaged 218 deaths daily; but the baneful influence of the cold was very observable among the population in the increase of bronchitic and other affections of the lungs, which greatly increased the mortality of April.

April had its usual kind of weather—very changeable, with mild, sunny periods, attended by west or south-west winds, suddenly followed by changes to cold periods, accompanied by northerly or easterly winds, often associated with slight hail or snow showers. In consequence of the majority of the diseases which were induced by the cold weather during the last week of March proving fatal in April, the mortality of April exceeded that of March, the deaths averaging 235 per day.

May had more than its usual share of cold weather, and its mean temperature was consequently only 47°·4, or more than two degrees lower than the average during the ten years 1855–64. Snow fell on the 11th, 17th, and 19th, under the influence of north-west and north-east winds; indeed, all the higher parts of the country were white on the 19th. The daily deaths therefore only fell to 206.

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1872.

1872.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	39°·8	41°·5	42°·1	45°·5	47°·8	56°·1	59°·7	56°·8	52°·0	46°·3	41°·8	38°·8
Highest Temperature	53°·2	54°·5	61°·8	68°·5	67°·3	80°·8	79°·7	76°·0	73°·0	69°·0	62°·3	57°·0
Lowest Temperature	24°·0	28°·0	22°·0	29°·0	30°·0	38°·7	41°·7	41°·0	34°·0	25°·0	26°·0	18°·0
Rainfall in inches	5·95	3·75	2·87	1·61	3·35	5·41	4·20	3·83	6·85	4·25	6·15	5·02
Easterly Winds (days)	8	11	11	9	10	7	14	17	7	7	11	12
Westerly Winds (days)	16	10	11	14	16	17	12	11	20	20	14	13
Total Deaths	3174	2780	2662	2774	2609	2209	2301	2236	2107	2391	2322	2613
Daily Deaths	102	96	86	92	84	74	74	72	70	77	77	84
Zymotic Diseases	1039	862	735	694	595	471	475	548	568	528	456	478
Small-pox	461	319	244	186	149	64	35	23	8	16	12	20
Measles	50	25	15	31	28	31	38	30	27	15	28	38
Scarlatina	94	80	72	65	58	60	51	77	88	113	93	83
Diphtheria	45	27	26	18	23	22	20	19	38	65	57	52
Hooping-Cough	160	198	191	182	185	139	124	106	87	86	60	72
Croup	35	28	31	31	28	17	25	37	47	55	56	66
All Fevers	119	94	81	99	66	59	59	70	73	84	78	69
Diarrhœa	25	44	30	35	26	47	83	138	147	58	31	41
Dysentery	3	1	2	5	3	–	7	7	8	7	5	2
Cholera	2	–	–	–	1	1	7	8	13	1	–	–
Consumption	300	299	323	340	366	312	338	290	244	236	263	259
Diseases Respiratory Organs	600	474	476	513	469	390	338	273	295	503	497	661
Heart, etc., Diseases	114	112	119	133	117	118	93	105	100	118	130	130
Brain, etc., Diseases	241	222	193	272	229	177	210	190	192	228	199	230
Debility and Premat. Birth	126	109	107	123	146	88	119	120	108	110	110	141
Age	112	99	101	108	93	88	88	91	69	103	108	151

June was chiefly characterized by its excessive rainfall, want of sunshine, more clouded sky, greater amount of humidity of atmosphere, and more numerous thunder-storms than occurred for years previous. Its mean temperature was very nearly normal, being 55°·1. The deaths consequently fell to 187 daily.

July was the warmest month of the year, being not only nearly two degrees of mean temperature higher than the average, but nearly three degrees higher than August. Its mean temperature was 59°·3. It had also a greater rainfall than usual, and a greater amount of humidity in the atmosphere. Under the influence of this increased heat, the mortality increased, so that the daily deaths amounted to 192.

August was both colder and more rainy than usual, with a much larger amount of humidity in the atmosphere, and more frequent mists, caused by an unusual prevalence of east winds. Its mean temperature was only 56°·5. Under the colder weather the mortality fell, so that only 180 deaths occurred daily in Scotland.

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1872.

No. of Week.	Week ending	Deaths.	Temperature. Mean.	Temperature. Highest.	Temperature. Lowest.	Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature. Mean.	Temperature. Highest.	Temperature. Lowest.	Rain, in inches
			°	°	°					°	°	°	
1	January 6	698	38·8	52·0	24·0	1·186	27	July 6	559	60·2	79·0	42·0	0·197
2	13	716	36·3	51·0	20·5	1·308	28	13	433	57·4	74·0	43·7	1·669
3	20	663	41·2	52·0	30·0	1·468	29	20	494	58·3	74·0	42·5	0·062
4	27	703	38·5	48·0	23·0	0·902	30	27	511	61·9	76·0	49·5	1·939
5	February 3	693	44·8	54·5	30·7	1·203	31	August 3	527	57·5	78·0	43·0	0·472
6	10	677	41·8	54·0	27·0	0·734	32	10	509	55·1	65·7	42·8	0·884
7	17	670	41·7	53·0	30·0	0·788	33	17	501	57·4	76·0	41·0	1·157
8	24	650	40·4	50·0	31·0	1·122	34	24	507	59·3	74·0	43·0	0·183
9	March 2	644	41·9	54·0	29·0	1·337	35	31	496	56·4	69·0	45·2	1·482
10	9	631	47·8	62·0	34·0	0·141	36	September 7	489	55·4	68·0	40·0	3·024
11	16	572	44·4	57·2	28·0	0·648	37	14	487	57·2	73·0	45·8	1·407
12	23	608	39·2	57·0	27·0	0·530	38	21	506	50·6	68·5	34·0	0·303
13	30	692	37·1	47·2	22·0	1·393	39	28	477	45·9	56·0	34·5	1·438
14	April 6	634	40·9	68·5	30·0	0·286	40	October 5	542	47·1	60·2	26·0	1·098
15	13	649	49·4	63·0	34·0	0·099	41	12	528	46·0	57·0	28·0	0·843
16	20	587	44·4	61·0	29·0	0·130	42	19	513	44·2	54·7	26·0	0·268
17	27	650	44·1	58·0	29·0	1·013	43	26	549	47·0	56·6	37·0	1·283
18	May 4	563	50·1	63·9	35·4	0·436	44	November 2	558	46·4	57·0	35·0	2·229
19	11	565	45·9	57·5	34·0	0·827	45	9	499	46·1	62·0	30·0	2·035
20	18	576	45·5	57·7	30·0	1·699	46	16	476	37·9	50·5	30·0	0·830
21	25	586	46·4	67·0	32·0	0·471	47	23	620	40·4	53·2	26·0	1·249
22	June 1	610	52·5	67·2	37·5	0·334	48	30	576	42·3	51·7	28·9	1·227
23	8	531	52·1	64·0	40·0	1·251	49	December 7	537	38·2	50·0	22·0	0·899
24	15	538	55·5	71·8	45·0	0·969	50	14	604	34·5	48·5	18·0	0·298
25	22	535	60·2	80·8	48·0	1·231	51	21	607	37·0	47·0	18·0	1·105
26	29	539	56·4	73·0	45·7	1·889	52	28	602	45·6	57·0	35·5	2·669

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1872, and Proportion at each Age in every Hundred Deaths per Month.

Months.	Actual Number of Deaths in 1872. Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Proportion at each Age in every Hundred Deaths per Month. Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	1178	472	1032	492	3174	37·11	14·87	32·52	15·50	100·00
February	1114	332	909	425	2780	40·07	11·94	32·70	15·29	100·00
March	1036	330	847	449	2662	38·91	12·40	31·82	16·87	100·00
April	1102	314	884	474	2774	39·72	11·32	31·87	17·09	100·00
May	1085	300	812	412	2609	41·59	11·50	31·12	15·79	100·00
June	922	284	670	333	2209	41·74	12·86	30·33	15·07	100·00
July	987	272	677	365	2301	42·90	11·82	29·42	15·86	100·00
August	990	270	642	334	2236	44·28	12·07	28·71	14·94	100·00
September	980	232	581	314	2107	46·51	11·01	27·58	14·90	100·00
October	1026	254	683	428	2391	42·91	10·62	28·57	17·90	100·00
November	967	244	669	442	2322	41·66	10·48	28·82	19·04	100·00
December	1006	241	790	576	2613	38·50	9·22	30·24	22·04	100·00
YEAR	12,393	3,545	9,196	5,044	30,178	41·07	11·74	30·48	16·71	100·00

September was, for the season, an unusually cold, rainy, inclement month; and on the 20th and 21st snow fell on all the higher parts of the country, and sharp frosts occurred. Storms of wind were also of more frequent occurrence and of longer duration than usual, and caused many casualties. The mean temperature was 51°·5, and the rainfall was double the usual amount. This is the month of least mortality in Scotland, and proved to be such in 1872, only 172 deaths daily having occurred during the month.

October had a temperature below the mean, viz. 45°·8, and was both wetter and colder than usual. Sharp frosts, with north and north-west winds, prevailed on the 4th and 5th, checking vegetation and stripping the larger-leaved trees of their leaves. The month ended with a severe thunder-storm on the 30th, with deluges of rain, and heavy floods on all the rivers. Under this ungenial weather the mortality again began to increase, so that 191 deaths occurred daily.

November was chiefly remarkable for its almost continuous fall of rain —double the usual amount—and the constant recurrence of hurricanes, chiefly from the south-west. It often happened, however, that on the east coast the storm was blowing from the opposite direction, viz. from the north-east. The daily deaths only numbered 198, and the mean temperature was 41°·3, about a degree higher than usual.

TABLE XLV.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1872.

MONTHS.	Relative Number of Deaths, 1872.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	1178	472	1032	492	3174	1241
February	1190	356	971	453	2970	1163
March	1036	330	847	449	2662	1041
April	1139	324	913	490	2866	1121
May	1085	300	812	412	2609	1020
June	953	293	692	344	2282	893
July	987	272	677	365	2301	900
August	990	270	642	334	2236	875
September	1013	240	600	324	2177	851
October	1026	254	683	428	2391	935
November	999	252	691	457	2399	938
December	1006	241	790	576	2613	1022
YEAR	12,602	3,604	9,350	5,124	30,680	12,000

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

December did not differ greatly from ordinary seasons, either in its mortality or in its weather. The mean temperature was very slightly lower, and the rainfall greater, than usual; the amount of sunshine less, and that of cloud more. Its mean temperature was 38°·3, and the mean daily deaths 223.

At present we have it not in our power to show, in a tabular form, the influence of season on the different diseases which cut off the inhabitants of Scotland. But the abstract of our Monthly Reports, summarized in Table XLII. shows the facts for the Eight Principal Towns of Scotland. Small limited tables like these never can show, with any absolute accuracy, the real influence of season on the different epidemic diseases, because it happens that it is not the same epidemic which is prevailing in all the towns at the same moment; and it may and does occasionally happen, that while an epidemic is dying out of the towns on the western side of the island, it is only beginning to assume the epidemic type in the towns situated on the eastern side. In a table, therefore, such as this, the decaying epidemic in the one set of towns balances the increasing epidemic in the other, and the tables are apt to give an erroneous idea regarding the influence of season on it.

We have had no such epidemic of Small-pox, within the memory of the present generation, as that recent one which simultaneously appeared in the four Principal Towns, Edinburgh, Dundee, Aberdeen, and Leith, all situated on the eastern side of Scotland. Let us extract the deaths from Small-pox which occurred during each month in these towns from the month of August 1871, when that disease first assumed the epidemic type, till July 1872, when it disappeared as an epidemic, and ascertain how far it conformed to the law as to the influence of season which has been already traced with regard to epidemics of Fever.

In these four towns, though Small-pox very slightly increased in August, it was not till September 1871 that it fairly assumed the epidemic type. During August 1871, only 24 persons died from Small-pox in these towns; 38 died in September, 80 in October, 141 in November, 328 in December, and 423 in January 1872, when the highest mortality from that epidemic was reached. It will be seen, by reference to the last column of Table XLV., that in all this Small-pox followed the usual law which appears to regulate the increase of mortality in Scotland, viz. increased with the depression of temperature, till it attained its highest mortality during the very month when the mortality from all diseases is highest. From this period the epidemic of Small-pox slowly but steadily declined in all the

TABLE XLVII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1088
TEN YEARS	116,968	26,075	70,744	40,868	254,655	12,000

towns; for 300 deaths occurred in February 1872, 226 deaths in March, 164 in April, 135 in May, 49 in June, and only 27 in July, when the epidemic constitution ceased.

The influence of season on epidemics, however, is not in all respects the same as its influence on the ordinary diseases. Little as we know positively about epidemics, this may be assumed from what we do know regarding a few, that their origin has some connection with telluric, or with conjoined telluric and atmospheric, miasmata. The origin of ague, of yellow fever, and of dysentery, in warm countries, shows sufficiently that some such connection does exist; and one of the strongest points which demonstrates the powerful influence of weather on these diseases, is the ascertained fact that heavy falls of rain, which purify the atmosphere, and carry down, as it were, the miasmatous exhalations, have the effect of temporarily arresting the progress of Yellow Fever, even after it has made its appearance as an epidemic. This has been more than once strikingly noticed at New Orleans.

Now, it is a remarkable fact that during the latter months of the past year, at the very time when our usual epidemics begin to increase, the fall of rain was about double its usual amount, and continued so till the year closed. It must, therefore, be something more than a mere coincidence, when Table XLII. shows it is a fact that instead of the deaths from epidemics increasing with the fall of the season, as they notably did the previous year, and on the average of years, their mortality absolutely declined, so that in the Eight Towns the zymotic diseases, which caused 568 deaths in September, only caused 528 in October, 456 in November (the rainiest month), and 478 in December.

Diseases of the Respiratory Organs show the influence of weather more than, perhaps, any other class. During the year 1872, December was the month of lowest temperature, and it was also the month of greatest mortality for that class of diseases; and the deaths increased during the several months just in proportion to the decrease of temperature. Thus, during August, only 273 deaths from the Inflammatory Affections of the Respiratory Organs occurred in the Eight Towns, and 295 in September; but during the cold month of October they rose to 503, remained much at the same

---

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Eighteen Years 1855-1872.

YEAR.	Average Price of WHEAT per quarter.		DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.	
	s.	*d.*		*s.*	*d.*
1855	74	8	62,004	100	6
1856	69	2	52,529	85	6
1857	56	5	61,906	120	8
1858	44	3	63,539	120	0
1859	43	10	61,714	94	0
1860	53	3	68,170	132	6
1861	55	4	62,341	124	0
1862	55	5	67,195	137	0
1863	44	8	71,481	100	0
1864	40	2	74,416	75	0
1865	41	9	70,891	85	5
1866	49	11	71,348	89	6
1867	64	5	69,068	138	0
1868	63	9	69,416	137	6
1869	48	2	75,875	99	6
1870	46	10	74,165	104	6
1871	56	10	74,712	77	3
1872	57	0	75,794	132	0

mortality, viz. 497 deaths, during the rainy and comparatively mild month of November, but rose to 661 deaths during the stormy, cold month of December. January, which was the next coldest month, had the next highest mortality, for 600 deaths from this class of diseases were registered that month; and the months of February and March, which had very nearly the same temperature, had respectively 474 and 476 deaths. The last week of March, however, as above noticed, was a stormy, cold wintry month, with keen northerly breezes, and so increased the cases of Inflammatory Affections of the Respiratory Organs which proved fatal in April that the mortality of these diseases in April rose to 513 deaths. The sudden changes to cold, frosty weather in May kept up the fatality of these complaints, so that 469 died from them in May; after which their mortality declined, till it attained its minimum in August of 273 deaths.

It is interesting to trace the influence of season and atmospheric vicissitudes on the mortality at different ages. To aid in this inquiry, we have for several years past given in these Reports Tables similar to those of XLIV. and XLV., in which the deaths in the Eight Principal Towns of Scotland, at four periods of life, are shown during each month, and in such a form that correct conclusions may be drawn regarding the influence of season at each age of life. To render a comparison of the mortality at each age during the several months possible or accurate, it is necessary that the deaths at each age should be corrected for the inequality of the length of the several months. When this is done, as in Table XLV., the figures in each column express the relative mortality of the persons at the named ages due to season; and it is instructive to note that it is not the same month which proves equally fatal to persons at different ages. These Tables having reference alone to the year 1872, when we speak of the relative mortality of the different months, the peculiarities in the meteorological conditions of these months must be allowed for or kept in remembrance, because 1872, being an exceptional year in many particulars, exhibited that difference on its deaths.

By Table XLV., then, it appears that in 1872, for children under five years of age, February was the most unhealthy month, and produced the greatest number of deaths; June the most healthy, producing the fewest deaths. Thus, in February there were 1190 deaths; then followed January, with 1178 deaths; April, with 1139 deaths; May, with 1085 deaths; March, with 1036 deaths; October, with 1026 deaths. These were the six most unhealthy months for children under five years of age. The most healthy were June, with 953 deaths; July, with 987 deaths; August, with 990 deaths; November, with 999 deaths; December, with 1006 deaths; and September, with 1013 deaths. From this it will be seen that the influence of season on the deaths of children under five years of age was very different indeed from that of season on the deaths of the whole population.

The second column of Table XLV. shows that the relative deaths of persons from five to twenty years of age was highest in January, and that the deaths steadily and regularly decreased till they attained their lowest number in September. This regular progressive decrease in the mortality of persons at these ages may render it liable to question whether that decrease can be fairly attributed to season, or whether it is not rather due to the fact that the whole epidemic class of diseases followed this same progressive decrease, and that, therefore, the progressive decrease was owing more to the dying out of the epidemic with the advance of the season than to the influence of season itself. No year was better fitted for throwing light on such an inquiry. It has been again and again shown in these Reports, and elsewhere, that epidemics usually appeared in

Scotland about September, and increased in virulence with the decline of the season till they attained their maximum mortality in January or February, depending on which turned out the most inclement month; and that from that period the mortality decreased with the advance of the season, till the epidemic itself died out before the summer heats commenced. It was, moreover, above demonstrated that the recent epidemic of Small-pox followed exactly that course. If such be not the influence of season on epidemics, what is it to be called? The exact same course is seen to be followed by the Inflammatory Affections of the Respiratory Organs, which cut off as high a proportion of the people as epidemics themselves. If epidemics themselves, therefore, and the leading diseases to which our race is liable, are so strongly influenced by season, how unwise it would be to conclude that the second column of Table XLV. did not show the influence of season on the mortality, but only how the seasonal mortality of persons between five and twenty years of age was affected by the proportion of epidemics which prevailed during the several months of the year.

The influence of season on persons from twenty to sixty years of age was considerably different from that on children. To persons of that age January proved the most fatal month, causing 1032 deaths in the Eight Towns; next followed February, with 971 deaths; April, with 913 deaths; March, with 847 deaths; May, with 812 deaths; and December, with 790 deaths. The month of least mortality was September, with 600 deaths; then August, with 642 deaths; then July, with 677 deaths; October, with 683 deaths; November, with 691 deaths; and June, with 692 deaths.

The influence of season on persons above sixty years of age was different still. For them the most fatal month in 1872 was December, with 576 deaths; then January, with 492 deaths; then April, with 490 deaths; then November, with 457 deaths; February, with 453 deaths; and March, with 449 deaths. For those above sixty years of age, the month of least mortality was September, with 324 deaths; then August, with 334 deaths; then June, with 344 deaths; July, with 365 deaths; May, with 412 deaths; and October, with 428 deaths.

Tables XLVI. and XLVII., which have appeared in former Reports, furnish a *resumé* of ten years' observations, and thus constitute a sort of standard with which it may be interesting and useful to compare the observations made in any single year.

In compliance with old custom, we close this Report with Table XLVIII., in which the number of deaths during each of the last eighteen years is contrasted with the average prices of wheat and of potatoes. Between these prices and the recorded mortality, no distinct connection can be traced.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 29*th July* 1876.

VACCINATIONS IN SCOTLAND—1872.

		Sucessfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1872.
	SCOTLAND, -	104902	811	184	64	322	10325	2351	118959
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS,	36014	94	66	49	177	4284	983	41667
2	LARGE TOWNS,	11765	53	12	5	19	1262	221	13337
3	SMALL TOWNS,	24761	228	21	7	32	2427	422	27898
4	MAINLAND-RURAL,	29381	215	72	3	17	2082	415	32185
5	INSULAR-RURAL,	2981	221	13	0	77	270	310	3872
	DIVISIONS.								
1	NORTHERN,	2774	143	6	0	5	178	173	3279
2	NORTH-WESTERN,	3417	198	18	0	78	349	288	4348
3	NORTH-EASTERN,	11888	50	21	3	4	877	51	12894
4	EAST-MIDLAND,	16232	68	36	28	98	1638	143	18243
5	WEST-MIDLAND,	7228	125	12	1	1	698	179	8244
6	SOUTH-WESTERN,	43508	70	31	14	114	4614	1052	49403
7	SOUTH-EASTERN,	14235	92	46	18	2	1506	387	16286
8	SOUTHERN,	5620	65	14	0	20	465	78	6262
	COUNTIES.								
	I. NORTHERN.								
1	Shetland,	636	35	2	0	5	43	103	824
2	Orkney,	764	27	1	0	0	30	6	828
3	Caithness,	941	79	1	0	0	72	44	1137
4	Sutherland,	433	2	2	0	0	33	20	490
	II. NORTH-WESTERN.								
5	Ross and Cromarty,	1753	116	9	0	4	130	78	2090
6	Inverness,	1664	82	9	0	74	219	210	2258
	III. NORTH-EASTERN.								
7	Nairn,	208	2	1	0	0	19	0	230
8	Elgin or Moray,	1205	6	5	0	0	99	11	1326
9	Banff,	1775	17	7	0	0	115	5	1919
10	Aberdeen,	7654	18	7	3	4	581	33	8300
11	Kincardine,	1046	7	1	0	0	63	2	1119
	IV. EAST-MIDLAND.								
12	Forfar,	7347	28	21	26	96	897	67	8482
13	Perth,	3217	12	7	0	0	251	36	3523
14	Fife,	4771	21	7	2	2	415	25	5243
15	Kinross,	200	2	0	0	0	22	4	228
16	Clackmannan,	697	5	1	0	0	53	11	767
	V. WEST-MIDLAND.								
17	Stirling,	3157	14	4	1	0	312	33	3521
18	Dumbarton,	1942	17	1	0	0	211	58	2229
19	Argyll,	1770	87	6	0	1	138	64	2066
20	Bute,	359	7	1	0	0	37	24	428
	VI. SOUTH-WESTERN.								
21	Renfrew,	6818	16	5	1	30	746	190	7806
22	Ayr,	6844	14	3	1	13	647	72	7594
23	Lanark	29846	40	23	12	71	3221	790	34003
	VII. SOUTH-EASTERN.								
24	Linlithgow,	1503	5	0	0	0	155	27	1690
25	Edinburgh,	9739	56	43	18	1	1097	324	11278
26	Haddington,	1015	16	0	0	1	76	16	1124
27	Berwick,	966	3	2	0	0	65	7	1043
28	Peebles,	374	3	1	0	0	30	6	414
29	Selkirk,	638	9	0	0	0	83	7	737
	VIII. SOUTHERN.								
30	Roxburgh,	1408	13	3	0	0	131	9	1564
31	Dumfries,	2041	30	3	0	19	179	46	2318
32	Kirkcudbright,	1098	16	8	0	0	88	14	1224
33	Wigtown,	1073	6	0	0	1	67	9	1156

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1872.

	1872.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND, - -	3,062,294	3,360,018	61293	57472	118765	5652	5275	10927	37939	37855	75794	25641	42971	19,639,377
	GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWNS .	884,955	1,068,556	21376	20297	41673	1963	1779	3742	15192	15007	30199	10427	11474	
2	LARGE TOWNS . .	274,381	334,257	6933	6385	13318	506	473	979	4523	4417	8940	2967	4378	
3	SMALL TOWNS . .	704,380	776,087	14623	13436	28059	1238	1199	2437	8340	8138	16478	5545	11581	
4	MAINLAND-RURAL .	1,061,793	1,049,114	16520	15637	32157	1853	1732	3585	8876	9217	18093	6063	14064	
5	INSULAR-RURAL .	136,785	132,004	1841	1717	3558	92	92	184	1008	1076	2084	639	1474	
	DIVISIONS.														
1	NORTHERN, . . .	130,422	127,191	1669	1599	3268	102	101	203	897	1019	1916	604	1352	2,387,221
2	NORTH-WESTERN, .	167,242	166,351	2278	2053	4331	133	122	255	1359	1408	2767	812	1564	4,739,876
3	NORTH-EASTERN, .	366,870	393,199	6705	6182	12887	989	911	1900	3453	3626	7079	2474	5808	2,364,425
4	EAST-MIDLAND, .	523,822	559,676	9351	8863	18214	880	916	1796	5702	6133	11835	4013	6379	2,644,646
5	WEST-MIDLAND, .	242,487	251,088	4314	3913	8227	297	294	591	2833	2780	5613	1548	2614	2,698,379
6	SOUTH-WESTERN, .	1,008,273	1,183,218	25324	23991	49315	2042	1847	3889	16059	15275	31334	11255	17981	1,466,557
7	SOUTH-EASTERN, .	413,116	475,525	8415	7860	16275	718	660	1378	5805	5683	11488	3700	4787	1,186,736
8	SOUTHERN, . . .	210,062	203,772	3237	3011	6248	491	424	915	1831	1931	3762	1235	2486	2,072,688
	COUNTIES.														
	I. NORTHERN.														
1	Shetland, . . .	31,670	31,608	418	408	826	13	23	36	205	272	477	125	349	598,726
2	Orkney, . . .	32,395	31,274	412	406	818	21	16	37	203	231	434	178	384	
3	Caithness,* . . .	42,200	41,011	592	545	1137	56	46	102	332	302	634	184	503	448,866
4	Sutherland,* . . .	24,157	23,298	247	240	487	12	16	28	157	214	371	117	116	1,339,629
	II. NORTH-WESTERN.														
5	Ross and Cromarty, .	82,427	82,093	1095	986	2081	48	50	98	635	603	1238	353	843	2,016,375
6	Inverness, . . .	84,815	84,258	1183	1067	2250	85	72	157	724	805	1529	459	721	2,723,501
	III. NORTH-EASTERN.														
7	Nairn,*	8,347	8,372	134	96	230	14	9	23	68	68	136	54	94	127,906
8	Elgin (or Moray),* .	44,305	44,549	697	628	1325	112	100	212	349	397	746	232	579	312,346
9	Banff,*	56,020	58,883	992	925	1917	167	150	317	483	528	1011	344	906	413,791
10	Aberdeen,* . . .	223,417	246,298	4303	3994	8297	623	578	1201	2283	2323	4606	1638	3691	1,262,098
11	Kincardine,* . . .	34,781	35,097	579	539	1118	73	74	147	270	310	580	206	538	248,284
	IV. EAST-MIDLAND.														
12	Forfar,*	206,750	240,049	4371	4109	8480	464	457	921	2750	2935	5685	1961	2795	569,840
13	Perth,*	133,198	128,550	1827	1689	3516	174	188	362	1194	1267	2461	702	1055	1,644,690
14	Fife,*	155,021	160,924	2660	2567	5227	192	214	406	1473	1616	3089	1176	2138	328,427
15	Kinross,* . . .	8,731	7,918	128	98	226	14	19	33	67	70	137	37	89	49,812
16	Clackmannan,* . .	20,122	22,235	365	400	765	36	38	74	218	245	463	137	302	31,876
	V. WEST-MIDLAND.														
17	Stirling,* . . .	88,138	93,345	1885	1632	3517	142	120	262	1120	1129	2249	690	1268	298,579
18	Dumbarton,* . . .	54,179	61,116	1178	1051	2229	63	64	127	775	685	1460	423	769	172,677
19	Argyll, ...	83,859	79,661	1042	1015	2057	78	88	166	738	767	1505	334	552	2,083,126
20	Bute,*	16,311	16,966	209	215	424	14	22	36	200	199	399	101	25	143,997
	VI. SOUTH-WESTERN.														
21	Renfrew,* . . .	168,746	195,305	3971	3824	7795	264	252	516	2558	2503	5061	1721	2734	162,428
22	Ayr,*	199,083	200,908	3908	3614	7522	340	309	649	2230	2116	4346	1661	3176	735,262
23	Lanark,*	640,444	787,005	17445	16553	33998	1438	1286	2724	11271	10656	21927	7873	12071	568,868
	VII. SOUTH-EASTERN.														
24	Linlithgow,* . . .	39,045	41,379	870	818	1688	71	84	155	487	384	871	299	817	81,114
25	Edinburgh,* . . .	273,792	328,138	5838	5435	11273	475	428	903	4381	4333	8714	2761	2559	234,926
26	Haddington,* . . .	37,626	37,755	585	535	1120	53	54	107	340	377	717	238	403	179,142
27	Berwick,* . . .	36,488	36,382	533	511	1044	62	46	108	287	271	558	178	486	297,161
28	Peebles,* . . .	11,264	12,218	193	219	412	15	21	36	102	122	224	62	188	227,869
29	Selkirk,* . . .	14,901	19,651	396	342	738	42	27	69	208	196	404	162	334	166,524
	VIII. SOUTHERN.														
30	Roxburgh,* . . .	49,568	48,241	804	758	1562	95	84	179	382	433	815	300	747	428,494
31	Dumfries,* . . .	75,904	74,842	1205	1102	2307	205	162	367	734	736	1470	483	837	705,946
32	Kirkcudbright,* . .	42,680	42,087	612	610	1222	91	93	184	370	408	778	241	444	610,343
33	Wigtown,* . . .	41,910	38,602	616	541	1157	100	85	185	345	354	699	211	458	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births, including the Illegitimate. Fem.	Total Births, including the Illegitimate. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	915	902	6	20	26	–	1	1	3	16	19	1
	(2) Burra and Quarff,	890	952	12	15	27	–	–	–	7	4	11	4
2	Delting, . . .	1975	1862	26	22	48	2	1	3	23	17	40	8
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	2113	1970	33	21	54	–	1	1	10	8	18	8
	(2) Sandwick and Cunningsburgh, . .	2337	2326	41	31	72	–	1	1	14	19	33	13
	(3) Fair Isle, . .	380	226	5	7	12	1	–	1	1	5	6	2
4	Fetlar, etc.—												
	(1) Fetlar, . . .	548	517	5	2	7	–	–	–	4	9	13	–
	(2) North Yell, . .	932	893	14	12	26	2	3	5	2	6	8	1
5	Lerwick, . . .	3631	4180	49	59	108	2	4	6	33	41	74	31
6	Mid and South Yell, .	1784	1843	23	18	41	3	–	3	9	28	37	7
7	Nesting, etc.—												
	(1) Nesting, . .	855	868	11	11	22	–	2	2	6	7	13	11
	(2) Lunnasting, . .	880	822	12	10	22	–	1	1	5	9	14	1
	(3) Whalsay and Skerries	848	989	16	14	30	–	1	1	5	3	8	1
8	Northmavine, . .	2585	2602	26	31	57	–	2	2	14	24	38	6
9	Sandsting and Aithsting,	2670	2806	35	43	78	–	2	2	18	23	41	11
10	Tingwall, etc.—												
	(1) Tingwall, . .	1554	1442	15	21	36	2	–	2	11	14	25	2
	(2) Whiteness & Weisdale	1143	1049	16	14	30	–	1	1	7	10	17	4
11	Unst, ...	3060	2780	30	27	57	–	1	1	16	13	29	7
12	Walls, etc.—(1) Walls, .	1365	1325	20	12	32	1	1	2	8	8	16	6
	(2) Sandness, .	606	646	12	9	21	–	1	1	7	3	10	1
	(3) Papa-Stour, .	366	351	6	6	12	–	–	–	1	4	5	–
	(4) Foula, . .	233	257	5	3	8	–	–	–	1	1	2	–
	Total,	31670	31608	418	408	826	13	23	36	205	272	477	125
	2. Orkney.												
13	Birsay, ...	1774	1597	16	15	31	1	–	1	8	11	19	12
14	Deerness, ...	813	863	17	13	30	1	–	1	9	6	15	5
15	Eday and Pharay, . .	979	905	13	10	23	1	–	1	5	7	12	2
16	Evie and Rendall, . .	1408	1340	17	11	28	1	–	1	7	8	15	9
17	Firth and Stennes, . .	1493	1434	17	17	34	–	–	–	9	13	22	9
18	Harray, ...	819	727	4	6	10	1	–	1	3	5	8	7
19	Holm and Paplay, . .	834	935	12	18	30	–	1	1	1	4	5	9
20	Hoy and Græmsay, .	556	581	11	10	21	–	1	1	5	4	9	4
21	KIRKWALL & St Ola .	4422	4261	52	50	102	1	1	2	36	29	65	30
22	North Ronaldshay, .	532	539	11	9	20	2	–	2	–	4	4	4
23	Orphir, ...	1133	1040	12	5	17	1	1	2	8	10	18	6
24	Rousay and Egilsay, .	1152	1101	11	14	25	2	–	2	9	7	16	6
25	St Andrews, . . .	868	870	10	8	18	–	–	–	4	4	8	–
26	Sanday, ...	2145	2053	23	31	54	1	1	2	11	12	23	8
27	Sandwick, ...	1225	1153	13	18	31	–	3	3	4	6	10	6
28	Shapinshay, ...	973	949	9	14	23	1	–	1	7	4	11	3
29	South Ronaldshay and Burray, . . .	3282	3228	59	59	118	3	5	8	14	18	32	20
30	Stromness, ...	2540	2403	25	32	57	–	–	–	26	34	60	9
31	Stronsay, ...	1228	1305	17	17	34	1	–	1	7	10	17	8
32	Walls, etc.—(1) Walls, .	1254	1107	21	16	37	1	1	2	9	11	20	9
	(2) Flotta, .	420	423	6	7	13	–	–	–	3	4	7	2
33	Westray, etc.—(1) Westray	2153	2090	34	20	54	3	2	5	14	20	34	6
	(2) Papa-Westray,	392	370	2	6	8	–	–	–	4	–	4	4
	Total,	32395	31274	412	406	818	21	16	37	203	231	434	178

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards in small capitals; thus: THURSO.

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births, including the Illegitimate. Fem.	Total Births, including the Illegitimate. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
	3. Caithness.												
34	Bower,	1746	1700	25	17	42	2	3	5	10	9	19	6
35	Canisbay,	2730	2729	38	36	74	2	3	5	13	20	33	14
36	Dunnet,	1861	1661	13	14	27	1	2	3	7	12	19	6
37	Halkirk,	2864	2664	31	34	65	1	2	3	17	14	31	10
38	Latheron,	8571	7400	103	101	204	15	7	22	43	46	89	38
39	Olrig,	2059	2028	25	25	50	–	1	1	16	13	29	2
40	Reay,	2476	2331	28	29	57	2	1	3	20	17	37	5
41	Thurso,	5561	5754	96	67	163	10	6	16	53	43	96	32
42	Watten,	1491	1453	20	27	47	–	4	4	10	10	20	4
43	WICK,	12841	13291	213	195	408	23	17	40	143	118	261	67
	Total,	42200	41011	592	545	1137	56	46	102	332	302	634	184
	4. Sutherland.												
44	Assynt—(1) Kirkton,	553	487	6	9	15	–	1	1	3	5	8	2
	(2) Stoer,	2625	2519	21	14	35	1	–	1	18	17	35	12
45	Clyne,	1886	1733	15	16	31	–	–	–	13	22	35	4
46	Criech—(1) Bonar,	1982	1854	24	14	38	2	–	2	14	16	30	12
	(2) Rosehall,	539	670	8	13	21	1	2	3	2	8	10	4
47	DORNOCH,	2885	2764	25	31	56	3	2	5	16	29	45	13
48	Durness,	1109	1049	15	10	25	1	1	2	5	11	16	6
49	Eddrachillis—(1) Scourie,	727	648	3	5	8	–	–	–	2	3	5	1
	(2) Kinlochbervie,	914	882	14	10	24	–	1	1	5	8	13	7
50	Farr—(1) Kirkton,	1251	1190	12	9	21	–	–	–	6	13	19	6
	(2) Strathy,	852	829	9	8	17	3	2	5	3	7	10	5
51	Golspie,	1615	1804	20	20	40	1	–	1	16	17	33	8
52	Kildonan,	2132	1916	16	29	45	–	3	3	16	21	37	14
53	Lairg,	961	978	15	18	33	–	1	1	8	5	13	9
54	Loth,	610	583	5	4	9	–	–	–	5	4	9	4
55	Rogart,	1439	1341	15	13	28	–	2	2	11	6	17	1
56	Tongue,	2077	2051	24	17	41	–	1	1	14	22	36	9
	Total,	24157	23298	247	240	487	12	16	28	157	214	371	117
	II. NORTH-WESTERN.												
	5. Ross and Cromarty. *Mainland.*												
57	Alness,	1178	1053	13	11	24	1	1	2	7	8	15	5
58	Applecross—												
	(1) Applecross,	1064	1129	12	15	27	–	3	3	11	10	21	3
	(2) Shieldaig,	1480	1341	14	15	29	2	1	3	11	9	20	7
59	Avoch,	1788	1828	31	19	50	1	1	2	18	7	25	11
60	Contin,	1509	1550	18	15	33	–	–	–	10	5	15	4
61	CROMARTY,	2300	2180	39	28	67	2	3	5	22	11	33	9
62	DINGWALL,	2412	2443	34	29	63	1	4	5	28	26	54	11
63	Edderton,	836	860	11	9	20	–	–	–	6	11	17	1
64	Fearn,	2083	2135	32	21	53	–	–	–	14	13	27	10
65	Fodderty,	2247	2121	25	15	40	1	–	1	11	10	21	10
66	Gairloch—												
	(1) Northern District,	1927	1669	29	19	48	2	1	3	13	16	29	8
	(2) Southern District,	3522	3379	40	35	75	2	3	5	29	21	50	15
67	Glenshiel,	485	463	7	3	10	2	1	3	4	6	10	1
68	Killearnan,	1494	1272	13	9	22	1	–	1	9	10	19	2
69	Kilmuir-Easter,	1295	1281	18	17	35	2	2	4	10	6	16	8
70	Kiltearn,	1634	1496	15	22	37	–	3	3	12	17	29	5
71	Kincardine—												
	(1) Kincardine,	1346	1299	17	15	32	1	2	3	11	8	19	3
	(2) Strathoykel,	400	386	6	8	14	–	1	1	4	1	5	–
72	Kintail,	890	753	5	4	9	2	–	2	5	1	6	2
73	Knockbain,	2485	2155	22	20	42	2	2	4	16	15	31	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
74	Lochalsh,	2413	2319	26	22	48	2	2	4	22	24	46	10
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	37	29	66	3	–	3	28	22	50	16
	(2) Coigach,	1285	1239	12	13	25	–	1	1	6	7	13	1
76	Lochcarron,	1592	1629	13	19	32	1	–	1	11	11	22	3
77	Logie-Easter,	932	912	13	8	21	3	–	3	6	6	12	1
78	Nigg,	1253	1201	14	13	27	1	1	2	7	14	21	5
79	Resolis,	1568	1527	17	20	37	–	3	3	5	6	11	7
80	ROSEMARKIE,	1545	1441	18	16	34	–	–	–	18	16	34	5
81	Rosskeen,	3766	3808	33	38	71	–	2	2	30	18	48	18
82	TAIN	3294	3221	36	41	77	2	2	4	25	45	70	10
83	Tarbat,	2269	2182	34	25	59	1	1	2	15	11	26	9
84	Urquhart & Logie Wester,	3147	2863	27	29	56	1	3	4	15	22	37	7
85	Urray,	2355	2308	29	19	48	1	1	2	17	16	33	12
	Insular.												
a86	Barvas,	4609	4950	85	81	166	2	2	4	33	38	71	33
b86	Carloway,	2204	2702	51	43	94	–	–	–	25	10	35	3
87	Lochs,	3568	4162	81	63	144	3	1	4	29	32	61	24
88	Stornoway,	8668	9510	146	147	293	6	3	9	75	80	155	38
89	Uig,	2007	2159	22	31	53	–	–	–	17	14	31	22
	Total,	82427	82093	1095	986	2081	48	50	98	635	603	1238	353
	6. Inverness.												
	Mainland.												
a90	Abernethy & Kincardine,	1928	1752	17	9	26	6	5	11	11	13	24	4
b90	Alvie,	833	882	12	10	22	4	–	4	3	8	11	8
91	Ardersier,	1239	1284	30	35	65	1	1	2	17	16	33	10
92	Boleskine etc.—												
	(1) Boleskine,	813	681	7	8	15	–	2	2	5	4	9	1
	(2) Fort-Augustus	930	897	7	3	10	2	–	2	7	11	18	1
93	Cromdale & Inverallan, (Now 128*b* *infra.*)												
94	Croy and Dalcross,	1873	1841	31	18	49	2	2	4	5	10	15	11
95	Daviot and Dunlichty,	1741	1598	15	20	35	–	2	2	11	17	28	6
a96	Dores,	1506	1401	12	10	22	2	1	3	10	10	20	1
b96	Duthil, etc.—(1) Duthil,	1609	1530	18	15	33	2	2	4	11	10	21	6
	(2) Rothiemurchus,	319	342	4	3	7	–	–	–	3	1	4	2
97	Glenelg—(1) Glenelg,	800	714	5	5	10	1	–	1	3	8	11	3
	(2) Knoydart,	574	499	7	6	13	1	1	2	3	4	7	2
	(3) North Morar,	469	440	6	6	12	–	–	–	2	2	4	9
98	INVERNESS,	16162	18552	289	244	533	23	14	37	227	238	465	110
99	Kilmonivaig—												
	(1) Glengarry,	625	550	7	5	12	–	–	–	1	1	2	1
	(2) Lochaber,	1651	1417	17	15	32	3	1	4	12	18	30	5
100	Kilmorack,	2852	2728	34	33	67	1	1	2	19	27	46	12
101	Kiltarlity,	2839	2537	24	32	56	1	2	3	17	20	37	9
102	Kingussie and Insh,	2033	2101	21	28	49	4	6	10	10	15	25	10
103	Kirkhill,	1757	1582	15	12	27	1	1	2	13	14	27	8
104	Laggan,	986	950	11	13	24	–	1	1	5	8	13	4
105	Moy and Dalarossie,	1026	1005	6	7	13	–	–	–	6	7	13	4
106	Petty,	1671	1549	21	20	41	–	–	–	13	16	29	8
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	31	23	54	1	2	3	11	15	26	5
	(2) Glenmoriston,	617	565	8	3	11	1	1	2	4	7	11	2
	Insular.												
108	Barra,	1853	1997	37	29	66	2	2	4	19	16	35	8
109	Bracadale,	1335	1113	12	11	23	1	1	2	13	14	27	2
110	Duirinish,	4775	4422	65	53	118	3	2	5	37	55	92	24
111	Harris—(1) Harris,	3769	3668	69	58	127	6	2	8	27	21	48	32
	(2) Bernera,	336	381	7	9	16	–	–	–	4	3	7	2
	(3) St Kilda,	78	71	1	1	2	–	–	–	1	–	1	–

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
112	Kilmuir—(1) Kilmuir,	1561	1362	23	22	45	1	2	3	14	15	29	8
	(2) Stenscholl,	1311	1228	18	24	42	1	–	1	5	17	22	14
113	North Uist,	3959	4107	71	72	143	4	4	8	35	32	67	31
114	Portree—(1) Portree,	2579	2328	31	21	52	2	1	3	26	30	56	8
	(2) Raasay,	580	600	10	10	20	1	–	1	6	1	7	4
115	Sleat,	2330	2233	30	20	50	–	2	2	16	14	30	8
116	Small Isles,	567	522	5	7	12	–	–	–	6	5	11	4
117	Snizort—(1) North,	961	803	9	13	22	–	–	–	3	8	11	1
	(2) South,	1652	1500	24	24	48	3	1	4	11	15	26	16
118	South Uist—												
	(1) Benbecula,	1544	1651	26	23	49	1	4	5	9	11	20	4
	(2) Howmore,	1763	1818	28	29	57	1	2	3	14	11	25	25
	(3) Boisdale,	2051	2280	30	24	54	–	1	1	28	27	55	8
119	Strath,	2664	2562	32	34	66	3	3	6	21	10	31	18
	—— Total,	84815	84258	1183	1067	2250	85	72	157	724	805	1529	459
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1330	1197	14	17	31	3	2	5	11	7	18	12
121	Auldearn,	1328	1279	21	14	35	2	2	4	9	13	22	5
122	Cawdor,	1203	1027	17	10	27	1	–	1	7	7	14	5
123	NAIRN,	4486	4869	82	55	137	8	5	13	41	41	82	32
	Total,	8347	8372	134	96	230	14	9	23	68	68	136	54
	8. Elgin (or Moray).												
124	Abernethy, etc.—(Now 90*a supra*.)												
125	Alves,	1010	1018	20	15	35	2	1	3	3	7	10	4
126	Bellie,	1967	2013	25	21	46	4	3	7	20	23	43	9
127	Birnie,	411	375	5	6	11	–	1	1	4	3	7	2
*a*128	Boharm,	1412	1337	21	13	34	4	5	9	16	9	25	7
*b*128	Cromdale—												
	(1) Cromdale & Advie.	1308	1295	12	20	32	2	2	4	3	5	8	7
	(2) Inverallan	2635	2522	45	36	81	15	8	23	16	26	42	11
129	Dallas,	1102	1060	23	20	43	4	4	8	4	6	10	6
130	Drainy,	3028	3293	64	62	126	6	5	11	18	24	42	34
131	Duffus,	3308	3716	54	56	110	7	5	12	36	22	58	29
132	Duthil, etc.–(Now 96*b sup.*)												
133	Dyke,	1247	1238	14	14	28	3	2	5	9	15	24	9
134	Edinkillie,	1303	1286	8	18	26	1	3	4	5	10	15	3
135	ELGIN (incl. Burgh),	9866	9703	151	129	280	24	26	50	91	108	199	26
136	New Spynie,	518	573	7	13	20	3	4	7	14	5	19	3
137	FORRES (incl. Burgh),	4112	4562	69	59	128	8	8	16	41	55	96	28
138	Kinloss,	1315	1112	21	11	32	2	1	3	8	12	20	3
139	Knockando,	1736	1909	39	23	62	7	3	10	11	13	24	9
140	Rafford,	1055	1101	13	15	28	–	1	1	5	9	14	5
141	Rothes,	2407	2148	41	29	70	7	3	10	20	11	31	15
142	St Andrews-Lhanbryde,	1344	1286	25	21	46	4	5	9	8	9	17	10
143	Speymouth,	689	634	10	13	23	4	3	7	6	6	12	2
144	Urquhart,	2532	2368	30	34	64	5	7	12	11	19	30	10
	Total,	44305	44549	697	628	1325	112	100	212	349	397	746	232
	9. Banff.												
145	Aberlour,	1520	1632	26	26	52	5	5	10	10	21	31	11
146	Alvah,	1467	1436	22	29	51	7	6	13	6	7	13	14
147	BANFF (incl. Burgh),	7740	8425	141	144	285	24	13	37	68	70	138	37
148	Botriphnie,	867	785	15	9	24	–	2	2	4	3	7	5
149	Boyndie,	1711	1854	29	30	59	2	4	6	24	19	43	14
150	CULLEN (pt. of Burgh),	1821	2056	46	28	74	4	3	7	15	17	32	6
151	Deskford,	1031	972	15	9	24	2	–	2	9	9	18	2
152	Enzie,	2072	2251	43	31	74	4	7	11	22	20	42	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
153	Fordyce,	4145	4150	58	72	130	15	8	23	32	30	62	24
154	Forglen,	783	845	9	16	25	1	–	1	9	11	20	6
a155	Gamrie,	3019	3151	44	59	103	4	5	9	25	32	57	18
b155	Glenrinnes,	439	466	4	5	9	1	–	1	9	4	13	4
156	Grange,	1909	1876	34	29	63	8	6	14	21	18	39	9
157	Inveravon—(1) Inveravon,	868	890	15	10	25	4	2	6	9	5	14	4
	(2) Glenlivat,	1771	1718	24	16	40	5	7	12	8	15	23	6
158	Inverkeithny,	880	1000	20	7	27	2	–	2	8	7	15	6
159	Keith,	5943	5891	68	102	170	15	24	39	54	79	133	33
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	4	2	6	2	–	2	4	4	8	2
	(2) Tomintoul,	960	799	13	7	20	4	2	6	7	7	14	6
161	Marnoch,	3289	3294	67	60	127	19	21	40	24	26	50	17
162	Mortlach,	2801	2737	41	43	84	6	10	16	16	23	39	18
163	Ordiquhill,	764	761	14	11	25	2	1	3	5	5	10	5
164	Rathven,	4922	6659	138	118	256	12	16	28	55	63	118	50
165	Rothiemay,	1414	1370	26	18	44	8	4	12	11	3	14	4
166	St Fergus,	1608	1633	33	22	55	7	2	9	15	15	30	8
167	SEAFIELD,	1725	1755	43	22	65	4	2	6	13	15	28	20
	Total,	56020	58883	992	925	1917	167	150	317	483	528	1011	344
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41962	47077	909	810	1719	129	108	237	635	612	1247	384
	(2) Old Machar (Burgh),	31938	41104	705	656	1361	56	68	124	405	467	872	348
	(3) Do. (Landward),	1298	1373	24	22	46	2	3	5	5	5	10	15
169	Aberdour,	1837	1945	33	33	66	6	7	13	12	9	21	10
170	Aboyne,	1160	1351	19	20	39	1	1	2	6	6	12	4
171	Alford,	1264	1396	22	21	43	3	5	8	4	7	11	5
172	Auchindoir,	1593	1545	21	30	51	6	6	12	18	18	36	5
173	Auchterless,	1782	1971	35	36	71	4	3	7	7	11	18	7
174	Belhelvie,	1807	1833	33	26	59	6	1	7	15	8	23	19
175	Birse,	1284	1198	13	24	37	2	4	6	10	8	18	7
176	Bourtie,	547	499	7	11	18	1	2	3	2	2	4	1
177	Cabrach,	794	775	9	14	23	1	4	5	2	1	3	4
178	Cairney,	1490	1525	19	25	44	5	7	12	12	9	21	5
179	Chapel of Garioch,	2023	1928	30	32	62	3	5	8	16	18	34	11
180	Clatt,	511	483	2	3	5	–	–	–	4	6	10	2
181	Cluny,	1254	1366	25	18	43	5	2	7	8	4	12	5
182	Coull,	792	824	12	16	28	2	3	5	8	6	14	5
183	Crathie and Braemar,	1574	1566	18	19	37	3	–	3	12	13	25	7
184	Crimond,	892	887	14	13	27	1	2	3	2	5	7	4
185	Cruden,	2743	3124	45	50	95	11	10	21	23	21	44	18
186	Culsamond,	1165	896	18	14	32	1	3	4	1	4	5	7
187	Daviot,	614	597	12	10	22	–	1	1	3	5	8	1
188	Drumblade,	926	931	7	10	17	3	–	3	6	10	16	2
189	Drumoak,	996	1032	8	17	25	1	1	2	8	10	18	5
190	Dyce,	585	945	15	10	25	–	3	3	10	5	15	4
191	Echt,	1287	1259	18	11	29	3	3	6	7	8	15	9
192	Ellon,	3239	3036	66	48	114	9	8	17	13	18	31	18
193	Fintray,	1003	1108	16	16	32	–	2	2	5	3	8	4
194	Forgue,	1397	1332	26	20	46	4	1	5	6	11	17	3
195	Foveran,	1891	1859	32	36	68	4	8	12	12	9	21	13
196	Fraserburgh	4511	5301	139	106	245	15	12	27	71	75	146	51
197	Fyvie,	3264	3306	53	47	100	11	6	17	23	23	46	17
198	Gartly,	1029	972	12	11	23	5	1	6	9	5	14	4
199	Glass,	1049	1061	23	16	39	8	2	10	9	5	14	5
200	Glenbucket,	552	570	9	13	22	2	–	2	3	2	5	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
201	Glenmuick, Tullich, and Glengairn,	1668	2160	39	33	72	8	5	13	21	17	38	9
202	Huntly	4329	4374	60	67	127	7	17	24	42	46	88	22
203	Insch,	1565	1596	35	30	65	11	11	22	11	17	28	9
204	INVERURIE,	2668	2970	54	39	93	13	6	19	29	24	53	23
205	Keig,	811	886	8	16	24	1	5	6	3	9	12	3
206	Keithhall,	933	874	12	13	25	3	4	7	7	7	14	3
207	Kemnay,	832	1300	18	19	37	1	1	2	13	2	15	6
208	Kildrummy,	590	660	12	6	18	2	1	3	2	11	13	–
209	Kincardine O'Neil,	2186	2000	24	18	42	6	1	7	17	13	30	2
210	King-Edward—												
	(1) King-Edward,	1050	1058	20	14	34	3	4	7	7	10	17	8
	(2) New Byth,	1793	2053	45	25	70	13	4	17	17	15	32	14
211	KINNELLAR,	691	601	7	8	15	2	–	2	2	2	4	3
212	Kinnethmont,	1187	1062	13	7	20	4	2	6	11	6	17	5
213	KINTORE,	1895	2158	38	34	72	5	7	12	19	22	41	9
214	Leochel-Cushnie,	1173	1232	18	21	39	2	3	5	10	6	16	10
215	Leslie,	577	532	8	6	14	1	2	3	4	5	9	2
216	Logie-Buchan,	762	808	9	16	25	1	3	4	6	10	16	3
217	Logie-Coldstone,	932	900	15	14	29	2	4	6	11	11	22	3
218	Longside,	3008	3321	65	63	128	10	6	16	35	19	54	16
219	Lonmay,	2142	2245	34	44	78	3	5	8	21	21	42	18
220	Lumphanan,	1251	1239	19	17	36	2	5	7	7	5	12	1
221	Methlic,	2157	2084	32	29	61	8	8	16	12	16	28	10
a222	Midmar,	1091	1127	13	13	26	3	1	4	9	6	15	6
b222	Millbrex,	1357	1484	21	23	44	5	5	10	9	6	15	12
223	Monquhitter,	2303	2670	44	44	88	13	10	23	12	15	27	23
224	Monymusk,	988	996	19	15	34	–	1	1	7	6	13	6
225	New Deer,	3736	4147	61	75	136	12	14	26	37	43	80	19
226	Newhills,	3463	4210	70	64	134	5	7	12	29	30	59	23
a227	New Machar,	1556	1520	13	19	32	3	–	3	6	14	20	11
b227	New Pitsligo,	2609	3090	63	58	121	18	15	33	28	36	64	9
228	Old Deer,	4392	4434	72	75	147	16	9	25	44	44	88	25
229	Old Meldrum,	2343	2330	46	38	84	9	10	19	18	16	34	18
230	Oyne,	1127	1050	16	17	33	4	3	7	5	4	9	13
231	Peterculter,	1483	1668	23	14	37	2	1	3	5	16	21	11
232	PETERHEAD	9796	11506	274	256	530	32	24	56	121	127	248	89
233	Pitsligo,	1890	2218	54	49	103	7	6	13	18	24	42	16
234	Premnay,	916	997	16	18	34	6	4	10	4	12	16	3
235	Rathen,	2554	2850	52	39	91	6	5	11	26	30	56	21
236	Rayne,	1514	1409	18	26	44	4	5	9	10	9	19	7
a237	Rhynie,	1061	1195	21	13	34	–	–	–	16	17	33	5
b237	Savoch,	2061	1961	33	32	65	7	8	15	16	14	30	7
238	Skene,	1831	1842	17	25	42	1	4	5	12	14	26	7
239	Slains,	1266	1355	22	10	32	4	2	6	12	6	18	5
240	Strathdon,	1735	1761	33	24	57	3	7	10	20	10	30	7
241	Strichen,	2409	2254	29	40	69	4	3	7	22	18	40	16
242	Tarland,	970	983	16	11	27	4	–	4	7	5	12	7
243	Tarves,	2377	2288	29	33	62	5	8	13	17	13	30	13
244	Tough,	874	760	11	6	17	3	2	5	3	–	3	4
245	Towie,	839	798	9	12	21	2	1	3	5	1	6	8
246	Tullynessle and Forbes,	957	970	13	17	30	3	2	5	5	4	9	6
247	Turriff,	3693	4348	78	59	137	9	8	17	27	36	63	17
248	Tyrie,	833	869	15	8	23	3	2	5	3	6	9	7
a249	Udny,	1623	1626	37	28	65	2	9	11	16	8	24	10
b249	Ythan Wells,	1517	1494	31	30	61	7	6	13	15	10	25	16
	Total,	223417	246298	4303	3994	8297	623	578	1201	2283	2323	4606	1638

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births, including the Illegitimate. Fem.	Total Births, including the Illegitimate. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
	11. Kincardine.												
250	Arbuthnot,	932	924	12	14	26	2	3	5	2	6	8	5
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	23	29	52	4	4	8	13	9	22	8
	(2) Portlethen,	1687	1789	28	29	57	3	3	6	11	15	26	10
252	Banchory-Ternan,	2947	2875	44	38	82	6	4	10	15	17	32	17
253	BENHOLM,	1574	1569	32	31	63	3	2	5	10	15	25	9
254	BERVIE,	1561	1843	44	33	77	6	–	6	8	10	18	6
255	Dunnottar,	1828	2102	30	39	69	8	10	18	17	21	38	12
256	Durris,	1109	1021	16	25	41	3	2	5	5	3	8	5
257	Fettercairn,	1700	1539	28	20	48	2	2	4	7	11	18	4
258	Fetteresso—												
	(1) Fetteresso,	3575	3585	58	51	109	10	9	19	41	40	81	25
	(2) Cookney,	1952	2080	31	31	62	3	5	8	17	22	39	11
259	Fordoun,	2297	2113	33	21	54	3	4	7	17	25	42	9
260	Garvock,	458	476	4	8	12	–	1	1	2	6	8	2
261	Glenbervie,	1219	1073	13	12	25	2	2	4	9	8	17	8
262	Kinneff and Catterline,	1054	1062	27	10	37	5	1	6	8	7	15	6
263	Laurencekirk,	2110	2174	42	30	72	4	7	11	27	30	57	23
264	Maryculter,	1055	1110	14	14	28	1	–	1	6	8	14	7
265	Marykirk,	2068	1771	19	33	52	2	7	9	14	14	28	10
266	Nigg,	2074	2348	46	38	84	4	2	6	20	20	40	19
267	St Cyrus,	1552	1585	26	24	50	2	6	8	16	15	31	7
268	Strachan,	870	795	9	9	18	–	–	–	5	8	13	3
	Total,	34781	35097	579	539	1118	73	74	147	270	310	580	206
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1054	1007	17	10	27	1	2	3	11	10	21	5
270	Airlie,	845	778	18	16	34	3	–	3	5	9	14	–
271	Arbirlot,	960	919	14	19	33	1	3	4	6	6	12	1
272	ARBROATH,	17831	20169	360	326	686	33	31	64	203	225	428	141
273	Auchterhouse,	706	721	16	11	27	2	1	3	5	5	10	4
274	Barry,	2465	3008	54	33	87	3	3	6	17	24	41	13
275	BRECHIN,	8810	9514	157	144	301	25	25	50	112	118	230	84
276	Carmylie,	1286	1309	19	17	36	3	2	5	4	8	12	6
277	Careston,	225	209	3	4	7	–	–	–	1	1	2	2
278	Cortachy and Clova,	653	554	8	9	17	1	1	2	4	3	7	1
279	Coupar-Angus,	2642	2797	35	50	85	4	5	9	39	35	74	21
280	CRAIG,	2177	2402	60	33	93	6	2	8	20	22	42	17
281	Dun,	552	565	12	6	18	–	2	2	3	3	6	4
282	DUNDEE—												
	(1) St Peter,	91664	22894	400	432	832	39	32	71	273	319	592	234
	(2) St Mary,		23582	474	470	944	66	79	145	408	413	821	225
	(3) St Clement,		25090	459	498	957	61	67	128	297	345	642	264
	(4) St Andrew,		38082	766	738	1504	58	55	113	500	523	1023	328
	(5) Lochee,		11076	216	191	407	25	28	53	182	231	413	90
283	Dunnichen,	1932	1536	18	31	49	3	10	13	15	12	27	10
284	Eassie and Nevay,	748	586	18	7	25	1	–	1	2	5	7	2
285	Edzell,	1025	976	11	10	21	2	–	2	7	7	14	4
286	Farnell,	703	580	10	8	18	–	2	2	6	1	7	4
287	Fearn,	439	348	4	5	9	1	–	1	2	5	7	2
288	FORFAR,	10838	12585	245	209	454	42	34	76	127	127	254	128
289	Glammis,	1980	1813	27	32	59	1	3	4	14	11	25	9
290	Glenisla,	1008	925	18	6	24	1	–	1	7	4	11	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	476	404	7	5	12	1	1	2	2	–	2	3
292	Inverarity,	961	888	11	14	25	–	1	1	6	6	12	7
293	Inverkeillor,	1792	1521	34	29	63	4	4	8	15	15	30	8
294	Kettins,	962	855	13	6	19	–	–	–	4	8	12	5
295	Kingoldrum,	473	409	1	6	7	–	–	–	3	1	4	2
296	Kinnell,	816	766	13	9	22	1	2	3	6	3	9	9
297	Kinnettles,	447	405	11	1	12	–	–	–	3	1	4	2
298	Kirkden,	1862	1623	33	34	67	–	2	2	12	15	27	10
299	Kirriemuir,	7359	6420	107	83	190	30	14	44	81	81	162	39
300	Lethnott and Navar,	446	318	5	8	13	–	–	–	3	2	5	2
301	Liff, Benvie, and Invergowrie,	1430	1357	13	18	31	1	1	2	9	7	16	14
302	Lintrathen,	898	756	5	10	15	–	–	–	8	2	10	11
303	Lochlee,	495	424	7	3	10	1	–	1	1	3	4	1
304	Logie-Pert,	1483	1251	13	26	39	–	4	4	10	9	19	3
305	Lunan,	259	248	4	2	6	1	–	1	–	1	1	–
306	Lundie,	442	400	9	5	14	2	–	2	2	2	4	1
307	Mains, etc.—(1) Mains,	1392	1927	41	38	79	1	5	6	17	17	34	9
	(2) Strathmartine,	789	822	12	13	25	1	1	2	5	3	8	4
308	Marytown,	417	396	5	1	6	2	1	3	3	1	4	2
309	Menmuir,	796	761	17	10	27	–	–	–	3	8	11	5
310	Monifieth,	5052	7252	152	107	259	5	4	9	71	48	119	48
311	Monikie,	1460	1397	22	33	55	4	5	9	7	8	15	7
312	MONTROSE,	15668	15783	245	209	454	14	13	27	143	161	304	116
313	Murroes,	763	751	14	14	28	–	1	1	6	9	15	4
314	Newtyle,	1139	931	18	14	32	1	4	5	5	6	11	5
315	Oathlaw,	399	452	6	5	11	–	1	1	2	2	4	–
316	Panbride,	1299	1331	20	12	32	4	–	4	8	10	18	11
317	Rescobie,	747	748	17	15	32	4	2	6	2	2	4	5
318	Ruthven,	265	247	5	2	7	1	–	1	1	3	4	–
319	St Vigeans,	2553	2513	30	39	69	2	3	5	17	20	37	14
320	Stracathro,	546	503	5	6	11	–	–	–	1	–	1	3
321	Tannadice,	1438	1286	16	9	25	2	1	3	14	6	20	6
322	Tealing,	883	879	21	8	29	–	–	–	10	3	13	3
	Total,	206750	240049	4371	4109	8480	464	457	921	2750	2935	5685	1961
	13. Perth.												
323	Aberdalgie,	295	342	4	8	12	2	–	2	–	4	4	–
324	Aberfeldy,	2402	2286	35	27	62	–	4	4	20	23	43	18
325	Aberfoyle,	565	432	3	3	6	–	1	1	9	6	15	1
326	Abernethy,	1960	1744	21	23	44	3	2	5	12	15	27	10
327	Abernyte,	310	253	7	3	10	–	–	–	1	1	2	–
328	Alyth,	3198	3151	35	35	70	6	5	11	36	37	73	20
328*b*	Ardoch,	1418	1316	22	12	34	1	–	1	13	10	23	8
329	Auchterarder,	4208	3795	51	48	99	5	11	16	46	50	96	12
330	Auchtergaven,	2562	2141	31	24	55	2	3	5	21	23	44	14
331	Balquhidder,	746	743	11	10	21	–	–	–	7	4	11	2
332	Bendochy,	549	474	8	3	11	–	–	–	1	3	4	1
333	Blackford,	2041	1836	25	30	55	2	2	4	12	9	21	12
334	Blair-Athol,	1553	1718	32	25	57	7	2	9	9	14	23	5
335	Blairgowrie,	4423	4832	72	66	138	8	14	22	32	37	69	24
336	Callander,	1676	1870	21	19	40	2	1	3	18	22	40	10
337	Caputh,	1728	1571	22	20	42	–	1	1	14	19	33	5
338	Cargill,	1647	1411	18	15	33	3	3	6	24	17	41	6
339	Clunie,	699	603	14	10	24	2	1	3	6	4	10	4
340	Collace,	534	456	7	5	12	–	1	1	1	4	5	6
341	Comrie,	2226	1911	22	21	43	4	2	6	17	20	37	10
342	Crieff,	4490	4598	72	60	132	11	11	22	41	37	78	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
343	CULROSS,	1423	1354	17	23	40	2	3	5	13	12	25	5
344	Dowally,	486	461	11	7	18	2	–	2	4	8	12	–
345	Dron,	376	343	5	2	7	–	–	–	2	–	2	1
346	Dull,	753	677	11	6	17	–	–	–	11	4	15	2
347	Dunbarney,	1035	913	11	9	20	1	1	2	11	5	16	3
348	Dunblane,	2528	2765	40	43	83	4	6	10	34	31	65	20
349	Dunkeld,	1086	881	9	13	22	–	–	–	3	14	17	4
350	Dunning,	2084	1832	27	27	54	5	5	10	15	18	33	9
351	Errol,	2759	2504	41	37	78	3	5	8	20	19	39	14
352	Findo-Gask,	399	369	6	7	13	2	2	4	4	2	6	1
353	Forgandenny,	739	632	6	10	16	–	3	3	1	6	7	6
354	Forteviot,	595	567	11	9	20	–	–	–	4	6	10	4
*a*355	Fortingall,	1244	1014	8	15	23	1	1	2	2	7	9	7
*b*355	Foss,	381	270	2	2	4	–	–	–	3	2	5	4
356	Fowlis-Easter,	317	291	3	6	9	–	–	–	1	2	3	1
357	Fowlis-Wester,	1276	1028	14	11	25	1	3	4	8	7	15	6
358	Glendevon,	138	105	–	2	2	–	–	–	1	1	2	1
359	Inchture,	659	659	7	17	24	1	1	2	4	6	10	3
360	Kenmore,	1515	1215	17	11	28	1	–	1	15	15	30	6
361	Killin,	1681	1977	19	15	34	3	1	4	15	20	35	4
362	Kilmadock,	3312	3170	33	33	66	4	2	6	20	45	65	8
363	Kilspindie,	665	679	10	10	20	2	1	3	4	8	12	2
364	Kincardine,	1778	1484	26	13	39	4	2	6	17	18	35	10
365	Kinclaven,	758	607	10	6	16	–	3	3	6	4	10	2
366	Kinfauns,	657	578	4	14	18	–	1	1	3	5	8	9
367	Kinloch-Rannoch,	1147	921	13	6	19	1	1	2	5	9	14	6
368	Kinnaird,	318	299	6	5	11	–	–	–	3	4	7	–
369	Kinnoull,	796	723	8	12	20	1	2	3	5	6	11	5
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	8	4	12	1	–	1	4	11	15	--
	(2) Glenshee,	334	241	1	2	3	–	1	1	2	–	2	–
371	Lecropt,	538	535	11	11	22	1	–	1	7	6	13	3
372	Lethendy, etc.—												
	(1) Lethendy,	235	179	2	2	4	–	1	1	1	–	1	1
	(2) Kinloch,	295	251	3	1	4	–	–	–	1	2	3	–
373	Little Dunkeld,	2089	2352	39	31	70	–	4	4	26	29	55	9
374	LOGIE,	3483	4553	60	44	104	5	7	12	49	44	93	26
375	Logiealmond,	815	646	4	9	13	–	1	1	5	2	7	3
376	Logierait,	1902	1739	28	17	45	3	2	5	11	25	36	5
377	Longforgan,	1823	1753	30	34	64	1	3	4	12	10	22	8
378	Madderty,	536	523	7	5	12	1	–	1	4	3	7	4
379	Meigle,	1122	1003	23	18	41	2	1	3	9	8	17	4
380	Methven,	2290	2073	32	36	68	1	4	5	14	16	30	13
381	Moneydie,	252	244	5	3	8	–	–	–	1	2	3	1
382	Monzie,	461	413	5	2	7	1	–	1	3	3	6	1
383	Monzievaird and Strowan,	782	744	8	15	23	–	1	1	7	6	13	2
384	Moulin,	1605	1561	17	22	39	4	1	5	11	12	23	4
385	Muckhart,	615	612	4	5	9	–	1	1	2	5	7	3
*a*386	Muthill,	2001	1916	18	24	42	4	3	7	14	15	29	8
*b*386	Persie,	839	820	13	12	25	3	3	6	4	6	10	4
387	PERTH,	26094	26382	409	375	784	34	29	63	307	280	587	195
388	Port of Menteith,	1375	1243	17	11	28	5	3	8	6	3	9	10
389	Rattray,	2234	2586	34	32	66	3	4	7	32	36	68	12
390	Redgorton,	1596	1401	12	16	28	1	3	4	6	12	18	9
391	Rhynd,	297	327	6	5	11	–	–	–	6	2	8	2
392	St Madoes,	280	290	4	2	6	–	–	–	2	3	5	2
393	St Martins,	904	735	12	12	24	2	3	5	8	6	14	4
*a*394	Scone,	2153	2185	30	34	64	–	–	–	20	20	40	17
*b*394	Strathfillan,	411	342	6	2	8	–	1	1	7	6	13	–
*c*394	Tenandry,	595	530	5	9	14	1	1	2	4	3	7	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
395	Tibbermore,	1182	1128	21	17	38	3	2	5	8	14	22	6
396	Trinity-Gask,	488	415	5	5	10	1	–	1	1	1	2	3
397	Tulliallan,	2410	2184	34	31	65	1	2	3	25	32	57	8
398	Weem,	215	186	6	3	9	–	–	–	1	1	2	1
	Total,	133198	128550	1827	1689	3516	174	188	362	1194	1267	2461	702
	14. Fife.												
399	Abbotshall,	808	674	7	7	14	–	–	–	4	9	13	4
400	Abdie,	1257	1057	17	8	25	2	1	3	17	10	27	11
401	Aberdour,	1874	1697	31	26	57	3	6	9	12	15	27	16
402	ANSTRUTHER-EASTER,	1155	1239	19	18	37	1	–	1	6	8	14	10
403	ANSTRUTHER-WESTER,	421	545	10	10	20	–	–	–	6	1	7	3
404	Arngask,	705	565	4	18	22	–	2	2	5	7	12	2
405	Auchterderran,	3457	4017	82	82	164	4	4	8	44	33	77	23
406	AUCHTERMUCHTY,	3285	2958	44	41	85	4	6	10	29	42	71	11
407	Auchtertool,	609	529	9	13	22	–	4	4	4	6	10	5
408	Ballingry,	736	982	23	21	44	1	2	3	17	17	34	5
409	Balmerino,	815	717	9	9	18	–	–	–	8	6	14	6
410	Beath,	2390	3534	93	90	183	2	4	6	48	38	86	23
411	BURNTISLAND,	3670	3872	67	57	124	8	6	14	42	36	78	32
412	Cameron,	1362	1158	13	17	30	2	3	5	5	3	8	3
413	Carnbee,	1157	1088	17	22	39	1	4	5	3	5	8	13
414	Carnock,	2925	1764	20	32	52	1	2	3	18	15	33	12
415	Ceres,	2723	2381	36	29	65	6	3	9	16	16	32	18
416	Collessie,	1530	1703	34	38	72	3	3	6	12	12	24	10
417	CRAIL,	1948	1864	21	27	48	2	3	5	10	13	23	11
418	Creich,	377	387	8	5	13	2	1	3	3	6	9	4
419	Cults,	800	767	14	15	29	1	1	2	5	9	14	4
420	CUPAR,	6750	7102	114	96	210	12	12	24	66	85	151	47
421	Dairsie,	638	687	8	10	18	1	1	2	2	6	8	6
422	Dalgetty,	1569	1310	23	18	41	2	1	3	12	12	24	7
423	Dunbog,	414	395	3	9	12	–	–	–	2	1	3	2
424	DUNFERMLINE—												
	(1) Burgh,	13506	14963	252	233	485	18	9	27	158	153	311	168
	(2) Landward,	7609	8293	164	180	344	10	12	22	92	103	195	65
425	Dunino,	370	325	2	7	9	1	–	1	5	2	7	1
426	DYSART,	8842	9682	194	170	364	6	11	17	120	117	237	100
427	Elie,	826	775	11	9	20	–	1	1	9	7	16	3
428	FALKLAND,	2937	3069	42	43	85	2	4	6	19	23	42	22
429	Ferry-Port-on-Craig,	2013	2674	39	49	88	1	6	7	18	23	41	12
430	Flisk,	230	212	2	6	8	–	1	1	–	2	2	–
431	Forgan,	1326	2243	29	26	55	2	2	4	21	13	34	8
432	INVERKEITHING,	3196	3131	46	44	90	1	7	8	23	26	49	16
433	Kemback,	896	1056	6	16	22	–	1	1	8	8	16	10
434	Kennoway,	2012	1703	25	18	43	3	1	4	8	19	27	8
435	Kettle,	2474	2323	39	27	66	3	1	4	9	26	35	11
436	KILCONQUHAR,	2431	2018	27	21	48	1	–	1	15	17	32	9
437	Kilmany,	656	651	5	11	16	1	–	1	2	5	7	3
438	KILRENNY,	2534	2945	51	56	107	–	1	1	20	20	40	19
439	KINGHORN,	2349	2602	50	39	89	3	2	5	31	40	71	19
440	Kinglassie,	1266	1082	18	24	42	2	3	5	11	7	18	9
441	Kingsbarns,	937	922	8	6	14	–	1	1	3	8	11	2
442	KIRKCALDY,	11117	12835	231	208	439	18	15	33	156	154	310	124
443	Largo,	2626	2318	35	49	84	6	5	11	19	26	45	15
444	Leslie,	4332	4294	73	57	130	9	18	27	24	39	63	25
445	Leuchars,	1903	1727	26	18	44	2	3	5	15	18	33	12

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
446	Logie,	410	402	3	10	13	–	1	1	4	2	6	1
447	Markinch,	5375	5413	75	77	152	10	8	18	54	73	127	34
448	Monimail,	1054	918	15	11	26	1	–	1	6	6	12	3
449	Moonzie,	179	154	3	2	5	–	–	–	1	–	1	2
450	NEWBURGH,	2693	2529	45	28	73	2	4	6	33	34	67	15
451	Newburn,	374	362	4	9	13	–	2	2	1	5	6	3
452	PITTENWEEM,	1710	1803	42	21	63	3	2	5	15	17	32	13
453	ST ANDREWS and St Leonards,	7605	8592	95	99	194	8	13	21	63	63	126	52
454	St Monance (or Abercromby),	1498	1761	41	30	71	5	–	5	6	8	14	18
455	Saline,	1610	1259	14	20	34	1	3	4	8	11	19	9
456	Scoonie,	3257	3178	48	42	90	4	–	4	23	20	43	15
457	Strathmiglo,	2261	2267	24	32	56	7	3	10	14	28	42	9
458	Torryburn,	1229	1051	17	21	38	–	2	2	8	12	20	9
459	Wemyss,	6003	6400	133	130	263	4	3	7	55	70	125	44
	Total,	155021	160924	2660	2567	5227	192	214	406	1473	1616	3089	1176
	15. Kinross.												
460	Cleish,	649	539	10	5	15	1	2	3	4	2	6	8
461	Fossoway and Tulliebole,	1584	1461	29	25	54	5	6	11	6	11	17	6
462	Kinross,	2649	2477	34	25	59	4	5	9	23	20	43	11
463	Orwell,	2399	2248	36	26	62	4	4	8	21	26	47	5
464	Portmoak,	1450	1193	19	17	36	–	2	2	13	11	24	7
	Total,	8731	7918	128	98	226	14	19	33	67	70	137	37
	16. Clackmannan.												
465	Alloa,	8867	9940	172	191	363	14	11	25	104	118	222	61
466	Clackmannan,	4425	4653	79	100	179	9	12	21	37	43	80	36
467	Dollar,	1776	2524	31	24	55	1	2	3	21	25	46	13
468	Tillicoultry,	5054	5118	83	85	168	12	13	25	56	59	115	27
	Total,	20122	22235	365	400	765	36	38	74	218	245	463	137
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1194	1396	27	33	60	–	3	3	10	20	30	12
470	Alva,	3283	4296	101	79	180	7	6	13	67	64	131	24
471	Baldernock,	718	616	10	11	21	–	1	1	6	5	11	1
472	Balfron,	1517	1502	25	17	42	5	2	7	13	22	35	4
473	Bothkennar,	1722	2455	77	45	122	7	3	10	41	28	69	31
474	Buchanan,	705	591	5	5	10	–	–	–	2	1	3	2
475	Campsie,	6483	6739	105	116	221	6	8	14	55	81	136	43
476	Denny,	4988	4993	116	80	196	7	5	12	73	56	129	37
477	Drymen,	1619	1405	17	15	32	1	–	1	8	12	20	5
478	Dunipace,	1731	1733	28	35	63	3	2	5	11	15	26	11
479	FALKIRK—(1) Burgh,	9030	9547	194	146	340	20	17	37	146	139	285	67
	(2) Landward,	7996	8504	181	155	336	8	16	24	91	90	181	104
480	Fintry,	685	499	4	8	12	–	1	1	3	7	10	3
481	Gargunnock,	728	675	7	14	21	–	2	2	6	5	11	1
482	Killearn,	1171	1111	13	13	26	1	–	1	13	8	21	4
483	Kilsyth,	6112	6313	142	151	293	5	14	19	76	73	149	45
484	Kippen,	1722	1568	19	20	39	2	2	4	14	21	35	8
485	Larbert,	4999	5280	120	99	219	7	3	10	87	103	190	31

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
486	Muiravonside,	2660	2653	71	59	130	9	4	13	34	24	58	20
487	Polmont,	4111	3910	83	69	152	8	6	14	41	43	84	30
488	St Ninians—												
	(1.) St Ninians,	4693	5289	99	87	186	7	4	11	47	71	118	18
	(2.) Bannockburn,	3796	4358	78	70	148	6	3	9	48	46	94	35
489	Slamannan,	2916	4164	122	87	209	14	7	21	63	39	102	40
490	STIRLING,	14012	14590	223	199	422	18	11	29	151	146	297	104
491	Strathblane,	1388	1235	18	19	37	1	-	1	14	10	24	10
	Total,	88138	93345	1885	1632	3517	142	120	262	1120	1129	2249	690
	18. Dumbarton.												
492	Arrochar,	629	525	7	4	11	–	–	–	4	3	7	2
493	Bonhill,	9059	9593	170	141	311	7	8	15	103	95	198	78
494	Cardross,	4168	4405	78	66	144	5	5	10	44	52	96	31
495	Cumbernauld,	3513	3602	61	67	128	5	8	13	29	45	74	24
496	DUMBARTON,	8268	11423	298	218	516	4	6	10	188	144	332	87
497	Kilmaronock,	1085	978	9	10	19	2	2	4	19	6	25	5
498	Kirkintilloch,	8179	8257	181	167	348	16	13	29	135	95	230	64
499	Luss,	831	730	7	13	20	1	1	2	7	10	17	2
500	New or East Kilpatrick,	4910	6038	122	120	242	13	9	22	65	68	133	34
501	Old or West Kilpatrick	5577	5346	111	128	239	6	8	14	78	61	139	44
502	Roseneath,	1626	1780	21	18	39	–	–	–	15	13	28	7
503	Row,	6334	8439	113	99	212	4	4	8	88	93	181	45
	Total,	54179	61116	1178	1051	2229	63	64	127	775	685	1460	423
	19. Argyll.												
	Mainland.												
504	Ardchattan,	1381	1172	10	7	17	–	1	1	8	8	16	3
505	Ardnamurchan—												
	(1) Aharacle,	1544	1414	15	20	35	1	1	2	13	18	31	3
	(2) Arisaig,	1343	1131	14	10	24	1	1	2	5	9	14	6
	(3) Sunart (or Strontian)	759	760	8	12	20	1	1	2	11	11	22	1
	(4) Western District,	1054	954	11	13	24	–	–	–	9	9	18	2
506	Ballachulish and Corran of Ardgour,	919	849	6	9	15	–	–	–	12	11	23	4
507	CAMPBELTOWN,	8149	8580	121	142	263	13	14	27	79	87	166	65
508	Craignish,	618	481	6	9	15	–	–	–	3	2	5	–
509	Cumlodden,	1033	826	12	15	27	2	1	3	4	7	11	3
510	Dunoon and Kilmun,	5461	6871	93	85	178	3	6	9	66	63	129	36
511	Glassary,	1769	1535	23	24	47	1	1	2	8	10	18	10
512	Glenorchy and Inishail,	1307	1054	13	13	26	3	2	5	8	9	17	2
513	INVERARAY,	1650	1503	19	12	31	–	1	1	18	21	39	9
514	Inverchaolain,	424	443	4	6	10	1	–	1	3	2	5	1
515	Kilbrandon & Kilchattan,	2053	2107	27	26	53	3	–	3	23	21	44	6
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	742	684	12	8	20	1	1	2	7	3	10	4
	(2) Kilberry,	583	485	12	4	16	2	1	3	6	4	10	2
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	385	267	4	3	7	–	–	–	2	4	6	1
	(2) Dalavich,	230	217	2	2	4	–	–	–	–	1	1	2
518	Kilfinan,	1891	2228	38	30	68	2	1	3	17	19	36	11
519	Killean and Kilchenzie,	1890	1614	15	30	45	2	1	3	12	20	32	5
520	Kilmalie,	3353	3217	40	43	83	3	7	10	29	34	63	8
521	Kilmartin,	949	869	12	4	16	1	1	2	7	9	16	4
522	Kilmodan,	433	358	6	9	15	–	–	–	1	–	1	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
523	KILMORE AND KILBRIDE,	2962	3402	42	43	85	1	5	6	33	42	75	17
524	Kilninver, etc.—												
	(1) Kilninver,	314	253	4	–	4	1	–	1	3	1	4	1
	(2) Kilmelford,	486	506	3	6	9	–	–	–	3	4	7	–
525	Lismore, etc.—												
	(1) Lismore,	1023	908	10	6	16	2	1	3	14	7	21	4
	(2) Appin,	825	728	5	12	17	–	2	2	7	5	12	4
	(3) Glencoe & Ballachulish,	1324	1529	20	19	39	3	2	5	21	18	39	5
	(4) Duror,	423	370	5	3	8	–	–	–	–	5	5	–
526	Lochgilphead,	3312	3680	54	57	111	–	7	7	42	53	95	15
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	418	436	8	6	14	–	1	1	7	7	14	3
	(2) Kilmorich,	284	330	3	9	12	–	1	1	4	2	6	2
528	Morvern,	1226	973	10	9	19	–	–	–	8	11	19	2
529	Muckairn,	729	620	11	9	20	2	1	3	5	6	11	–
530	North Knapdale,	1327	1059	12	11	23	–	–	–	13	9	22	4
531	Saddell, etc.—												
	(1) Saddell,	739	645	8	12	20	–	1	1	7	4	11	–
	(2) Skipness.	533	500	9	2	11	–	–	–	2	4	6	3
532	Southend,	1214	1044	16	13	29	1	2	3	9	1	10	11
533	South Knapdale,	654	548	2	6	8	–	1	1	6	2	8	2
534	Stralachlan, etc.—												
	(1) Stralachlan,	309	340	8	7	15	2	–	2	2	3	5	2
	(2) Strachur,	563	527	3	9	12	–	1	1	4	10	14	4
535	Tarbert,	1661	1866	38	35	73	4	–	4	21	26	47	10
	Insular.												
536	Bowmore (or Kilarrow),	2701	2088	30	22	52	4	4	8	27	22	49	9
537	Gigha,	467	390	6	5	11	–	–	–	5	5	10	–
538	Iona (merged in 542),												
539	Jura, etc.—(1) Jura,	858	775	2	5	7	–	1	1	7	3	10	1
	(2) Colonsay,	598	456	5	6	11	–	2	2	3	7	10	1
540	Kilchoman,	2377	1882	22	18	40	3	1	4	15	15	30	7
541	Kildalton,	2187	1916	29	19	48	2	3	5	14	22	36	5
542	Kilfinichen & Kilvickeon,	2535	2461	32	25	57	3	2	5	28	17	45	9
543	Kilmeny,	1268	924	20	10	30	2	2	4	4	7	11	3
544	Kilninian and Kilmore,	1641	1189	9	14	23	1	–	1	4	9	13	2
545	Kinlochspelvie,	428	388	6	4	10	–	1	1	–	4	4	–
546	Oa,	769	367	3	2	5	–	1	1	–	–	–	–
547	Portnahaven,	1059	979	21	12	33	2	1	3	6	16	22	2
548	Salen,	604	605	4	5	9	–	–	–	5	–	5	–
549	Tobermory,	1566	1344	17	10	27	1	1	2	18	14	32	5
550	Torosay,	557	454	4	5	9	–	1	1	3	3	6	1
551	Tyree, etc.—(1) Tyree,	3217	2837	32	36	68	3	2	5	26	15	41	9
	(2) Coll,	781	723	6	7	13	1	–	1	11	6	17	–
	Total,	83859	79661	1042	1015	2057	78	88	166	738	767	1505	334
	20. Bute.												
552	Cumbrae,	1236	1613	19	28	47	–	–	–	7	20	27	10
553	Kilbride—												
	(1) Brodick,	902	928	10	10	20	–	2	2	8	6	14	2
	(2) Kilbride,	1351	1276	14	12	26	2	1	3	19	13	32	3
554	Kilmory,	2515	2278	15	14	29	1	–	1	23	17	40	16
555	Kingarth,	905	901	11	18	29	–	2	2	6	9	15	8
556	Lochranza,	824	777	9	8	17	–	1	1	17	3	20	–

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Fem.	Total.	Illegitimate Births. Mal.	Fem	Totl	Deaths. Mal.	Fem	Total.	Marriages.
557	North Bute,	1351	1393	19	15	34	2	–	2	14	11	25	5
558	ROTHESAY,	7227	7800	112	110	222	9	16	25	106	120	226	57
	Total,	16311	16966	209	215	424	14	22	36	200	199	399	101
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	310	322	632	28	25	53	231	227	458	156
	(2) Landward,	5670	5679	108	106	214	11	5	16	59	50	109	40
	(3) Johnstone,	8142	8590	186	176	362	14	10	24	92	102	194	96
560	Cathcart,	3782	7231	140	141	281	4	4	8	62	78	140	57
561	Eaglesham,	2328	1714	28	27	55	3	2	5	19	17	36	20
562	Eastwood,	11314	13098	240	259	499	20	18	38	147	135	282	118
563	Erskine,	1457	1565	23	21	44	2	2	4	16	12	28	7
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	217	200	417	24	23	47	125	146	271	41
	(2) East,	12135	17061	407	386	793	15	19	34	216	225	441	132
	(3) Old, or West,	22313	33141	811	705	1516	45	32	77	521	464	985	367
565	Houstoun and Killellan,	2490	2167	36	32	68	3	2	5	15	22	37	17
566	Inchinnan,	619	584	9	11	20	–	1	1	4	8	12	6
567	Innerkip—												
	(1) Innerkip,	1188	1393	23	21	44	2	–	2	10	10	20	7
	(2) Gourock,	2307	3109	48	50	98	2	3	5	40	37	77	18
568	Kilbarchan,	6348	6093	117	105	222	6	4	10	79	66	145	60
569	Kilmalcolm,	1455	1716	25	27	52	3	2	5	16	11	27	13
570	Lochwinnoch,	3821	3816	57	63	120	5	6	11	33	40	73	23
571	Mearns,	3547	3543	49	45	94	–	3	3	32	33	65	26
572	Neilston—												
	(1) Neilston,	4577	4633	72	73	145	12	7	19	42	44	86	29
	(2) Barrhead,	6436	6503	116	105	221	11	15	26	62	74	136	32
573	PAISLEY,	31538	31910	560	621	1181	36	50	86	496	476	972	321
574	PORT-GLASGOW,	7294	9912	254	218	472	15	15	30	152	147	299	106
575	RENFREW,	4650	5908	135	110	245	3	4	7	89	79	168	29
	Total,	168746	195305	3971	3824	7795	264	252	516	2558	2503	5061	1721
	22. Ayr.												
576	Ardrossan—												
	(1) Old Ardrossan,	3530	3336	57	52	109	5	4	9	41	54	95	42
	(2) New Ardrossan,	3246	3929	80	64	144	2	1	3	48	31	79	22
577	Auchinleck,	4213	6174	125	104	229	12	6	18	63	42	105	31
578	AYR,	19659	19172	326	326	652	40	39	79	276	256	532	160
579	Ballantrae,	1483	1277	19	16	35	2	2	4	15	11	26	3
580	Barr,	910	672	7	7	14	–	–	–	4	2	6	6
581	Beith,	5775	6233	111	100	211	6	10	16	63	60	123	42
582	Colmonell,	2588	2293	40	24	64	10	–	10	23	20	43	12
583	Coylton,	1604	1440	41	19	60	2	1	3	11	10	21	9
584	Craigie,	730	618	7	6	13	–	–	–	2	4	6	3
585	Dailly,	2050	1932	40	39	79	6	8	14	18	15	33	16
586	Dalmellington,	4194	6165	150	134	284	6	8	14	53	59	112	53
587	Dalry,	11156	10885	212	198	410	12	12	24	100	73	173	79
588	Dalrymple,	1325	1412	31	26	57	2	1	3	11	15	26	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
589	Dreghorn,	3283	3241	78	77	155	7	4	11	36	25	61	30
590	Dundonald—												
	(1) Dundonald,	2095	1507	24	20	44	4	–	4	12	10	22	9
	(2) Troon,	2599	2870	49	43	92	–	1	1	30	24	54	19
591	Dunlop,	1038	1160	11	14	25	–	2	2	6	13	19	8
592	Fenwick,	1532	1318	15	19	34	–	2	2	14	12	26	14
593	Galston,	5254	6331	142	151	293	9	16	25	66	74	140	54
594	Girvan,	7053	5685	119	83	202	22	17	39	74	62	136	45
595	IRVINE,	8607	8462	149	152	301	15	17	32	128	152	280	68
596	Kilbirnie,	5265	4953	97	104	201	3	8	11	59	42	101	54
597	KILMARNOCK,	23556	24072	523	468	991	37	43	80	291	280	571	235
598	Kilmaurs,	3526	3449	65	75	140	4	6	10	36	30	66	31
599	Kilwinning,	7717	7375	160	149	309	15	12	27	94	81	175	62
600	Kirkmichael,	2823	2254	36	39	75	9	5	14	20	26	46	17
601	Kirkoswald,	2060	1846	27	26	53	2	2	4	18	10	28	21
602	Largs,	3620	4087	70	43	113	5	–	5	49	47	96	26
603	Loudoun,	4840	5525	119	116	235	11	2	13	53	54	107	68
604	Mauchline,	2303	2435	37	39	76	3	3	6	32	25	57	24
605	Maybole,	6713	5900	115	91	206	21	13	34	60	60	120	45
606	Monkton and Prestwick,	1937	1744	31	35	66	5	4	9	15	20	35	14
607	Muirkirk,	3270	3253	54	60	114	1	2	3	32	22	54	29
608	New Cumnock,	2891	3434	75	77	152	12	11	23	35	46	81	30
609	Ochiltree,	1676	1656	24	19	43	–	1	1	13	9	22	11
610	Old Cumnock,	3721	4041	81	80	161	3	12	15	37	41	78	31
611	RICCARTON,	5629	5845	137	117	254	11	5	16	59	56	115	40
612	St Quivox and Newton-upon-Ayr,	1870	1363	27	13	40	1	3	4	7	8	15	7
613	Sorn,	4042	4032	75	80	155	10	5	15	28	34	62	37
614	Stair,	743	734	10	6	16	–	2	2	7	12	19	4
615	Stevenston,	5452	5019	102	101	203	9	7	16	69	53	122	45
616	Stewarton,	4449	4478	89	62	151	7	6	13	51	60	111	41
617	Straiton,	1544	1443	25	31	56	2	1	3	9	8	17	10
618	Symington,	855	792	8	9	17	–	–	–	7	7	14	6
619	Tarbolton,	2669	3219	64	76	140	5	3	8	26	38	64	27
620	West Kilbride,	1988	1847	24	24	48	2	2	4	29	23	52	11
	Total,	199083	200908	3908	3614	7522	340	309	649	2230	2116	4346	1661
	23. Lanark.												
621	Avondale,	6125	5460	86	101	187	6	10	16	52	53	105	38
622	BARONY—												
	(1) MARYHILL,	6734	10235	279	257	536	15	15	30	147	135	282	70
	(2) SPRINGBURN,	8911	13994	321	315	636	29	32	61	328	334	662	81
	(3) Shettlestone,	6914	7517	164	131	295	8	9	17	81	81	162	75
623	Biggar,	1999	2013	32	24	56	9	3	12	13	21	34	15
624	Blantyre,	3092	3472	60	64	124	4	3	7	33	54	87	19
625	Bothwell—												
	(1) Bothwell,	7059	9193	208	199	407	6	7	13	117	116	233	8[illegible]
	(2) Holytown,	10844	10099	232	223	455	10	15	25	133	97	230	55
*a*626	Cadder—												
	(1) Western,	3023	3261	61	65	126	1	4	5	45	20	65	29
	(2) Eastern,	2925	3203	51	66	117	2	7	9	38	34	72	17
*b*626	Calderhead,	4034	4271	106	94	200	7	3	10	41	38	79	43
627	Cambuslang,	3647	3740	80	65	145	4	2	6	37	37	74	29
628	Cambusnethan,	13118	18709	489	450	939	23	24	47	280	206	486	196
629	Carluke,	6176	7066	144	124	268	17	7	24	90	60	150	57
630	Carmichael,	836	708	9	11	20	3	2	5	6	7	13	5
631	Carmunnock	734	702	7	12	19	–	–	–	5	2	7	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
632	Carnwath,	3584	5709	149	122	271	13	11	24	62	48	110	37
633	Carstairs,	1345	1718	33	25	58	3	3	6	18	15	33	6
634	Covington and Thankerton,	532	454	7	4	11	1	3	4	4	6	10	4
635	Crawford—												
	(1) Crawford,	694	727	21	11	32	1	1	2	2	5	7	9
	(2) Leadhills,	896	1102	21	21	42	2	–	2	18	16	34	13
636	Crawfordjohn,	980	853	6	17	23	1	1	2	10	8	18	10
637	Culter,	665	593	11	4	15	1	2	3	6	4	10	4
638	Dalserf—												
	(1) Larkhall,	3629	5332	130	141	271	9	8	17	80	66	146	47
	(2) Dalserf,	1247	2009	49	46	95	2	1	3	22	26	48	14
639	Dalziel,	5438	9175	268	226	494	16	15	31	132	122	254	58
640	Dolphinton,	260	231	2	9	11	–	–	–	–	2	2	1
641	Douglas,	2490	2624	42	30	72	5	2	7	29	24	53	16
642	Dunsyre,	312	302	4	3	7	–	–	–	1	3	4	2
643	East Kilbride,	4064	3861	54	56	110	4	10	14	39	29	68	35
644	GLASGOW—												
	(1) Central District,	49678	57279	1311	1202	2513	265	193	458	1075	997	2072	608
	(2) High,	48119	58466	1332	1269	2601	137	111	248	1262	992	2254	788
	(3) Bridgeton,	45485	60628	1416	1381	2797	113	97	210	895	939	1834	563
	(4) Calton,	36625	38177	774	779	1553	72	78	150	544	590	1134	331
	(5) Clyde,	29975	26044	484	451	935	66	63	129	393	354	747	213
	(6) Blythswood,	28697	33443	506	462	968	34	20	54	330	314	644	516
	(7) Milton,	33360	46393	1079	1037	2116	75	61	136	637	627	1264	471
	(8) Anderston,	40945	52504	1128	1026	2154	70	63	133	612	645	1257	534
	(9) Tradeston,	38600	49176	977	948	1925	72	57	129	676	643	1319	670
	(10) Hutchesontown,	44019	55622	1294	1302	2596	89	104	193	747	781	1528	427
645	Glassford,	1938	1430	23	18	41	1	–	1	10	8	18	16
646	Govan—												
	(1) Govan Church,	11297	27116	883	803	1686	49	42	91	473	446	919	317
	(2) Park,	2428	5720	144	135	279	2	3	5	61	54	115	69
	(2) Partick,	14859	23918	529	484	1013	15	22	37	296	311	607	256
647	HAMILTON,	14047	16803	318	377	695	25	30	55	234	230	464	154
648	LANARK,	7891	7841	126	109	235	23	18	41	105	89	194	70
649	Lesmahagow,	9266	8709	191	163	354	23	21	44	76	64	140	82
650	Libberton,	836	691	13	10	23	3	1	4	4	–	4	7
651	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	301	271	572	24	18	42	175	173	348	154
	(2) Landward,	7632	9264	235	223	458	12	18	30	127	105	232	71
652	Old Monkland—												
	(1) Western,	6932	7873	188	180	368	15	9	24	88	74	162	44
	(2) Coatbridge,	15303	18410	429	419	848	15	23	38	253	217	470	177
	(3) Eastern,	7308	7790	195	167	362	7	10	17	94	91	185	45
653	Pettinain,	407	366	6	8	14	–	–	–	2	2	4	5
654	RUTHERGLEN,	9335	10766	199	196	395	8	9	17	126	130	256	131
655	Shotts,	4792	5699	150	130	280	10	9	19	59	73	132	36
656	Stonehouse,	3267	3177	59	64	123	6	2	8	37	22	59	31
657	Symington,	528	442	3	9	12	1	3	4	–	4	4	3
658	Walston,	480	425	5	9	14	–	1	1	4	4	8	2
659	Wandell and Lamington,	380	332	6	2	8	–	–	–	2	2	4	1
660	Wiston and Roberton,	786	680	15	3	18	4	–	4	5	6	11	5
	Total,	640444	787005	17445	16553	33998	1438	1286	2724	11271	10656	21927	7873

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	965	933	14	14	28	4	2	6	14	11	25	2
662	Bathgate—												
	(1) Bathgate	6572	6942	148	151	299	9	16	25	81	72	153	60
	(2) Armadale,	3562	3187	61	66	127	5	10	15	47	31	78	19
663	Borrowstounness,	5698	4986	115	98	213	5	10	15	60	45	105	44
664	Carriden,	1821	1799	34	37	71	6	3	9	23	20	43	14
665	Dalmeny,	804	916	19	22	41	–	2	2	8	10	18	5
666	Ecclesmachen,	309	329	2	6	8	–	2	2	3	2	5	2
667	Kirkliston,	1907	2172	51	45	96	6	7	13	23	15	38	12
668	LINLITHGOW,	5784	5554	109	73	182	13	7	20	67	55	122	45
669	Livingstone,	1366	1727	45	42	87	2	1	3	19	12	31	8
670	QUEENSFERRY,	1391	1521	42	31	73	2	2	4	22	12	34	7
671	Torphichen,	1848	1630	29	28	57	2	1	3	17	11	28	19
672	Uphall,	1507	2772	48	65	113	3	7	10	29	25	54	24
673	Whitburn,	5511	6911	153	140	293	14	14	28	74	63	137	38
	Total,	39045	41379	870	818	1688	71	84	155	487	384	871	299
	25. Edinburgh.												
674	Borthwick,	1569	1494	17	28	45	1	1	2	16	12	28	7
675	Carrington,	681	712	8	11	19	1	1	2	4	1	5	7
676	Cockpen,	2113	2481	60	49	109	4	5	9	25	29	54	16
677	Colinton,	2656	3644	67	68	135	17	18	35	91	110	201	26
678	Corstorphine,	1579	1788	26	20	46	1	2	3	17	14	31	5
679	Cramond,	2695	3020	35	37	72	2	3	5	33	29	62	12
680	Cranston,	1035	1036	11	13	24	–	1	1	4	9	13	5
681	Crichton,	1304	1223	12	21	33	2	1	3	12	19	31	7
682	Currie,	2248	2360	36	40	76	4	2	6	22	20	42	17
683	Dalkeith,	7114	7667	126	108	234	12	3	15	106	95	201	57
684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	82	72	154	8	3	11	70	46	116	46
	(2) Landward,	857	970	10	14	24	2	1	3	8	9	17	5
685	EDINBURGH—												
	(1) St George,	42068	55049	878	926	1804	46	52	98	616	710	1326	395
	(2) St Andrew,	38731	39781	550	525	1075	33	27	60	355	427	782	320
	(3) Canongate	30169	33183	654	551	1205	60	31	91	738	590	1328	278
	(4) St Giles,	29679	31960	642	547	1189	130	110	240	539	565	1104	306
	(5) Newington,	29797	41079	740	637	1377	32	36	68	462	482	944	477
686	Fala and Soutra,	382	364	9	5	14	3	1	4	1	2	3	2
687	Glencross,	1217	1153	14	10	24	1	–	1	7	7	14	2
688	Heriot,	407	414	14	9	23	2	1	3	1	2	3	5
689	INVERESK,	9518	10068	199	163	362	17	15	32	129	118	247	56
690	Kirknewton and East-Calder,	1549	2213	46	38	84	5	3	8	24	32	56	26
691	Lasswade,	5688	7098	115	142	257	5	8	13	74	78	152	54
692	LEITH—												
	(1) North Leith,	11562	16582	333	313	646	17	19	36	221	208	429	152
	(2) South Leith,	24467	29852	635	537	1172	36	42	78	494	415	909	293
693	Liberton,	3510	3791	53	54	107	5	7	12	62	58	120	28
694	Mid-Calder,	1389	1634	25	38	63	3	2	5	16	18	34	13
695	Newbattle,	2138	2424	38	51	89	5	4	9	20	19	39	13
696	Newton,	1553	1181	16	23	39	–	3	3	13	18	31	11
697	Penicuik,	3249	3765	69	58	127	7	7	14	40	51	91	23
a698	Ratho,	1659	1744	21	33	54	2	5	7	22	18	40	11
b698	Stobhill,	2364	2447	44	55	99	4	4	8	25	19	44	22

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
699	Stow,	1870	1957	31	22	53	3	1	4	9	13	22	15
700	Temple,	682	658	11	11	22	–	–	–	4	9	13	3
701	West-Calder,	1927	7865	211	206	417	5	9	14	101	81	182	46
	Total,	273792	328138	5838	5435	11273	475	428	903	4381	4333	8714	2761
	26. Haddington.												
702	Aberlady,	1019	1022	13	21	34	4	3	7	6	5	11	2
703	Athelstaneford,	902	844	14	11	25	1	2	3	7	7	14	3
704	Bolton,	332	364	6	5	11	–	1	1	1	–	1	2
705	Dirleton,	1540	1419	20	13	33	4	1	5	15	14	29	9
706	DUNBAR,	4944	4982	84	79	163	16	10	26	47	48	95	26
707	Garvald,	891	832	8	15	23	1	–	1	6	6	12	5
708	Gladsmuir,	1945	1863	20	27	47	2	2	4	10	16	26	13
709	HADDINGTON,	5548	5735	91	70	161	3	8	11	82	90	172	42
710	Humbie,	997	967	14	12	26	–	1	1	6	8	14	3
711	Innerwick,	937	892	14	11	25	–	–	–	2	4	6	3
712	Morham,	281	204	1	3	4	–	–	–	1	–	1	1
713	NORTH BERWICK,	2071	2373	39	36	75	5	2	7	8	17	25	15
714	Oldhamstocks,	615	592	9	6	15	1	1	2	4	7	11	7
715	Ormiston,	915	911	15	14	29	–	2	2	6	10	16	7
716	Pencaitland,	1187	1320	24	20	44	1	–	1	5	10	15	6
717	Prestonkirk,	1960	1931	26	33	59	5	5	10	20	24	44	12
718	Prestonpans,	2080	2069	31	24	55	–	1	1	22	22	44	19
719	Salton,	712	647	9	2	11	–	1	1	4	4	8	4
720	Spott,	555	560	9	7	16	–	–	–	3	4	7	7
721	Stenton,	692	612	8	6	14	–	–	–	6	6	12	4
722	Tranent,	4647	4852	91	85	176	8	7	15	62	56	118	30
723	Whitekirk and Tynninghame,	1113	1073	13	14	27	2	3	5	10	3	13	8
724	Whittinghame,	710	657	9	10	19	–	1	1	2	4	6	9
725	Yester,	1033	1034	17	11	28	–	3	3	5	12	17	1
	Total,	37626	37755	585	535	1120	53	54	107	340	377	717	238
	27. Berwick.												
726	Abbey St Bathans,	179	195	2	2	4	1	–	1	1	–	1	2
727	Ayton,	2014	1983	34	21	55	3	1	4	19	8	27	11
728	Bunkle and Preston,	756	764	9	9	18	–	1	1	7	3	10	3
729	Channelkirk,	671	705	9	19	28	2	3	5	10	2	12	3
730	Chirnside,	1502	1413	20	27	47	2	2	4	13	12	25	11
731	Cockburnspath,	1194	1133	18	14	32	3	1	4	7	9	16	6
732	Coldingham,	3241	3093	48	50	98	3	2	5	22	19	41	17
733	Coldstream,	2823	2619	33	37	70	7	–	7	12	28	40	10
734	Cranshaws,	134	142	–	3	3	–	–	–	1	–	1	1
735	Dunse,	3595	3602	50	41	91	3	5	8	33	24	57	16
736	Earlston,	1825	1977	32	24	56	5	3	8	13	16	29	7
737	Eccles,	1861	1780	21	22	43	3	5	8	8	11	19	10
738	Edrom,	1592	1513	22	14	36	2	3	5	10	12	22	9
739	Eyemouth,	1804	2372	54	50	104	5	–	5	29	24	53	5
740	Fogo,	559	502	4	5	9	2	–	2	1	1	2	7
741	Foulden,	431	425	4	5	9	2	–	2	2	2	4	2
742	Gordon,	931	876	21	15	36	3	1	4	5	7	12	6
743	Greenlaw,	1370	1381	14	23	37	1	2	3	10	23	33	4
744	Hume,	420	460	3	7	10	–	2	2	3	3	6	–
745	Hutton,	1067	1077	11	16	27	1	1	2	9	4	13	2
746	Ladykirk,	564	518	5	6	11	–	–	–	4	3	7	5
747	Langton,	502	548	4	11	15	1	1	2	6	3	9	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
748	LAUDER,	2198	2120	32	34	66	2	4	6	24	22	46	14
749	Legerwood,	599	525	9	7	16	2	1	3	4	3	7	5
750	Longformacus,	448	452	5	5	10	2	–	2	2	1	3	2
751	Merton,	729	734	16	8	24	3	2	5	6	5	11	4
752	Mordington,	377	402	4	6	10	–	1	1	5	2	7	3
753	Nenthorn,	461	434	11	2	13	1	–	1	3	3	6	3
754	Polwarth,	251	249	1	3	4	–	–	–	2	2	4	–
755	Swinton,	964	996	14	11	25	1	2	3	6	11	17	5
756	Westruther,	786	784	11	9	20	1	3	4	6	4	10	2
757	Whitsome,	640	608	12	5	17	1	–	1	4	4	8	3
	Total,	36488	36382	533	511	1044	62	46	108	287	271	558	178
	28. Peebles.												
758	Broughton (merged in 763).												
759	Drumelzier,	209	221	5	2	7	–	–	–	1	–	1	–
760	Eddlestone,	753	700	12	17	29	1	1	2	6	3	9	2
761	Glenholm (merged in 763).												
762	Innerleithen,	1787	2776	51	54	105	5	6	11	26	31	57	11
763	Kilbucho, Broughton, and Glenholm,	723	729	11	15	26	1	2	3	8	8	16	1
764	Kirkurd,	362	294	4	5	9	–	1	1	1	2	3	–
765	Lyne, etc.—												
	(1) Lyne,	81	104	3	1	4	–	–	–	2	–	2	–
	(2) Megget,	53	70	1	1	2	–	–	–	–	–	–	–
766	Manor,	247	271	10	5	15	1	–	1	5	4	9	1
767	Newlands,	987	851	14	16	30	1	–	1	8	13	21	3
768	PEEBLES,	2850	3172	42	53	95	4	7	11	24	34	58	27
769	Skirling,	317	325	2	4	6	–	1	1	–	5	5	2
770	Stobo,	478	459	9	12	21	–	1	1	1	6	7	1
771	Traquair,	687	669	11	5	16	1	–	1	4	2	6	4
772	Tweedsmuir,	196	190	–	6	6	–	–	–	2	3	5	–
773	West Linton,	1534	1387	18	23	41	1	2	3	14	11	25	10
	Total,	11264	12218	193	219	412	15	21	36	102	122	224	62
	29. Selkirk.												
*a*774	Caddonfoot,	610	699	8	8	16	1	1	2	9	5	14	3
*b*774	Ettrick,	454	434	8	2	10	–	–	–	1	2	3	–
775	GALASHIELS,	3268	5921	120	99	219	5	9	14	51	67	118	41
*a*776	Kirkhope,	555	565	9	8	17	2	–	2	7	1	8	4
*b*776	LADHOPE,	4154	5317	127	111	238	17	8	25	75	60	135	61
777	Roberton,	640	593	12	8	20	1	–	1	5	3	8	3
778	SELKIRK,	4646	5555	107	96	203	15	9	24	56	57	113	44
779	Yarrow,	574	567	5	10	15	1	–	1	4	1	4	6
	Total,	14901	19651	396	342	738	42	27	69	208	196	404	162
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum,	1511	1391	24	24	48	1	2	3	8	13	21	4
781	Ashkirk,	578	550	7	12	19	–	–	–	2	1	3	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Tot	Mal.	Fem	Total.	
782	Bedrule,	222	292	4	2	6	2	–	2	–	–	–	2
783	Bowden,	864	842	17	7	24	3	–	3	2	9	11	7
784	Castleton,	3688	2202	40	32	72	8	8	16	21	11	32	14
785	Cavers,	1824	1443	24	26	50	–	1	1	12	14	26	7
786	Crailing,	673	657	9	10	19	2	–	2	2	6	8	2
a787	Eckford,	957	931	18	13	31	2	2	4	8	6	14	5
b787	Edgerston,	359	365	7	8	15	–	–	–	4	2	6	1
788	Ednam,	599	613	8	11	19	1	–	1	4	3	7	6
789	HAWICK,	8726	8733	182	178	360	16	17	33	87	89	176	77
790	Hobkirk,	771	718	11	4	15	–	1	1	2	2	4	2
791	Hownam,	289	238	3	4	7	–	1	1	2	1	3	1
792	JEDBURGH,	5011	4971	71	79	150	7	7	14	27	41	68	25
793	Kelso,	5192	5124	81	68	149	7	8	15	48	63	111	27
794	Kirktown,	421	320	4	7	11	–	1	1	2	–	2	1
795	Lilliesleaf,	772	788	10	11	21	2	3	5	12	9	21	2
796	Linton,	608	570	3	11	14	–	3	3	4	6	10	2
797	Makerston,	380	361	6	7	13	1	–	1	2	–	2	2
798	Maxton,	497	481	3	6	9	–	1	1	4	5	9	3
799	Melrose,	3500	4115	61	68	129	6	5	11	35	46	81	26
800	Minto,	430	431	6	4	10	2	2	4	1	3	4	5
801	Morebattle,	1031	986	18	13	31	5	3	8	7	11	18	4
802	Oxnam,	592	652	12	12	24	1	2	3	9	2	11	5
803	Roxburgh,	1178	1053	14	12	26	3	1	4	7	6	13	4
804	St Boswells,	922	973	15	11	26	–	2	2	5	6	11	2
805	Smailholm,	554	534	9	6	15	2	1	3	4	1	5	5
806	Southdean,	687	674	10	9	19	4	–	4	5	7	12	6
807	Sprouston,	1305	1294	14	12	26	3	3	6	6	5	11	9
808	Stitchel,	425	388	4	4	8	1	1	2	4	4	8	3
809	Teviothead,	438	515	12	7	19	1	1	2	1	4	5	3
810	WILTON,	3357	3936	80	63	143	9	6	15	35	41	76	32
811	Yetholm,	1207	1100	17	17	34	6	2	8	10	16	26	5
	Total,	49568	48241	804	758	1562	95	84	179	382	433	815	300
	31. Dumfries.												
812	ANNAN,	5113	4631	87	87	174	15	15	30	52	50	102	35
a813	Applegarth,	935	902	16	14	30	1	2	3	7	4	11	6
b813	BRYDEKIRK,	779	731	7	8	15	2	1	3	6	6	12	2
814	Canonbie,	3219	3055	58	45	103	12	4	16	17	20	37	17
815	Carlaverock,	1248	1151	10	10	20	4	4	8	10	13	23	6
816	Closeburn,	1651	1612	34	22	56	3	1	4	23	12	35	11
817	Cummertrees,	1184	1072	17	20	37	5	4	9	6	9	15	8
818	Dalton,	679	577	7	10	17	2	3	5	4	2	6	2
819	Dornock,	856	826	15	9	24	2	2	4	9	12	21	2
820	Dryfesdale,	2509	2825	51	43	94	4	6	10	22	29	51	12
821	DUMFRIES,	13523	14841	230	229	459	43	34	77	210	178	388	101
822	Dunscore,	1554	1504	28	21	49	3	–	3	7	5	12	8
823	Durrisdeer,	1320	1189	16	15	31	1	2	3	8	10	18	7
824	Eskdalemuir,	590	551	8	7	15	2	–	2	1	1	2	5
825	Ewes,	356	338	5	6	11	–	–	–	1	–	1	2
826	Glencairn,	1867	1749	20	23	43	4	3	7	13	26	39	16
827	Graitney (or Gretna),	1620	1395	19	22	41	3	4	7	13	7	20	7
828	Halfmorton,	713	611	10	6	16	1	1	2	4	5	9	7
829	Hoddom,	1568	1520	30	26	56	6	6	12	15	15	30	10
830	Holywood,	1115	1069	14	6	20	2	2	4	9	10	19	8
831	Hutton,	876	842	13	13	26	3	1	4	7	8	15	5
832	Johnstone,	1149	1089	12	13	25	2	1	3	10	10	20	7
833	Keir,	849	828	14	10	24	–	–	–	6	8	14	5
834	Kirkconnel,	996	952	13	17	30	1	1	2	8	12	20	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
835	Kirkmahoe,	1462	1332	17	16	33	3	4	7	12	13	25	11
836	Kirkmichael,	1026	903	18	14	32	3	–	3	4	3	7	11
837	Kirkpatrick-Fleming—												
	(1) Northern Dist.,	493	393	3	2	5	1	–	1	1	2	3	3
	(2) Southern Dist.,	1432	1136	11	20	31	2	6	8	8	13	21	8
838	Kirkpatrick-Juxta,	1025	1091	22	18	40	4	3	7	12	9	21	5
839	Langholm,	2979	3735	85	75	160	8	6	14	42	42	84	25
840	LOCHMABEN,	3087	3085	50	41	91	12	5	17	31	27	58	21
841	Middlebie,	2004	2000	34	22	56	9	7	16	27	19	46	11
842	Moffat,	2232	2543	33	39	72	8	3	11	18	25	43	13
843	Morton,	2253	2099	40	29	69	6	6	12	26	19	45	13
844	Mousewald,	633	647	8	6	14	–	3	3	2	2	4	1
845	Penpont,	1326	1323	18	24	42	4	1	5	7	18	25	8
846	Ruthwell,	1046	972	17	13	30	6	1	7	13	11	24	3
847	St Mungo,	686	658	7	6	13	3	–	3	2	3	5	5
848	SANQUHAR,	2758	2201	37	25	62	2	4	6	18	30	48	14
849	Tinwald,	1079	993	16	15	31	2	4	6	7	9	16	3
850	Torthorwald,	1254	1098	17	15	32	7	9	16	9	16	25	12
851	Tundergarth,	507	510	3	11	14	–	2	2	2	5	7	2
852	Tynron,	446	381	3	7	10	1	–	1	4	–	4	4
a853	Wamphray,	559	505	3	7	10	–	1	1	3	3	6	3
b853	Wanlockhead,	811	837	22	11	33	3	–	3	14	12	26	8
854	Westerkirk,	537	540	7	4	11	–	–	–	4	3	7	2
	Total,	75904	74842	1205	1102	2307	205	162	367	734	736	1470	483
	32. Kirkcudbright.												
855	Anwoth,	899	827	6	7	13	–	3	3	7	11	18	2
856	Balmaclellan,	890	861	15	17	32	3	2	5	4	6	10	1
a857	Balmaghie,	1225	1085	21	13	34	5	4	9	2	10	12	4
b857	Bargrennan,	471	428	3	4	7	–	–	–	1	–	1	2
858	Borgue,	1162	1087	13	8	21	2	2	4	6	9	15	8
859	Buittle,	1165	1026	9	14	23	–	1	1	6	6	12	3
860	Carsphairn,	553	545	9	6	15	–	–	–	3	3	6	9
861	Colvend,	1366	1318	22	28	50	3	3	6	14	10	24	13
862	Corsock-Bridge,	544	563	11	10	21	2	1	3	5	6	11	5
863	Crossmichael,	1536	1492	27	20	47	3	4	7	13	11	24	11
864	Dalbeattie,	2054	3163	52	61	113	6	11	17	35	36	71	23
865	Dalry,	1149	1074	10	9	19	–	4	4	10	9	19	11
866	Girthon,	1702	1586	22	16	38	4	1	5	12	15	27	7
867	Irongray,	913	815	12	17	29	3	4	7	7	5	12	4
868	KELLS,	1170	1007	13	20	33	–	2	2	11	9	20	8
869	Kelton,	3436	3222	47	45	92	8	5	13	23	31	54	18
870	Kirkbean,	942	825	8	10	18	–	1	1	10	3	13	3
871	KIRKCUDBRIGHT,	3407	3346	45	46	91	5	7	12	24	36	60	10
872	Kirkgunzeon,	793	661	7	11	18	–	2	2	7	5	12	1
873	Kirkmabreck,	1851	1568	39	18	57	7	2	9	15	23	38	12
874	Kirkpatrick-Durham,	1323	1218	13	19	32	1	2	3	8	11	19	6
875	Lochrutton,	677	656	8	11	19	1	–	1	7	7	14	2
876	Minnigaff,	1518	1329	24	14	38	5	1	6	17	16	33	9
877	New Abbey,	1063	931	14	20	34	4	4	8	8	12	20	3
878	Parton,	572	526	7	6	13	–	–	–	2	2	4	2
879	Rerrick,	1738	1911	30	27	57	8	5	13	15	13	28	13
880	TERREGLES,	580	547	2	2	4	–	–	–	3	11	14	1
881	Tongland,	892	908	12	10	22	3	2	5	8	2	10	6
882	TROQUEER,	4743	5402	81	83	164	9	7	16	63	67	130	31

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
883	Twynholm, ...	815	717	6	12	18	1	4	5	13	6	19	4
884	Urr, ...	1531	1443	24	26	50	8	9	17	11	17	28	9
	Total,	42680	42087	612	610	1222	91	93	184	370	408	778	241
	33. Wigtown.												
885	Glasserton, . . .	1472	1196	25	20	45	5	4	9	8	7	15	3
886	Inch, ...	2460	2189	28	29	57	3	3	6	14	17	31	11
887	Kirkcolm, . . .	1860	1948	25	28	53	1	7	8	10	16	26	7
888	Kirkcowan, . . .	1434	1352	27	15	42	6	2	8	14	7	21	5
889	Kirkinner, . . .	1716	1548	20	18	38	3	2	5	14	9	23	9
890	Kirkmaiden, . . .	2333	2507	40	37	77	3	7	10	23	20	43	11
891	Leswalt, . . .	1417	1249	20	16	36	5	3	8	10	9	19	6
892	Mochrum, . . .	2694	2450	34	29	63	4	4	8	16	23	39	20
893	New Luce, . . .	731	661	11	12	23	1	2	3	7	7	14	9
894	Old Luce (or Glenluce), .	2800	2449	45	45	90	12	7	19	19	19	38	13
895	Penninghame, . .	3876	3712	46	57	103	11	6	17	36	49	85	30
896	Portpatrick, . . .	2189	1492	28	18	46	5	5	10	10	12	22	5
897	Sorbie, ...	1814	1667	25	16	41	2	2	4	15	14	29	10
898	Stoneykirk, . . .	3228	2993	55	44	99	9	9	18	26	22	48	21
899	STRANRAER, . .	6315	5977	102	96	198	17	14	31	67	71	138	31
900	WHITHORN, . .	2934	2906	47	26	73	6	2	8	27	26	53	13
901	WIGTOWN, . .	2637	2306	38	35	73	7	6	13	29	26	55	7
	Total,	41910	38602	616	541	1157	100	85	185	345	354	699	211

MARRIAGES registered in SCOTLAND in 1872 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		25641	11794	5661	3312	579	2461	1681	5	148	21637	798	2269	889	48	2676	5261
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS		10427	3829	2273	1401	379	1427	982	–	136	8532	436	973	481	5	1240	2537
LARGE TOWNS		2967	1277	601	419	61	381	222	1	5	2482	103	261	119	2	366	703
SMALL TOWNS		5545	2756	1019	893	81	451	338	3	4	4745	156	472	170	2	593	1121
MAINLAND-RURAL		6063	3630	1529	557	58	162	123	1	3	5321	97	505	108	32	293	647
INSULAR-RURAL		639	302	239	42	–	40	16	–	–	557	6	58	11	7	184	253
	DIVISIONS.																
I.	NORTHERN	604	214	297	60	1	1	28	1	2	537	7	47	8	5	37	71
II.	NORTH-WESTERN	812	258	471	6	7	61	9	–	–	723	10	69	7	3	226	379
III.	NORTH-EASTERN	2474	1439	623	129	92	53	134	–	4	2175	52	198	49	–	61	189
IV.	EAST-MIDLAND	4013	1979	801	618	112	227	224	–	52	3406	89	390	123	5	221	552
V.	WEST-MIDLAND	1548	805	303	226	23	118	72	–	1	1294	44	148	56	6	146	294
VI.	SOUTH-EASTERN	11255	4726	2067	1501	208	1703	1006	4	40	9322	450	990	484	9	1714	3333
VII.	SOUTH-WESTERN	3700	1613	885	604	128	261	160	–	49	3132	118	313	129	8	217	369
VIII.	SOUTHERN	1235	760	214	168	8	37	48	–	–	1048	28	114	33	12	54	74
	COUNTIES.																
1	Shetland	125	85	19	8	–	–	13	–	–	106	1	11	2	5	9	24
2	Orkney	178	70	56	41	1	1	7	–	2	165	1	8	4	–	4	4
3	Caithness	184	51	113	11	–	–	8	1	–	158	3	21	2	–	15	16
4	Sutherland	117	8	109	–	–	–	–	–	–	108	2	7	–	–	9	27
5	Ross & Cromarty	353	66	278	2	3	–	4	–	–	313	3	32	3	2	92	173
6	Inverness	459	192	193	4	4	61	5	–	–	410	7	37	4	1	134	206
7	Nairn	54	22	18	8	1	2	3	–	–	44	2	6	2	–	4	8
8	Elgin	232	104	99	22	3	–	4	–	–	197	2	26	7	–	6	26
9	Banff	344	198	81	26	7	20	11	–	1	308	1	31	4	–	18	40
10	Aberdeen	1638	963	389	68	71	31	113	–	3	1443	45	116	34	–	30	98
11	Kincardine	206	152	36	5	10	–	3	–	–	183	2	19	2	–	3	17
12	Forfar	1961	811	380	289	94	188	150	–	49	1644	47	193	77	–	167	411
13	Perth	702	365	210	83	11	17	16	–	–	604	12	68	16	2	13	34
14	Fife	1176	706	175	217	4	19	52	–	3	1006	26	116	25	3	32	87
15	Kinross	37	21	8	8	–	–	–	–	–	32	–	5	–	–	–	1
16	Clackmannan	137	76	28	21	3	3	6	–	–	120	4	8	5	–	9	19
17	Stirling	690	363	95	136	2	47	47	–	–	586	13	61	26	4	49	112
18	Dumbarton	423	205	85	56	12	50	15	–	–	355	16	39	13	–	52	98
19	Argyll	334	196	85	23	8	14	7	–	1	280	9	34	9	2	39	63
20	Bute	101	41	38	11	1	7	3	–	–	73	6	14	8	–	6	21
21	Renfrew	1721	707	319	205	53	321	111	1	4	1425	83	144	67	2	263	492
22	Ayr	1661	929	317	179	14	120	102	–	–	1409	51	143	57	1	190	422
23	Lanark	7873	3090	1431	1117	141	1262	793	3	36	6488	316	703	360	6	1261	2419
24	Linlithgow	299	146	43	48	2	44	15	–	1	261	10	14	9	5	53	60
25	Edinburgh	2761	1117	741	428	120	183	125	–	47	2294	98	258	110	1	135	253
26	Haddington	238	154	36	31	2	11	4	–	–	213	5	16	3	1	25	41
27	Berwick	178	88	33	48	2	1	5	–	1	163	–	11	3	1	–	6
28	Peebles	62	36	8	10	1	4	3	–	–	51	4	5	2	–	1	4
29	Selkirk	162	72	24	39	1	18	8	–	–	150	1	9	2	–	3	5
30	Roxburgh	300	171	39	71	2	7	10	–	–	266	3	26	5	–	13	9
31	Dumfries	483	273	96	65	5	16	28	–	–	407	12	45	18	1	16	22
32	Kirkcudbright	241	179	37	16	1	4	4	–	–	201	7	21	7	5	6	16
33	Wigtown	211	137	42	16	–	10	6	–	–	174	6	22	3	6	19	27

CONDITION and AGE of PERSONS married in SCOTLAND in 1872.

CONDITION and AGE of PERSONS married in SCOTLAND in 1872.

CONDITION.	TOTAL.	AGES. Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
BACHELORS with SPINSTERS.	21637	–	–	–	28	181	591	1165	8545	7020	2520	915	380	157	75	28	8	4	1	1	–	–	18
	21637	–	6	88	374	1013	1819	2237	8875	5204	1351	426	148	59	15	5	1	–	–	–	–	–	16
BACHELORS with WIDOWS.	798	–	–	–	–	–	5	4	123	243	171	120	73	33	13	8	4	1	–	–	–	–	–
	798	–	–	–	–	–	–	5	59	197	239	166	82	31	15	1	2	–	1	–	–	–	–
WIDOWERS with SPINSTERS.	2269	–	–	–	–	2	1	–	59	335	452	431	363	258	171	97	61	19	15	3	–	–	2
	2269	–	–	–	5	22	38	52	332	601	492	332	245	91	36	13	4	1	–	–	–	–	5
WIDOWERS with WIDOWS.	889	–	–	–	–	–	–	–	4	48	80	128	181	148	124	79	55	30	8	2	2	–	–
	889	–	–	–	–	–	–	3	13	92	169	175	195	126	70	29	13	3	–	–	–	–	1
Condition not stated. MEN.	48	–	–	–	–	–	1	–	5	10	10	7	4	4	3	1	2	1	–	–	–	–	–
Condition not stated. WOMEN.	48	–	–	–	–	–	2	2	8	16	8	6	4	1	1	–	–	–	–	–	–	–	–
TOTAL MEN.....	25641	–	–	–	28	183	598	1169	8736	7656	3233	1601	1001	600	386	213	130	55	24	6	2	–	20
TOTAL WOMEN.....	25641	–	6	88	379	1035	1859	2299	9287	6110	2259	1105	674	308	137	48	20	4	1	–	–	–	22

AGES of MALES married in Scotland in 1872.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1872.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	25641	–	–	–	28	183	598	1169	8736	7656	3233	1601	1001	600	386	213	130	55	24	6	2	–	20
GROUPS OF DISTRICTS.																							
Principal Towns .	10427	–	–	–	12	90	277	482	3510	3078	1334	647	409	247	165	90	54	21	9	2	–	–	–
Large Towns . .	2967	–	–	–	7	26	81	154	1075	878	322	161	98	65	43	28	18	5	1	–	1	–	4
Small Towns . .	5545	–	–	–	5	39	139	299	2034	1595	646	294	213	124	68	46	26	7	4	–	–	–	6
Mainland-Rural .	6063	–	–	–	3	26	95	228	2010	1893	789	421	248	139	97	43	31	19	9	3	1	–	8
Insular-Rural .	639	–	–	–	1	2	6	6	107	212	142	78	33	25	13	6	1	3	1	1	–	–	2
DIVISIONS.																							
1. Northern . .	604	–	–	–	–	4	7	14	140	211	94	60	31	20	7	9	4	1	–	2	–	–	–
2. North-Western .	812	–	–	–	–	–	2	7	132	284	184	102	40	26	18	8	1	3	1	1	–	–	3
3. North-Eastern .	2474	–	–	–	1	10	40	108	794	741	337	177	118	60	40	16	18	5	6	–	1	–	2
4. East Midland .	4013	–	–	–	7	37	87	194	1467	1122	488	236	135	97	68	36	20	14	3	–	–	–	2
5. West Midland .	1548	–	–	–	2	6	16	70	496	466	215	107	73	44	24	15	8	2	2	–	–	–	2
6. South-Western .	11255	–	–	–	15	97	353	606	4082	3251	1255	639	433	238	138	69	47	17	5	1	1	–	8
7. South-Eastern .	3700	–	–	–	2	21	73	130	1219	1197	500	203	123	84	63	48	21	9	5	1	–	–	1
8. Southern . .	1235	–	–	–	1	8	20	40	406	384	160	77	48	31	28	12	11	4	2	1	–	–	2
COUNTIES.																							
Shetland . . .	125	–	–	–	–	–	1	3	31	45	18	12	6	4	1	4	–	–	–	–	–	–	–
Orkney . . .	178	–	–	–	–	3	5	7	42	60	23	18	10	7	1	1	–	1	–	–	–	–	–
Caithness . .	184	–	–	–	–	1	1	4	53	60	30	13	8	3	4	2	4	–	–	1	–	–	–
Sutherland . .	117	–	–	–	–	–	–	–	14	46	23	17	7	6	1	2	–	–	–	1	–	–	–
Ross and Cromarty .	353	–	–	–	–	–	1	4	65	135	71	41	14	10	6	3	–	–	–	1	–	–	2
Inverness . .	459	–	–	–	–	–	1	3	67	149	113	61	26	16	12	5	1	3	1	–	–	–	1

AGES of MALES married in Scotland in 1872.

Nairn . . .	54	–	–	–	–	–	1	–	16	13	6	7	5	1	4	–	1	–	–	–	–	–	–
Elgin . . .	232	–	–	–	–	–	4	7	61	73	36	17	17	11	3	2	1	–	–	–	–	–	–
Banff . . .	344	–	–	–	–	1	1	20	109	109	45	23	14	9	5	1	4	–	2	–	–	–	1
Aberdeen . .	1638	–	–	–	1	8	31	77	538	479	225	115	71	35	26	12	11	5	2	–	1	–	1
Kincardine . .	206	–	–	–	–	1	3	4	70	67	25	15	11	4	2	1	1	–	2	–	–	–	–
Forfar . . .	1961	–	–	–	5	21	40	102	719	534	240	116	65	43	39	15	11	7	3	–	–	–	1
Perth . . .	702	–	–	–	1	3	10	23	209	206	121	56	28	23	11	3	4	4	–	–	–	–	–
Fife. . . .	1176	–	–	–	1	11	32	60	472	342	101	54	34	28	17	15	5	3	–	–	–	–	1
Kinross . . .	37	–	–	–	–	2	–	2	6	6	10	5	3	3	–	–	–	–	–	–	–	–	–
Clackmannan . .	137	–	–	–	–	–	5	7	61	34	16	5	5	–	1	3	–	–	–	–	–	–	–
Stirling . . .	690	–	–	–	1	2	9	48	274	185	64	43	28	12	9	7	6	–	1	–	–	–	1
Dumbarton . .	423	–	–	–	–	2	7	15	133	150	57	22	16	10	5	3	1	1	1	–	–	–	–
Argyll . . .	334	–	–	–	1	2	–	5	67	103	71	35	21	19	6	1	1	1	–	–	–	–	1
Bute . . .	101	–	–	–	–	–	–	2	22	28	23	7	8	3	4	4	–	–	–	–	–	–	–
Renfrew . . .	1721	–	–	–	1	14	44	98	597	511	220	95	65	31	25	7	6	6	1	–	–	–	–
Ayr. . . .	1661	–	–	–	3	17	65	105	618	467	164	81	64	34	19	11	7	1	2	–	1	–	2
Lanark . . .	7873	–	–	–	11	66	244	403	2867	2273	871	463	304	173	94	51	34	10	2	1	–	–	6
Linlithgow . .	299	–	–	–	–	3	14	13	125	93	19	10	6	8	4	3	–	1	–	–	–	–	–
Edinburgh . .	2761	–	–	–	1	16	47	90	866	885	406	163	99	63	54	39	19	7	5	1	–	–	–
Haddington . .	238	–	–	–	–	–	4	9	99	75	20	14	5	7	2	2	1	–	–	–	–	–	–
Berwick . . .	178	–	–	–	–	–	4	4	59	67	25	7	4	2	1	3	–	1	–	–	–	–	1
Peebles . . .	62	–	–	–	–	–	–	3	17	19	14	4	3	1	–	1	–	–	–	–	–	–	–
Selkirk . . .	162	–	–	–	1	2	4	11	53	58	16	5	6	3	2	–	1	–	–	–	–	–	–
Roxburgh . .	300	–	–	–	1	1	4	11	116	99	34	12	9	4	4	2	2	–	–	–	–	–	1
Dumfries. . .	483	–	–	–	–	3	5	16	146	158	63	35	17	13	11	6	5	3	1	1	–	–	–
Kirkcudbright. .	241	–	–	–	–	1	3	10	74	73	32	19	11	6	4	4	1	1	1	–	–	–	1
Wigtown. . .	211	–	–	–	–	3	8	3	70	54	31	11	11	8	9	–	3	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1872.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1872.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	25641	–	6	88	379	1035	1859	2299	9287	6110	2259	1105	674	308	137	48	20	4	1	–	–	–	22
GROUPS OF DISTRICTS.																							
Principal Towns	10427	–	3	32	155	444	826	955	3736	2345	953	474	282	131	58	22	8	2	–	–	–	–	1
Large Towns .	2967	–	2	9	52	146	226	284	1049	690	229	123	77	40	23	8	2	–	–	–	–	–	7
Small Towns .	5545	–	–	28	96	256	420	522	2063	1258	429	207	155	62	27	11	7	–	–	–	–	–	4
Mainland-Rural	6063	–	1	18	74	182	365	507	2237	1596	565	259	143	71	26	7	2	2	1	–	–	–	7
Insular-Rural .	639	–	–	1	2	7	22	31	202	221	83	42	17	4	3	–	1	–	–	–	–	–	3
DIVISIONS.																							
1. Northern . .	604	–	–	1	5	9	26	34	206	181	76	39	19	4	3	–	1	–	–	–	–	–	–
2. North-Western .	812	–	–	4	4	15	24	45	266	292	95	40	14	9	–	–	–	–	–	–	–	–	4
3. North-Eastern .	2474	–	–	5	29	82	156	222	924	635	206	107	62	28	9	6	–	2	–	–	–	–	1
4. East Midland .	4013	–	1	5	41	118	233	344	1520	993	378	180	116	54	22	5	2	–	–	–	–	–	1
5. West Midland .	1548	–	1	8	13	67	106	136	528	398	145	67	41	19	9	2	5	–	–	–	–	–	3
6. South-Western .	11255	–	2	43	218	588	994	1132	4066	2371	875	449	290	126	64	20	9	1	–	–	–	–	7
7 South-Eastern .	3700	–	2	16	56	128	247	300	1332	902	370	165	95	49	22	10	3	–	1	–	–	–	2
8. Southern . .	1235	–	–	6	13	28	73	86	445	338	114	58	37	19	8	5	–	1	–	–	–	–	4
COUNTIES.																							
Shetland . .	125	–	–	–	–	–	2	7	37	39	21	13	5	–	–	–	1	–	–	–	–	–	–
Orkney . . .	178	–	–	–	3	3	13	13	64	51	13	9	5	2	2	–	–	–	–	–	–	–	–
Caithness . .	184	–	–	1	1	6	5	10	66	59	22	5	8	1	–	–	–	–	–	–	–	–	–
Sutherland . .	117	–	–	–	1	–	6	4	39	32	20	12	1	1	1	–	–	–	–	–	–	–	–
Ross and Cromarty .	353	–	–	–	4	6	5	15	117	127	49	16	8	3	–	–	–	–	–	–	–	–	3
Inverness . .	459	–	–	4	–	9	19	30	149	165	46	24	6	6	–	–	–	–	–	–	–	–	1

AGES of FEMALES married in Scotland in 1872.

Nairn . . .	54	–	–	–	–	1	–	2	21	15	7	5	1	2	–	–	–	–	–	–	–	–	–
Elgin . . .	232	–	–	1	2	9	11	16	77	61	30	14	6	4	–	1	–	–	–	–	–	–	–
Banff . . .	344	–	–	–	6	9	21	32	131	96	22	17	6	3	–	1	–	–	–	–	–	–	–
Aberdeen . .	1638	–	–	3	19	55	114	155	615	409	128	62	46	17	8	4	–	2	–	–	–	–	1
Kincardine . .	206	–	–	1	2	8	10	17	80	54	19	9	3	2	1	–	–	–	–	–	–	–	–
Forfar . . .	1961	–	1	3	21	71	125	170	716	475	184	91	59	27	12	3	2	–	–	–	–	–	1
Perth . . .	702	–	–	1	5	16	29	49	260	202	75	39	14	9	3	–	–	–	–	–	–	–	–
Fife . . .	1176	–	–	1	14	26	69	107	481	270	103	44	37	17	5	2	–	–	–	–	–	–	–
Kinross . . .	37	–	–	–	1	–	2	1	9	10	10	–	3	1	–	–	–	–	–	–	–	–	–
Clackmannan .	137	–	–	–	–	5	8	17	54	36	6	6	3	–	2	–	–	–	–	–	–	–	–
Stirling . . .	690	–	1	7	8	43	52	73	234	167	52	21	12	9	6	–	4	–	–	–	–	–	1
Dumbarton . .	423	–	–	1	5	14	37	32	157	109	31	20	11	4	1	1	–	–	–	–	–	–	–
Argyll . . .	334	–	–	–	–	9	15	25	107	93	46	19	13	4	1	–	–	–	–	–	–	–	2
Bute . . .	101	–	–	–	–	1	2	6	30	29	16	7	5	2	1	1	1	–	–	–	–	–	–
Renfrew . . .	1721	–	–	8	23	83	145	166	621	386	136	78	35	20	11	3	3	1	–	–	–	–	2
Ayr . . .	1661	–	–	8	35	81	146	206	589	348	108	64	39	17	14	5	1	–	–	–	–	–	–
Lanark . . .	7873	–	2	27	160	424	703	760	2856	1637	631	307	216	89	39	12	5	–	–	–	–	–	5
Linlithgow .	299	–	–	1	14	27	17	34	120	43	23	5	7	5	2	1	–	–	–	–	–	–	–
Edinburgh . .	2761	–	2	14	38	86	181	225	951	700	289	136	73	35	18	8	3	–	1	–	–	–	1
Haddington . .	238	–	–	–	1	3	11	20	110	52	18	14	4	4	–	1	–	–	–	–	–	–	–
Berwick . . .	178	–	–	1	2	3	12	8	71	46	22	3	3	4	2	–	–	–	–	–	–	–	1
Peebles . . .	62	–	–	–	1	1	10	3	18	20	3	2	3	1	–	–	–	–	–	–	–	–	–
Selkirk . . .	162	–	–	–	–	8	16	10	62	41	15	5	5	–	–	–	–	–	–	–	–	–	–
Roxburgh . .	300	–	–	1	3	8	20	23	119	85	22	10	7	1	–	–	–	–	–	–	–	–	1
Dumfries . .	483	–	–	4	6	8	30	35	163	138	42	28	9	11	5	3	–	–	–	–	–	–	1
Kirkcudbright .	241	–	–	–	3	6	13	14	87	59	31	12	8	1	2	2	–	1	–	–	–	–	2
Wigtown . .	211	–	–	1	1	6	10	14	76	56	19	8	13	6	1	–	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	3062294	3360018	75794	7284	2688	4748	5997	2885	1916	1444	3772	2141	2629	3075	2775
Principal Towns	884955	1068556	30199	2941	1249	2292	2893	1415	904	707	1620	861	1058	1325	1194
Large Towns .	274381	334257	8603	888	335	620	783	359	228	161	452	222	280	289	324
Small Towns .	704380	776087	16815	1706	580	1034	1394	627	434	323	859	503	603	650	567
Mainland-Rural	1061793	1049114	18093	1565	497	731	869	435	325	235	773	514	618	711	614
Insular-Rural .	136785	132004	2084	184	27	71	58	49	25	18	68	41	70	100	76
Shetland . .	31670	31608	477	40	3	15	12	9	9	1	12	5	12	15	27
Orkney . .	32395	31274	434	19	7	8	8	8	3	5	12	7	15	16	10
Caithness .	42200	41011	634	43	17	27	23	13	15	10	31	20	26	27	28
Sutherland .	24157	23298	371	20	3	3	8	8	4	4	17	9	10	12	7
Ross & Cromarty	82427	82093	1238	88	24	44	55	16	12	10	42	28	37	55	54
Inverness .	84815	84258	1529	142	40	53	56	42	26	20	68	39	47	76	54
Nairn . .	8347	8372	136	16	1	4	4	6	2	4	4	2	5	4	4
Elgin . .	44305	44549	746	63	25	35	33	11	18	10	35	12	25	28	14
Banff . .	56020	58883	1011	89	27	49	66	26	12	14	52	31	37	29	31
Aberdeen .	223417	246298	4606	420	174	237	285	163	111	74	247	129	134	159	164
Kincardine .	34781	35097	580	49	12	29	30	23	15	5	27	12	16	21	18
Forfar . .	206750	240049	5685	635	230	380	473	247	138	123	248	132	170	223	176
Perth . .	133198	128550	2461	181	64	79	84	53	35	31	77	54	79	88	105
Fife . . .	155021	160924	3089	288	93	134	173	99	63	40	135	77	99	135	107
Kinross . .	8731	7918	137	13	2	3	3	2	1	1	3	–	4	6	4
Clackmannan .	20122	22235	463	40	12	36	38	12	9	6	17	13	19	28	23
Stirling . .	88138	93345	2249	213	86	138	217	74	59	43	125	85	85	85	70
Dumbarton .	54179	61116	1460	162	39	90	144	56	62	37	96	44	46	49	48
Argyll . .	83859	79661	1505	95	26	40	61	43	25	10	58	33	48	81	60
Bute . .	16311	16966	399	18	12	11	19	6	7	5	15	15	17	14	15
Renfrew . .	168746	195305	5061	500	193	396	533	231	136	113	247	142	186	178	164
Ayr . .	199083	200908	4346	451	156	272	354	165	104	75	213	163	175	161	128
Lanark . .	640444	787005	21927	2201	921	1894	2417	1100	704	514	1202	614	782	921	833
Linlithgow .	39045	41379	871	115	36	70	64	33	34	16	59	20	30	18	27
Edinburgh .	273792	328138	8714	854	324	466	573	311	228	190	513	290	307	419	380
Haddington .	37626	37755	717	58	16	27	32	20	15	12	24	35	19	29	29
Berwick . .	36488	36382	558	51	14	14	19	15	14	7	31	17	18	22	21
Peebles . .	11264	12218	224	28	7	12	10	4	4	1	8	7	11	12	12
Selkirk . .	14901	19651	404	46	25	25	29	18	3	8	20	12	11	25	14
Roxburgh .	49568	48241	815	90	20	36	31	18	10	11	33	11	26	25	34
Dumfries . .	75904	74842	1470	134	37	62	74	31	18	22	41	42	50	55	61
Kirkcudbright	42680	42087	778	71	21	36	37	14	8	11	29	21	39	27	28
Wigtown . .	41910	38602	699	51	21	23	32	8	12	11	31	20	24	32	25

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—BOTH SEXES.

Glasgow . .	395503	477732	14053	1335	608	1255	1565	736	475	349	734	385	516	634	549
Edinburgh .	170444	201052	5484	495	192	293	365	178	141	106	342	188	199	268	267
Dundee . .	91664	120724	3491	390	163	267	358	186	101	101	176	83	99	138	111
Aberdeen .	73900	88181	2119	198	79	116	144	93	63	38	124	68	72	81	91
Greenock .	43894	59794	1697	192	76	157	186	95	44	39	87	47	53	45	52
Paisley . .	47427	48257	1430	137	53	102	158	51	32	25	57	33	52	68	43
Leith . .	36029	46434	1338	147	66	73	94	63	39	43	88	45	44	57	54
Perth . .	26094	26382	587	47	12	29	23	13	9	6	12	12	23	34	27

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . .	2488	2421	2415	2415	2770	2780	3426	3384	4081	3348	2658	1456	554	164	27	53
Principal Towns .	1122	1090	1115	1067	1182	1118	1302	1068	1126	777	463	228	57	17	2	6
Large Towns . .	279	286	283	280	322	305	375	376	436	307	222	136	32	13	3	7
Small Towns . .	495	504	484	525	565	558	741	777	972	827	605	316	133	28	3	2
Mainland-Rural . .	526	486	484	494	639	725	903	1031	1376	1257	1183	678	292	83	16	33
Insular-Rural . .	66	55	49	49	62	74	105	132	171	180	185	98	40	23	3	5
Shetland . . .	11	12	14	6	16	18	26	29	46	52	42	22	17	5	–	1
Orkney . . .	14	8	11	13	10	10	27	39	43	45	48	33	9	6	–	–
Caithness . . .	12	18	18	15	20	25	25	38	51	52	37	25	12	3	2	1
Sutherland . .	10	11	8	12	9	14	16	26	33	39	52	21	10	5	–	–
Ross and Cromarty .	29	34	33	33	30	45	65	70	105	98	120	63	38	7	2	1
Inverness . . .	48	36	43	40	69	55	60	95	134	102	97	52	19	10	2	4
Nairn . . .	1	2	4	2	6	1	9	9	18	8	15	4	–	1	–	–
Elgin . . .	17	25	20	18	23	21	44	48	73	69	42	29	7	1	–	–
Banff . . .	32	28	31	14	30	32	37	53	80	73	60	43	27	7	1	–
Aberdeen . . .	126	127	133	128	147	167	212	238	280	260	230	162	56	17	1	5
Kincardine . .	18	19	13	13	14	22	24	30	48	54	41	18	7	1	–	1
Forfar . . .	187	197	194	199	220	217	270	241	309	201	162	81	25	6	1	–
Perth . . .	75	72	66	87	102	124	153	142	241	175	162	90	29	9	–	4
Fife	105	97	78	112	128	121	151	169	228	187	140	89	31	6	3	1
Kinross . . .	2	3	4	2	7	10	7	8	12	13	18	5	2	–	–	2
Clackmannan . .	13	12	16	20	6	16	26	27	22	31	11	7	3	–	–	–
Stirling . . .	78	43	71	72	70	84	89	116	116	92	66	55	13	2	1	1
Dumbarton . .	35	40	52	52	48	39	64	51	73	51	46	21	12	2	–	1
Argyll . . .	48	44	37	53	57	71	74	99	114	108	120	55	26	14	4	1
Bute	19	15	11	17	20	18	16	21	27	37	24	12	5	1	–	2
Renfrew . . .	192	149	175	156	203	185	247	183	210	153	116	41	18	6	1	7
Ayr	116	127	123	128	148	135	199	215	228	176	179	100	40	13	1	1
Lanark . . .	742	777	756	764	796	747	844	677	704	502	300	137	54	16	3	5
Linlithgow . . .	15	22	21	20	38	19	41	36	53	37	24	13	9	1	–	–
Edinburgh . . .	358	333	325	285	365	326	406	383	402	327	198	117	26	6	1	1
Haddington . .	23	17	21	31	22	25	45	41	57	57	39	13	8	1	–	1
Berwick . . .	17	13	18	19	16	25	18	36	51	42	29	21	5	4	–	1
Peebles . . .	6	10	7	6	7	4	11	13	11	15	10	5	3	–	–	–
Selkirk . . .	16	12	13	7	7	22	17	22	19	17	12	3	1	–	–	–
Roxburgh . . .	24	29	24	17	32	47	44	55	63	62	45	25	1	1	–	1
Dumfries . . .	56	44	33	34	60	74	89	92	97	105	88	48	14	2	–	7
Kirkcudbright . .	24	26	19	23	29	34	41	46	63	56	34	21	10	7	1	2
Wigtown . . .	19	19	23	17	15	27	29	36	70	52	51	25	17	4	3	2

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—BOTH SEXES.

Glasgow . . .	502	496	536	511	523	496	532	407	400	275	153	60	16	4	1	–
Edinburgh . . .	237	221	210	194	242	208	263	245	237	197	111	66	15	3	1	–
Dundee . . .	113	131	131	136	141	124	165	112	132	65	38	24	5	1	–	–
Aberdeen . . .	68	69	56	69	78	86	100	111	116	85	65	35	8	6	–	–
Greenock . . .	65	54	68	53	65	69	77	45	51	39	20	8	3	1	–	6
Paisley . . .	54	44	51	45	55	56	77	67	80	41	33	10	4	2	–	–
Leith . . .	62	59	44	36	52	48	47	46	53	42	20	13	3	–	–	–
Perth . . .	21	16	19	23	26	31	41	35	57	33	23	12	3	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—MALES.

	MALE POPULATION.		MALES.												
				AGE UNDER											
				MONTHS.											
	1861.	1871.	ALL AGES.	3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1449848	1603143	37939	4164	1486	2530	3073	1468	975	677	1983	1081	1331	1652	1362
Principal Towns	407839	502021	15192	1651	681	1194	1490	719	461	335	822	458	531	703	593
Large Towns .	129933	160176	4363	515	198	349	400	172	126	74	246	113	152	157	137
Small Towns .	335356	371118	8500	1012	319	576	707	323	217	153	476	254	305	332	269
Mainland-Rural	513554	508787	8876	892	273	374	446	233	156	108	407	236	303	395	328
Insular-Rural .	63166	61041	1008	94	15	37	30	21	15	7	32	20	40	65	35
Shetland . .	13053	13103	205	19	2	6	6	4	5	1	6	2	8	9	10
Orkney . .	14924	14355	203	11	3	3	5	4	1	3	7	2	8	10	4
Caithness .	19846	19403	332	32	11	17	12	10	7	4	17	8	12	15	16
Sutherland .	11058	10942	157	8	2	3	4	4	3	1	9	4	7	3	3
Ross & Cromarty	38462	38558	635	54	13	31	24	9	5	4	21	12	24	37	32
Inverness .	39500	39360	724	72	26	29	34	19	16	7	33	14	22	42	29
Nairn . .	3976	3925	68	8	1	4	1	3	2	2	2	1	1	3	3
Elgin . .	20716	20738	349	34	15	18	11	2	6	4	18	7	15	20	8
Banff . .	26401	27826	483	49	15	30	26	11	6	9	27	13	13	16	17
Aberdeen .	105355	116768	2283	236	104	125	134	97	58	29	138	70	79	84	94
Kincardine .	16906	17002	270	27	7	16	12	10	7	2	13	5	5	11	6
Forfar . .	93280	107416	2750	351	128	207	240	118	65	74	120	74	78	108	81
Perth . .	63169	60812	1194	104	36	45	46	28	13	18	43	22	39	55	51
Fife . . .	72714	75206	1473	168	58	72	83	55	29	21	71	38	51	68	60
Kinross . .	4150	3748	67	7	1	1	2	1	1	–	1	–	1	4	3
Clackmannan .	9742	10819	218	27	6	18	19	4	7	4	8	4	11	10	7
Stirling . .	43487	46193	1120	116	52	71	107	37	25	25	72	43	40	43	38
Dumbarton .	26455	29957	775	101	30	52	81	28	32	17	48	25	28	26	27
Argyll . .	40914	38796	738	47	13	19	32	20	17	2	26	16	31	51	27
Bute . .	7201	7616	200	7	6	6	9	4	2	1	7	8	6	10	7
Renfrew . .	79380	93167	2558	303	98	198	277	112	70	51	144	72	94	85	67
Ayr . .	97042	98244	2230	269	87	142	190	82	56	30	117	87	90	88	60
Lanark . .	308263	388392	11271	1233	499	1004	1231	574	372	243	612	317	395	485	412
Linlithgow .	20069	21049	487	75	20	42	31	18	13	8	31	15	19	9	13
Edinburgh .	126276	153784	4381	485	173	241	309	152	112	79	273	143	162	236	188
Haddington .	17866	18069	340	27	10	14	15	8	6	5	11	15	10	18	8
Berwick . .	17354	17361	287	33	6	8	10	7	9	5	18	7	7	15	11
Peebles . .	5588	5902	102	12	2	7	6	2	1	–	4	3	6	5	3
Selkirk . .	7275	9476	208	25	14	14	12	13	3	2	17	5	5	13	8
Roxburgh .	24555	22049	382	52	11	23	18	7	6	5	19	6	13	13	11
Dumfries .	35687	34831	734	87	17	35	45	13	9	10	23	19	25	29	33
Kirkcudbright	19885	19607	370	49	12	21	22	7	6	5	12	12	14	15	13
Wigtown . .	19299	17769	345	36	8	8	19	5	5	6	15	12	12	16	12

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—MALES.

Glasgow . .	185556	230995	7171	749	330	671	804	380	248	167	362	200	251	333	284
Edinburgh .	76013	91090	2710	279	103	146	191	85	65	47	175	96	104	156	128
Dundee . .	40395	52605	1660	208	91	136	179	90	42	57	81	45	46	63	49
Aberdeen. .	32554	39786	1040	116	47	56	71	52	32	14	66	43	38	39	47
Greenock .	21567	30298	862	116	35	80	88	48	27	17	53	26	31	19	26
Paisley . .	21913	22269	727	76	31	46	83	28	16	13	28	18	24	34	19
Leith . .	17894	22976	715	82	36	42	62	30	25	17	49	22	23	33	29
Perth . .	11947	12002	307	25	8	17	12	6	6	3	8	8	14	26	11

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1207	1115	1243	1244	1380	1415	1688	1641	1842	1437	1110	558	189	49	10	29
Principal Towns .	556	515	584	557	586	561	646	517	462	296	184	69	13	2	1	5
Large Towns . .	129	136	138	137	175	151	188	185	198	122	101	54	4	2	–	4
Small Towns . .	234	226	240	271	290	302	365	376	447	371	252	122	52	6	1	2
Mainland-Rural .	255	214	258	254	298	367	451	499	658	563	491	265	103	29	6	14
Insular-Rural . .	33	24	23	25	31	34	38	64	77	85	82	48	17	10	2	4
Shetland . . .	5	3	6	2	8	2	10	15	20	25	12	9	9	–	–	1
Orkney . . .	6	4	6	5	5	5	10	20	18	22	22	14	3	2	–	–
Caithness . . .	6	5	11	7	17	14	11	19	21	29	12	12	2	2	2	1
Sutherland . .	4	1	4	4	7	5	9	13	11	12	16	10	5	5	–	–
Ross and Cromarty .	15	14	14	16	19	23	34	33	45	48	56	33	15	2	2	–
Inverness . . .	23	16	24	15	25	26	24	42	57	48	42	27	4	6	–	2
Nairn . . .	1	–	3	–	3	–	4	6	8	1	7	3	–	1	–	–
Elgin . . .	7	12	9	10	8	4	17	31	32	28	17	14	2	–	–	–
Banff . . .	11	10	13	8	13	19	18	29	42	36	22	17	12	1	–	–
Aberdeen . . .	58	54	60	72	65	94	96	109	133	119	90	55	23	3	–	4
Kincardine . .	6	8	6	7	10	11	11	18	27	18	19	5	2	–	–	1
Forfar . . .	84	87	89	87	97	93	127	110	142	85	71	26	7	1	–	–
Perth . . .	35	35	25	51	38	63	81	60	108	81	73	30	9	3	–	2
Fife . . .	49	38	40	48	54	61	73	73	90	70	57	34	10	1	1	–
Kinross . . .	–	3	3	1	4	4	5	3	6	5	8	1	1	–	–	1
Clackmannan . .	8	3	7	7	3	9	12	13	13	10	6	1	1	–	–	–
Stirling . . .	38	21	31	32	38	41	47	51	54	49	29	16	3	1	–	–
Dumbarton . .	13	20	30	26	25	22	25	32	38	21	17	10	1	–	–	–
Argyll . . .	28	19	19	28	26	28	31	49	59	52	58	24	7	6	2	1
Bute	14	7	5	8	13	13	6	10	15	14	16	3	1	–	–	2
Renfrew . . .	91	57	100	90	98	101	126	91	97	63	46	16	5	–	–	6
Ayr	57	61	55	70	87	75	101	114	113	67	71	43	13	4	1	–
Lanark . . .	366	374	401	432	413	403	439	355	304	210	128	47	17	4	–	1
Linlithgow . .	10	12	13	10	25	11	24	20	28	15	13	8	4	–	–	–
Edinburgh . .	182	173	186	134	181	162	206	187	169	121	79	38	8	1	1	–
Haddington . .	11	10	10	15	14	14	22	20	31	26	11	6	2	–	–	1
Berwick . . .	8	8	10	12	11	14	9	15	22	19	11	8	2	1	–	1
Peebles . . .	4	5	3	3	3	3	5	8	3	8	3	2	1	–	–	–
Selkirk . . .	8	6	5	4	6	8	8	7	8	9	5	2	1	–	–	–
Roxburgh . .	10	8	15	6	16	18	18	20	34	24	25	4	–	–	–	–
Dumfries . . .	25	21	20	18	33	42	45	36	44	49	29	18	5	1	–	3
Kirkcudbright . .	11	11	10	6	8	14	20	13	22	24	18	14	5	4	1	1
Wigtown . . .	13	9	10	10	7	13	14	19	28	29	21	8	9	–	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—MALES.

Glasgow . . .	252	236	286	277	261	260	263	207	157	107	66	17	3	–	–	
Edinburgh . .	123	108	116	98	116	94	133	111	95	73	43	19	4	1	1	–
Dundee . . .	53	55	62	60	58	50	75	53	60	24	16	6	1	–	–	–
Aberdeen . . .	30	28	27	38	44	47	42	55	44	31	19	9	4	1	–	–
Greenock . . .	30	19	40	30	33	41	34	15	23	18	6	2	–	–	–	5
Paisley . . .	26	22	27	24	33	26	44	38	35	16	14	5	1	–	–	–
Leith	28	40	19	14	31	27	26	24	25	15	9	7	–	–	–	–
Perth . . .	14	7	7	16	10	16	29	14	23	12	11	4	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1612446	1756875	37855	3120	1202	2218	2924	1417	941	767	1789	1060	1298	1423	1413
Principal Towns	477116	566535	15007	1290	568	1098	1403	696	443	372	798	403	527	622	601
Large Towns .	144448	174081	4240	373	137	271	383	187	102	87	206	109	128	132	187
Small Towns .	369024	404969	8315	694	261	458	687	304	217	170	383	249	298	318	298
Mainland-Rural	548239	540327	9217	673	224	357	423	202	169	127	366	278	315	316	286
Insular-Rural .	73619	70963	1076	90	12	34	28	28	10	11	36	21	30	35	41
Shetland . .	18617	18505	272	21	1	9	6	5	4	–	6	3	4	6	17
Orkney . .	17471	16919	231	8	4	5	3	4	2	2	5	5	7	6	6
Caithness .	22354	21608	302	11	6	10	11	3	8	6	14	12	14	12	12
Sutherland .	13099	12356	214	12	1	–	4	4	1	3	8	5	3	9	4
Ross & Cromarty	43965	43535	603	34	11	13	31	7	7	6	21	16	13	18	22
Inverness .	45315	44898	805	70	14	24	22	23	10	13	35	25	25	34	25
Nairn . .	4371	4447	68	8	–	–	3	3	–	2	2	1	4	1	1
Elgin . .	23589	23811	397	29	10	17	22	9	12	6	17	5	10	8	6
Banff . .	29619	31057	528	40	12	19	40	15	6	5	25	18	24	13	14
Aberdeen .	118062	129530	2323	184	70	112	151	66	53	45	109	59	75	75	70
Kincardine .	17875	18095	310	22	5	13	18	13	8	3	14	7	11	10	12
Forfar . .	113470	132633	2935	284	102	173	233	129	73	49	128	58	92	115	95
Perth . .	70029	67738	1267	77	28	34	38	25	22	13	34	32	40	33	54
Fife . .	82307	85718	1616	120	35	62	90	44	34	19	64	39	48	67	47
Kinross . .	4581	4170	70	6	1	2	1	1	–	1	2	–	3	2	1
Clackmannan .	10380	11416	245	13	6	18	19	8	2	2	9	9	8	18	16
Stirling . .	44651	47152	1129	97	34	67	110	37	34	18	53	42	45	42	32
Dumbarton .	27724	31159	685	61	9	38	63	28	30	20	48	19	18	23	21
Argyll . .	42945	40865	767	48	13	21	29	23	8	8	32	17	17	30	33
Bute . .	9110	9350	199	11	6	5	10	2	5	4	8	7	11	4	8
Renfrew . .	89366	102138	2503	197	95	198	256	119	66	62	103	70	92	93	97
Ayr . .	102041	102664	2116	182	69	130	164	83	48	45	96	76	85	73	68
Lanark . .	332181	398613	10656	968	422	890	1186	526	332	271	590	297	387	436	421
Linlithgow .	18976	20330	384	40	16	28	33	15	21	8	28	5	11	9	14
Edinburgh .	147516	174354	4333	369	151	225	264	159	116	111	240	147	145	183	192
Haddington .	19760	19686	377	31	6	13	17	12	9	7	13	20	9	11	21
Berwick . .	19134	19021	271	18	8	6	9	8	5	2	13	10	11	7	10
Peebles . .	5676	6316	122	16	5	5	4	2	3	1	4	4	5	7	9
Selkirk . .	7626	10175	196	21	11	11	17	5	–	6	3	7	6	12	6
Roxburgh .	25013	25292	433	38	9	13	13	11	4	6	14	5	13	12	23
Dumfries .	40217	40011	736	47	20	27	29	18	9	12	18	23	25	26	28
Kirkcudbright	22795	22480	408	22	9	15	15	7	2	6	17	9	25	12	15
Wigtown . .	22611	20833	354	15	13	15	13	3	7	5	16	8	12	16	13

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—FEMALES.

Glasgow . .	209947	246737	6882	586	278	584	761	356	227	182	372	185	265	301	265
Edinburgh .	94431	109962	2774	216	89	147	174	93	76	59	167	92	95	112	139
Dundee . .	51269	68119	1831	182	72	131	179	96	59	44	95	38	53	75	62
Aberdeen .	41346	48395	1079	82	32	60	73	41	31	24	58	25	34	42	44
Greenock .	22327	29496	835	76	41	77	98	47	17	22	34	21	22	26	26
Paisley . .	25514	25988	703	61	22	56	75	23	16	12	29	15	28	34	24
Leith . .	18135	23458	623	65	30	31	32	33	14	26	39	23	21	24	25
Perth . .	14147	14380	280	22	4	12	11	7	3	3	4	4	9	8	16

DEATHS at Different Ages in SCOTLAND during the YEAR 1872.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1281	1306	1172	1171	1390	1365	1738	1743	2239	1911	1548	898	365	115	17	24
Principal Towns .	566	575	531	510	596	557	656	551	664	481	279	159	44	15	1	1
Large Towns . .	150	150	145	143	147	154	187	191	238	185	121	82	28	11	3	3
Small Towns . .	261	278	244	254	275	256	376	401	525	456	353	194	81	22	2	–
Mainland-Rural .	271	272	226	240	341	358	452	532	718	694	692	413	189	54	10	19
Insular-Rural . .	33	31	26	24	31	40	67	68	94	95	103	50	23	13	1	1
Shetland . . .	6	9	8	4	8	16	16	14	26	27	30	13	8	5	–	–
Orkney . . .	8	4	5	8	5	5	17	19	25	23	26	19	6	4	–	–
Caithness . . .	6	13	7	8	3	11	14	19	30	23	25	13	10	1	–	–
Sutherland . .	6	10	4	8	2	9	7	13	22	27	36	11	5	–	–	–
Ross and Cromarty .	14	20	19	17	11	22	31	37	60	50	64	30	23	5	–	1
Inverness . . .	25	20	19	25	44	29	36	53	77	54	55	25	15	4	2	2
Nairn . . .	–	2	1	2	3	1	5	3	10	7	8	1	–	–	–	–
Elgin . . .	10	13	11	8	15	17	27	17	41	41	25	15	5	1	–	–
Banff . . .	21	18	18	6	17	13	19	24	38	37	38	26	15	6	1	–
Aberdeen . . .	68	73	73	56	82	73	116	129	147	141	140	107	33	14	1	1
Kincardine . .	12	11	7	6	4	11	13	12	21	36	22	13	5	1	–	–
Forfar . . .	103	110	105	112	123	124	143	131	167	116	91	55	18	5	1	–
Perth	40	37	41	36	64	61	72	82	133	94	89	60	20	6	–	2
Fife	56	59	38	64	74	60	78	96	138	117	83	55	21	5	2	1
Kinross . . .	2	–	1	1	3	6	2	5	6	8	10	4	1	–	–	1
Clackmannan . .	5	9	9	13	3	7	14	14	9	21	5	6	2	–	–	–
Stirling . . .	40	22	40	40	32	43	42	65	62	43	37	39	10	1	1	1
Dumbarton . .	22	20	22	26	23	17	39	19	35	30	29	11	11	2	–	1
Argyll . . .	20	25	18	25	31	43	43	50	55	56	62	31	19	8	2	–
Bute	5	8	6	9	7	5	10	11	12	23	8	9	4	1	–	–
Renfrew . . .	101	92	75	66	105	84	121	92	113	90	70	25	13	6	1	1
Ayr	59	66	68	58	61	60	98	101	115	109	108	57	27	9	–	1
Lanark . . .	376	403	355	332	383	344	405	322	400	292	172	90	37	12	3	4
Linlithgow . .	5	10	8	10	13	8	17	16	25	22	11	5	5	1	–	–
Edinburgh . .	176	160	139	151	184	164	200	196	233	206	119	79	18	5	–	1
Haddington . .	12	7	11	16	8	11	23	21	26	31	28	7	6	1	–	–
Berwick . . .	9	5	8	7	5	11	9	21	29	23	18	13	3	3	–	–
Peebles . . .	2	5	4	3	4	1	6	5	8	7	7	3	2	–	–	–
Selkirk . . .	8	6	8	3	1	14	9	15	11	8	7	1	–	–	–	–
Roxburgh . . .	14	21	9	11	16	29	26	35	29	38	20	21	1	1	–	1
Dumfries . . .	31	23	13	16	27	32	44	56	53	56	59	30	9	1	–	4
Kirkcudbright . .	13	15	9	17	21	20	21	33	41	32	16	7	5	3	–	1
Wigtown . . .	6	10	13	7	8	14	15	17	42	23	30	17	8	4	3	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1872.—FEMALES.

Glasgow . . .	250	260	250	234	262	236	269	200	243	168	87	43	13	4	1	–
Edinburgh . . .	114	113	94	96	126	114	130	134	142	124	68	47	11	2	–	–
Dundee . . .	60	76	69	76	83	74	90	59	72	41	22	18	4	1	–	–
Aberdeen . . .	38	41	29	31	34	39	58	56	72	54	46	26	4	5	–	–
Greenock . . .	35	35	28	23	32	28	43	30	28	21	14	6	3	1	–	1
Paisley . . .	28	22	24	21	22	30	33	29	45	25	19	5	3	2	–	–
Leith	34	19	25	22	21	21	21	22	28	27	11	6	3	–	–	–
Perth . . .	7	9	12	7	16	15	12	21	34	21	12	8	3	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	465	33	18	15	22	20	15	8	22	12	12	13	18
Arbroath	428	49	14	27	27	16	6	4	11	7	11	20	13
Forfar	254	34	6	12	12	3	4	2	11	7	13	8	9
Montrose	304	27	10	11	8	5	2	1	7	9	11	16	9
Dunfermline	311	25	7	21	20	5	10	7	16	9	9	14	17
Kirkcaldy	310	33	16	25	23	16	6	5	11	11	5	9	11
Stirling	297	27	15	20	29	7	4	3	14	4	14	6	8
Dumbarton	332	42	10	24	46	19	12	8	15	8	12	8	7
Ayr	532	43	17	33	45	18	12	9	32	17	14	11	16
Kilmarnock	571	69	33	38	50	21	19	12	27	16	23	24	23
Barony	1106	86	32	78	83	39	29	25	61	34	38	37	45
Govan	1641	195	72	150	201	91	52	34	115	31	52	62	77
Hamilton	464	49	15	37	47	29	14	15	34	18	13	17	15
Airdrie	348	45	18	39	35	19	14	5	23	8	8	9	8
Coatbridge	470	50	20	45	71	25	15	7	25	10	21	13	14
Hawick	252	35	13	10	15	9	4	5	9	3	6	9	11
Dumfries	518	46	19	35	49	17	10	11	19	18	18	13	23

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—Both Sexes.

Shetland	74	6	–	5	2	3	1	1	3	2	3	3	7
Orkney	65	4	3	1	2	3	1	2	2	1	3	–	2
Caithness	357	24	13	21	13	8	11	6	22	12	19	14	17
Ross and Cromarty	209	18	8	10	16	3	2	1	10	6	8	10	11
Nairn	82	9	–	4	3	4	2	2	2	1	4	2	2
Elgin	337	40	11	17	19	7	11	6	15	3	10	10	5
Banff	421	40	11	24	41	13	7	8	26	12	13	12	12
Aberdeen	662	66	29	46	53	26	22	12	29	8	15	17	16
Kincardine	119	5	1	3	4	5	2	–	5	1	7	3	4
Forfar	626	64	21	39	35	21	9	9	21	14	20	21	20
Perth	477	40	15	13	25	9	7	9	23	9	20	20	22
Fife	1140	132	32	41	57	41	31	15	43	30	39	58	34
Clackmannan	337	31	10	21	31	7	6	5	15	8	16	20	18
Stirling	1155	111	40	75	124	44	33	29	76	42	30	35	38
Dumbarton	838	83	22	54	80	28	39	23	58	27	26	36	24
Argyll	370	25	10	10	27	13	7	2	17	7	10	16	15
Bute	226	11	10	9	18	3	4	2	11	7	9	6	12
Renfrew	1441	124	47	110	161	70	50	41	81	47	57	47	56
Ayr	2221	230	74	132	193	92	44	36	103	95	92	87	60
Lanark	2534	313	103	207	292	112	75	54	150	80	89	104	85
Linlithgow	595	77	24	47	49	29	28	12	41	13	25	14	12
Edinburgh	837	106	37	55	57	38	19	21	35	21	28	40	23
Haddington	385	33	9	19	22	14	11	9	16	23	11	13	18
Berwick	110	12	4	6	5	1	3	–	7	–	1	3	5
Peebles	58	2	1	5	4	1	–	–	3	–	1	4	5
Selkirk	366	44	24	23	26	17	3	8	18	9	9	23	14
Roxburgh	179	7	4	13	4	3	2	1	4	1	7	8	8
Dumfries	186	22	8	6	10	4	1	–	1	5	9	8	9
Kirkcudbright	185	12	4	8	8	3	–	3	9	7	11	7	6
Wigtown	223	15	5	10	13	5	3	6	13	12	11	9	7

DEATHS at DIFFERENT AGES in the LARGE TOWNS of SCOTLAND, 1872.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	18	11	13	19	25	16	17	36	44	21	20	14	1	–	–	2
Arbroath	17	20	16	10	12	18	22	26	25	22	23	8	2	2	–	–
Forfar	10	5	5	6	7	15	7	10	26	17	18	4	2	1	–	–
Montrose	8	7	15	12	13	12	18	25	34	20	11	11	2	–	–	–
Dunfermline	16	11	5	5	9	9	19	16	25	17	5	11	2	1	–	–
Kirkcaldy	10	11	9	12	13	12	13	13	7	20	10	6	1	1	1	–
Stirling	7	3	16	13	13	14	13	14	23	10	11	8	1	–	–	–
Dumbarton	7	9	18	7	12	10	11	12	10	13	6	5	1	–	–	–
Ayr	14	12	25	18	23	21	27	31	29	21	23	14	4	2	–	1
Kilmarnock	15	16	17	21	21	12	32	17	24	16	12	11	2	–	–	–
Barony	34	59	44	53	49	51	51	54	63	33	18	8	2	–	–	–
Govan	68	63	45	42	49	40	48	47	34	36	23	7	1	4	1	1
Hamilton	8	16	12	12	18	11	14	18	19	14	9	6	3	–	–	1
Airdrie	9	9	7	7	13	7	20	11	14	7	3	5	3	–	1	1
Coatbridge	7	11	13	18	20	21	22	14	15	5	4	1	2	1	–	–
Hawick	10	10	7	9	9	15	16	11	10	13	7	5	1	–	–	–
Dumfries	21	13	16	16	16	21	25	21	34	22	19	12	2	1	–	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—Both Sexes.

Shetland	3	2	3	–	2	4	–	2	8	6	6	1	1	–	–	–
Orkney	1	1	4	3	2	2	5	4	6	4	6	1	2	–	–	–
Caithness	6	16	12	10	10	17	9	20	24	23	15	11	3	1	–	–
Ross and Cromarty	5	6	6	9	10	3	8	13	19	11	10	2	4	–	–	–
Nairn	1	–	2	2	5	–	7	6	11	4	7	1	–	1	–	–
Elgin	7	14	12	6	11	11	17	21	28	29	16	10	1	–	–	–
Banff	12	16	12	6	16	10	17	22	30	31	14	11	4	1	–	–
Aberdeen	22	16	23	13	19	19	25	32	42	43	34	25	9	1	–	–
Kincardine	5	3	3	2	7	5	5	6	11	19	9	3	–	–	–	1
Forfar	20	17	12	16	28	26	36	37	43	46	32	12	7	–	–	–
Perth	11	16	13	27	22	16	28	26	44	26	17	11	6	2	–	–
Fife	42	31	30	46	42	37	50	62	94	62	45	33	10	3	–	–
Clackmannan	8	9	13	17	2	12	17	19	14	19	10	7	2	–	–	–
Stirling	39	24	24	33	30	47	43	59	61	51	32	26	8	–	1	–
Dumbarton	19	24	24	37	24	20	43	32	46	27	26	8	7	1	–	–
Argyll	11	10	9	16	13	20	24	21	27	19	23	11	5	2	–	–
Bute	8	5	8	11	14	12	9	13	13	15	7	6	2	1	–	–
Renfrew	53	40	45	47	55	39	63	43	46	54	40	12	8	3	1	1
Ayr	59	74	61	67	65	74	96	117	117	89	91	49	20	3	1	–
Lanark	68	86	67	75	78	67	98	70	95	73	48	30	11	4	–	–
Linlithgow	8	13	15	14	25	15	26	24	29	23	16	8	7	1	–	–
Edinburgh	24	24	35	25	29	19	42	32	47	37	23	13	6	1	–	–
Haddington	15	10	13	13	13	12	17	19	28	24	15	6	2	–	–	–
Berwick	5	5	4	6	3	6	2	5	8	7	8	3	–	1	–	–
Peebles	3	5	2	2	2	1	3	4	2	5	2	–	1	–	–	–
Selkirk	15	10	13	6	6	20	16	21	16	13	9	3	–	–	–	–
Roxburgh	5	4	5	2	10	9	8	17	18	22	12	5	–	–	–	–
Dumfries	9	9	5	2	6	16	11	9	6	17	10	3	–	–	–	–
Kirkcudbright	4	5	5	8	11	12	6	10	17	13	11	2	2	1	–	–
Wigtown	7	9	4	4	5	7	10	11	22	15	11	3	5	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	227	16	11	9	14	10	8	4	10	4	8	7	11
Arbroath	203	28	6	18	14	6	3	3	6	3	6	10	5
Forfar	127	20	4	6	8	1	2	2	6	5	7	4	4
Montrose	143	18	8	7	5	2	1	1	2	5	4	7	4
Dunfermline	158	19	4	14	12	3	6	2	12	4	4	8	8
Kirkcaldy	156	23	10	11	13	7	1	3	5	6	4	7	5
Stirling	151	12	9	12	15	3	2	3	9	2	7	5	4
Dumbarton	188	26	8	14	29	8	9	2	5	5	9	7	4
Ayr	276	26	10	21	18	8	9	2	21	9	6	7	6
Kilmarnock	291	44	16	20	24	13	9	2	16	8	14	13	11
Barony	556	39	18	46	47	17	14	11	32	17	19	19	15
Govan	830	101	48	87	98	49	29	19	63	18	25	31	23
Hamilton	234	27	10	18	18	14	8	10	19	8	10	12	6
Airdrie	175	32	6	17	17	13	9	1	10	3	2	4	5
Coatbridge	253	36	13	23	33	10	8	2	14	5	9	5	11
Hawick	122	19	9	7	8	1	3	3	4	2	5	4	4
Dumfries	273	29	8	19	27	7	5	4	12	9	13	7	11

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—MALES.

Shetland	33	3	–	2	2	1	1	1	1	1	1	2	3
Orkney	36	4	3	–	1	1	–	2	1	–	1	–	1
Caithness	196	19	9	13	7	5	6	2	12	5	10	7	8
Ross and Cromarty	103	10	4	8	4	1	1	–	5	4	5	8	6
Nairn	41	5	–	4	–	3	2	–	–	1	–	1	1
Elgin	150	21	4	10	5	2	2	2	9	2	6	8	2
Banff	192	19	6	16	15	3	4	3	16	4	3	8	7
Aberdeen	318	40	14	24	20	19	12	6	16	3	9	9	9
Kincardine	58	2	–	2	3	3	1	–	2	–	2	1	2
Forfar	320	36	12	27	18	12	5	8	11	9	5	11	12
Perth	236	20	8	7	14	5	4	6	12	3	7	9	13
Fife	549	81	23	23	25	24	16	9	20	15	21	25	19
Clackmannan	160	21	4	12	15	2	5	3	7	3	9	9	5
Stirling	566	58	24	43	56	21	11	16	46	22	15	13	23
Dumbarton	435	54	18	32	42	15	18	12	32	13	17	17	14
Argyll	178	11	7	6	13	8	3	–	10	3	6	9	3
Bute	106	5	6	5	9	3	2	–	5	2	2	5	4
Renfrew	723	82	23	57	89	25	25	16	52	20	31	23	17
Ayr	1141	139	42	71	109	42	22	20	53	54	43	45	31
Lanark	1371	180	46	99	159	64	44	23	80	42	51	58	44
Linlithgow	329	53	12	32	22	15	11	6	19	10	15	8	2
Edinburgh	446	64	23	28	32	22	10	9	23	11	17	17	11
Haddington	191	19	6	12	9	6	6	4	7	10	8	7	4
Berwick	62	8	2	3	3	–	1	–	6	–	–	3	2
Peebles	24	–	–	3	2	–	–	–	1	–	–	2	2
Selkirk	182	24	13	13	11	13	3	2	15	2	3	11	8
Roxburgh	75	3	1	9	3	1	1	–	3	–	3	6	3
Dumfries	94	15	4	5	6	3	–	–	1	3	5	2	7
Kirkcudbright	82	9	2	6	6	1	–	1	3	5	3	2	4
Wigtown	103	7	3	4	7	3	1	2	8	7	7	6	2

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	8	3	9	8	11	8	7	16	20	10	7	6	–	–	–	2
Arbroath	6	10	3	5	9	10	6	11	6	13	12	4	–	–	–	–
Forfar	6	2	3	2	1	4	3	3	15	7	11	1	–	–	–	–
Montrose	3	5	6	5	8	3	9	11	11	6	8	4	–	–	–	–
Dunfermline	9	6	4	2	3	3	6	8	11	4	1	5	–	–	–	–
Kirkcaldy	6	5	4	4	5	5	8	6	2	9	6	1	–	–	–	–
Stirling	4	3	6	7	5	6	6	6	13	6	4	2	–	–	–	–
Dumbarton	3	3	11	–	8	7	6	9	4	5	3	3	–	–	–	–
Ayr	3	9	12	10	14	10	17	15	17	6	10	8	1	1	–	–
Kilmarnock	7	9	5	11	14	5	12	11	9	6	7	5	–	–	–	–
Barony	16	30	24	24	24	31	30	32	33	12	5	1	–	–	–	–
Govan	33	26	22	21	26	24	21	24	15	17	7	2	–	1	–	–
Hamilton	5	4	5	10	10	4	7	10	8	2	3	5	–	–	–	1
Airdrie	2	4	5	4	9	3	12	6	4	2	2	2	1	–	–	–
Coatbridge	3	7	7	11	13	10	15	6	7	3	2	–	–	–	–	–
Hawick	3	5	4	4	5	5	8	2	6	5	5	1	–	–	–	–
Dumfries	12	5	8	9	10	13	15	9	17	9	8	4	2	–	–	1

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—MALES.

Shetland	3	–	1	–	1	–	–	1	2	5	1	1	–	–	–	–
Orkney	–	1	3	1	–	1	4	2	3	1	6	–	–	–	–	–
Caithness	3	3	7	5	7	8	3	13	13	16	6	7	1	1	–	–
Ross and Cromarty	3	2	3	4	4	1	5	7	9	4	2	2	1	–	–	–
Nairn	1	–	2	–	2	–	4	4	6	1	3	–	–	1	–	–
Elgin	4	7	3	3	4	2	7	13	14	10	6	4	–	–	–	–
Banff	4	5	5	4	6	6	8	13	12	13	5	5	2	–	–	–
Aberdeen	9	6	8	7	8	12	12	9	20	19	13	10	4	–	–	–
Kincardine	1	1	–	2	5	3	2	4	8	7	5	1	–	–	–	1
Forfar	9	9	8	6	12	16	20	16	20	18	13	3	4	–	–	–
Perth	6	7	4	15	12	13	12	14	16	13	9	3	3	1	–	–
Fife	18	15	14	23	17	22	20	25	34	24	20	13	2	1	–	–
Clackmannan	4	2	6	6	1	6	9	11	9	4	6	1	–	–	–	–
Stirling	20	8	8	14	17	24	24	21	24	28	19	9	2	–	–	–
Dumbarton	6	14	14	19	11	8	14	18	23	12	9	2	1	–	–	–
Argyll	5	3	4	6	7	5	12	12	15	11	13	3	2	1	–	–
Bute	6	3	2	5	8	8	3	5	6	6	4	2	–	–	–	–
Renfrew	26	14	26	28	22	20	31	25	22	22	16	7	3	–	–	1
Ayr	30	29	29	35	37	47	49	60	60	35	30	18	10	–	1	–
Lanark	31	50	35	50	46	40	61	40	48	38	25	11	5	1	–	–
Linlithgow	5	7	10	6	17	9	14	13	16	13	7	5	2	–	–	–
Edinburgh	12	11	26	13	17	12	20	13	20	16	11	4	4	–	–	–
Haddington	7	7	6	5	9	7	7	10	15	13	3	3	1	–	–	–
Berwick	2	3	2	5	1	4	1	3	5	4	2	2	–	–	–	–
Peebles	2	4	2	1	–	–	–	1	1	3	–	–	–	–	–	–
Selkirk	8	5	5	3	5	7	8	7	5	7	2	2	–	–	–	–
Roxburgh	1	–	3	1	5	2	2	5	8	9	6	–	–	–	–	–
Dumfries	3	3	3	1	5	8	6	1	2	5	3	3	–	–	–	–
Kirkcudbright	1	2	1	1	3	8	4	4	3	6	5	1	1	–	–	–
Wigtown	4	5	–	2	1	3	3	6	8	8	2	–	4	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	238	17	7	6	8	10	7	4	12	8	4	6	7
Arbroath	225	21	8	9	13	10	3	1	5	4	5	10	8
Forfar	127	14	2	6	4	2	2	–	5	2	6	4	5
Montrose	161	9	2	4	3	3	1	–	5	4	7	9	5
Dunfermline	153	6	3	7	8	2	4	5	4	5	5	6	9
Kirkcaldy	154	10	6	14	10	9	5	2	6	5	1	2	6
Stirling	146	15	6	8	14	4	2	–	5	2	7	1	4
Dumbarton	144	16	2	10	17	11	3	6	10	3	3	1	3
Ayr	256	17	7	12	27	10	3	7	11	8	8	4	10
Kilmarnock	280	25	17	18	26	8	10	10	11	8	9	11	12
Barony	550	47	14	32	36	22	15	14	29	17	19	18	30
Govan	811	94	24	63	103	42	23	15	52	13	27	31	54
Hamilton	230	22	5	19	29	15	6	5	15	10	3	5	9
Airdrie	173	13	12	22	18	6	5	4	13	5	6	5	3
Coatbridge	217	14	7	22	38	15	7	5	11	5	12	8	3
Hawick	130	16	4	3	7	8	1	2	5	1	1	5	7
Dumfries	245	17	11	16	22	10	5	7	7	9	5	6	12

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—FEMALES.

Shetland	41	3	–	3	–	2	–	–	2	1	2	1	4
Orkney	29	–	–	1	1	2	1	–	1	1	2	–	1
Caithness	161	5	4	8	6	3	5	4	10	7	9	7	9
Ross and Cromarty	106	8	4	2	12	2	1	1	5	2	3	2	5
Nairn	41	4	–	–	3	1	–	2	2	–	4	1	1
Elgin	187	19	7	7	14	5	9	4	6	1	4	2	3
Banff	229	21	5	8	26	10	3	5	10	8	10	4	5
Aberdeen	344	26	15	22	33	7	10	6	13	5	6	8	7
Kincardine	61	3	1	1	1	2	1	–	3	1	5	2	2
Forfar	306	28	9	12	17	9	4	1	10	5	15	10	8
Perth	241	20	7	6	11	4	3	3	11	6	13	11	9
Fife	591	51	9	18	32	17	15	6	23	15	18	33	15
Clackmannan	177	10	6	9	16	5	1	2	8	5	7	11	13
Stirling	589	53	16	32	68	23	22	13	30	20	15	22	15
Dumbarton	403	29	4	22	38	13	21	11	26	14	9	19	10
Argyll	192	14	3	4	14	5	4	2	7	4	4	7	12
Bute	120	6	4	4	9	–	2	2	6	5	7	1	8
Renfrew	718	42	24	53	72	45	25	25	29	27	26	24	39
Ayr	1080	91	32	61	84	50	22	16	50	41	49	42	29
Lanark	1163	133	57	108	133	48	31	31	70	38	38	46	41
Linlithgow	266	24	12	15	27	14	17	6	22	3	10	6	10
Edinburgh	391	42	14	27	25	16	9	12	12	10	11	23	12
Haddington	194	14	3	7	13	8	5	5	9	13	3	6	14
Berwick	48	4	2	3	2	1	2	–	1	–	1	–	3
Peebles	34	2	1	2	2	1	–	–	2	–	1	2	3
Selkirk	184	20	11	10	15	4	–	6	3	7	6	12	6
Roxburgh	104	4	3	4	1	2	1	1	1	1	4	2	5
Dumfries	92	7	4	1	4	1	1	–	–	2	4	6	2
Kirkcudbright	103	3	2	2	2	2	–	2	6	2	8	5	2
Wigtown	120	8	2	6	6	2	2	4	5	5	4	3	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1872.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	10	8	4	11	14	8	10	20	24	11	13	8	1	–	–	–
Arbroath	11	10	13	5	3	8	16	15	19	9	11	4	2	2	–	–
Forfar	4	3	2	4	6	11	4	7	11	10	7	3	2	1	–	–
Montrose	5	2	9	7	5	9	9	14	23	14	3	7	2	–	–	–
Dunfermline	7	5	1	3	6	6	13	8	14	13	4	6	2	1	–	–
Kirkcaldy	4	6	5	8	8	7	5	7	5	11	4	5	1	1	1	–
Stirling	3	–	10	6	8	8	7	8	10	4	7	6	1	–	–	–
Dumbarton	4	6	7	7	4	3	5	3	6	8	3	2	1	–	–	–
Ayr	11	3	13	8	9	11	10	16	12	15	13	6	3	1	–	1
Kilmarnock	8	7	12	10	7	7	20	6	15	10	5	6	2	–	–	–
Barony	18	29	20	29	25	20	21	22	30	21	13	7	2	–	–	–
Govan	35	37	23	21	23	16	27	23	19	19	16	5	1	3	1	1
Hamilton	3	12	7	2	8	7	7	8	11	12	6	1	3	–	–	–
Airdrie	7	5	2	3	4	4	8	5	10	5	1	3	2	–	1	1
Coatbridge	4	4	6	7	7	11	7	8	8	2	2	1	2	1	–	–
Hawick	7	5	3	5	4	10	8	9	4	8	2	4	1	–	–	–
Dumfries	9	8	8	7	6	8	10	12	17	13	11	8	–	1	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1872.—FEMALES.

Shetland	–	2	2	–	1	4	–	1	6	1	5	–	1	–	–	–
Orkney	1	–	1	2	2	1	1	2	3	3	–	1	2	–	–	–
Caithness	3	13	5	5	3	9	6	7	11	7	9	4	2	–	–	–
Ross and Cromarty	2	4	3	5	6	2	3	6	10	7	8	–	3	–	–	–
Nairn	–	–	–	2	3	–	3	2	5	3	4	1	–	–	–	–
Elgin	3	7	9	3	7	9	10	8	14	19	10	6	1	–	–	–
Banff	8	11	7	2	10	4	9	9	18	18	9	6	2	1	–	–
Aberdeen	13	10	15	6	11	7	13	23	22	24	21	15	5	1	–	–
Kincardine	4	2	3	–	2	2	3	2	3	12	4	2	–	–	–	–
Forfar	11	8	4	10	16	10	16	21	23	28	19	9	3	–	–	–
Perth	5	9	9	12	10	3	16	12	28	13	8	8	3	1	–	–
Fife	24	16	16	23	25	15	30	37	60	38	25	20	8	2	–	–
Clackmannan	4	7	7	11	1	6	8	8	5	15	4	6	2	–	–	–
Stirling	19	16	16	19	13	23	19	38	37	23	13	17	6	–	1	–
Dumbarton	13	10	10	18	13	12	29	14	23	15	17	6	6	1	–	–
Argyll	6	7	5	10	6	15	12	9	12	8	10	8	3	1	–	–
Bute	2	2	6	6	6	4	6	8	7	9	3	4	2	1	–	–
Renfrew	27	26	19	19	33	19	32	18	24	32	24	5	5	3	1	–
Ayr	29	45	32	32	28	27	47	57	57	54	61	31	10	3	–	–
Lanark	37	36	32	25	32	27	37	30	47	35	23	19	6	3	–	–
Linlithgow	3	6	5	8	8	6	12	11	13	10	9	3	5	1	–	–
Edinburgh	12	13	9	12	12	7	22	19	27	21	12	9	2	1	–	–
Haddington	8	3	7	8	4	5	10	9	13	11	12	3	1	–	–	–
Berwick	3	2	2	1	2	2	1	2	3	3	6	1	–	1	–	–
Peebles	1	1	–	1	2	1	3	3	1	2	2	–	1	–	–	–
Selkirk	7	5	8	3	1	13	8	14	11	6	7	1	–	–	–	–
Roxburgh	4	4	2	1	5	7	6	12	10	13	6	5	–	–	–	–
Dumfries	6	6	2	1	1	8	5	8	4	12	7	–	–	–	–	–
Kirkcudbright	3	3	4	7	8	4	2	6	14	7	6	1	1	1	–	–
Wigtown	3	4	4	2	4	4	7	5	14	7	9	3	1	1	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—BOTH SEXES.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	277	19	4	6	10	5	4	4	9	8	7	13	11
Sutherland	371	20	3	3	8	8	4	4	17	9	10	12	7
Ross and Cromarty	831	46	15	21	24	6	8	6	28	20	24	38	36
Inverness	464	24	6	11	12	5	4	4	15	14	14	23	12
Nairn	54	7	1	–	1	2	–	2	2	1	1	2	2
Elgin	409	23	14	18	14	4	7	4	20	9	15	18	9
Banff	590	49	16	25	25	13	5	6	26	19	24	17	19
Aberdeen	1825	156	66	75	88	44	26	24	94	53	67	61	57
Kincardine	461	44	11	26	26	18	13	5	22	11	9	18	14
Forfar	582	71	16	24	33	16	16	6	22	12	16	20	14
Perth	1397	94	37	37	36	31	19	16	42	33	36	34	56
Fife	1328	98	38	47	73	37	16	13	65	27	46	54	45
Kinross	137	13	2	3	3	2	1	1	3	–	4	6	4
Clackmannan	126	9	2	15	7	5	3	1	2	5	3	8	5
Stirling	797	75	31	43	64	23	22	11	35	39	41	44	24
Dumbarton	290	37	7	12	18	9	11	6	23	9	8	5	17
Argyll	794	51	15	18	30	19	15	7	31	17	23	48	31
Renfrew	493	47	17	27	28	15	10	8	22	15	24	18	13
Ayr	1022	109	32	69	66	34	29	18	51	35	46	39	29
Lanark	1311	128	53	83	123	49	30	25	60	48	45	45	40
Linlithgow	276	38	12	23	15	4	6	4	18	7	5	4	15
Edinburgh	1055	106	29	45	57	32	29	20	48	36	36	54	36
Haddington	332	25	7	8	10	6	4	3	8	12	8	16	11
Berwick	448	39	10	8	14	14	11	7	24	17	17	19	16
Peebles	166	26	6	7	6	3	4	1	5	7	10	8	7
Selkirk	38	2	1	2	3	1	–	–	2	3	2	2	–
Roxburgh	384	48	3	13	12	6	4	5	20	7	13	8	15
Dumfries	896	78	18	32	28	15	10	13	25	21	27	37	35
Kirkcudbright	463	47	9	17	16	6	5	6	16	12	24	17	16
Wigtown	476	36	16	13	19	3	9	5	18	8	13	23	18

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—BOTH SEXES.

Shetland	403	34	3	10	10	6	8	–	9	3	9	12	20
Orkney	369	15	4	7	6	5	2	3	10	6	12	16	8
Ross and Cromarty	198	24	1	13	15	7	2	3	4	2	5	7	7
Inverness	600	85	16	27	22	17	7	8	31	13	21	40	24
Argyll	341	19	1	12	4	11	3	1	10	9	15	17	14
Bute	173	7	2	2	1	3	3	3	4	8	8	8	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	6	2	6	5	10	8	16	18	27	29	22	14	9	2	2	1
Sutherland	10	11	8	12	9	14	16	26	33	39	52	21	10	5	–	–
Ross and Cromarty	20	22	21	18	19	35	48	48	79	72	91	47	31	5	2	1
Inverness	15	8	16	11	21	17	22	32	43	52	42	24	11	3	2	1
Nairn	–	2	2	–	1	1	2	3	7	4	8	3	–	–	–	–
Elgin	10	11	8	12	12	10	27	27	45	40	26	19	6	1	–	–
Banff	20	12	19	8	14	22	20	31	50	42	46	32	23	6	1	–
Aberdeen	36	42	54	46	50	62	87	95	122	132	131	102	39	10	1	5
Kincardine	13	16	10	11	7	17	19	24	37	35	32	15	7	1	–	–
Forfar	19	17	15	19	19	22	22	31	49	31	40	22	7	2	1	–
Perth	43	40	34	37	54	77	84	81	140	116	122	67	20	7	–	4
Fife	37	44	34	49	64	63	69	78	102	88	80	39	18	1	2	1
Kinross	2	3	4	2	7	10	7	8	12	13	18	5	2	–	–	2
Clackmannan	5	3	3	3	4	4	9	8	8	12	1	–	1	–	–	–
Stirling	32	16	31	26	27	23	33	43	32	31	23	21	4	2	–	1
Dumbarton	9	7	10	8	12	9	10	7	17	11	14	8	4	1	–	1
Argyll	22	29	20	26	34	34	30	52	59	62	61	33	17	9	1	–
Renfrew	20	11	11	11	28	21	30	28	33	19	23	11	3	–	–	–
Ayr	28	25	20	22	39	28	44	50	58	50	53	26	14	8	–	–
Lanark	46	37	32	46	46	54	59	56	64	59	42	20	16	3	–	2
Linlithgow	7	9	6	6	13	4	15	12	24	14	8	5	2	–	–	–
Edinburgh	35	29	36	30	42	51	54	60	65	51	44	25	2	2	–	1
Haddington	8	7	8	18	9	13	28	22	29	33	24	7	6	1	–	1
Berwick	12	8	14	13	13	19	16	31	43	35	21	18	5	3	–	1
Peebles	3	5	5	4	5	3	8	9	9	10	8	5	2	–	–	–
Selkirk	1	2	–	1	1	2	1	1	3	4	3	–	1	–	–	–
Roxburgh	9	15	12	6	13	23	20	27	35	27	26	15	–	1	–	1
Dumfries	31	24	15	22	40	39	58	67	67	72	64	38	13	1	–	6
Kirkcudbright	15	19	11	9	16	20	30	31	36	37	18	14	7	6	1	2
Wigtown	12	10	19	13	10	20	19	25	48	37	40	22	12	3	3	2

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—BOTH SEXES.

Shetland	8	10	11	6	14	14	26	27	38	46	36	21	16	5	–	1
Orkney	13	7	7	10	8	8	22	35	37	41	42	32	7	6	–	–
Ross and Cromarty	4	6	6	6	1	7	9	9	7	15	19	14	3	2	–	–
Inverness	15	17	14	10	23	22	21	27	47	29	35	14	7	7	–	1
Argyll	15	5	8	11	10	17	20	26	28	27	36	11	4	3	3	1
Bute	11	10	3	6	6	6	7	8	14	22	17	6	3	–	–	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	136	13	2	4	5	5	1	2	5	3	2	8	8
Sutherland	157	8	2	3	4	4	3	1	9	4	7	3	3
Ross and Cromarty	428	29	9	15	16	4	2	2	15	8	15	23	23
Inverness	202	12	3	4	4	1	3	–	8	4	7	10	6
Nairn	27	3	1	–	1	–	–	2	2	–	1	2	2
Elgin	199	13	11	8	6	–	4	2	9	5	9	12	6
Banff	291	30	9	14	11	8	2	6	11	9	10	8	10
Aberdeen	925	80	43	45	43	26	14	9	56	24	32	36	38
Kincardine	212	25	7	14	9	7	6	2	11	5	3	10	4
Forfar	297	41	7	13	16	7	12	3	14	7	10	13	7
Perth	651	59	20	21	20	17	3	9	23	11	18	20	27
Fife	610	45	21	24	33	21	6	7	34	13	22	28	28
Kinross	67	7	1	1	2	1	1	–	1	–	1	4	3
Clackmannan	58	6	2	6	4	2	2	1	1	1	2	1	2
Stirling	403	46	19	16	36	13	12	6	17	19	18	25	11
Dumbarton	152	21	4	6	10	5	5	3	11	7	2	2	9
Argyll	384	26	5	8	17	10	11	2	13	8	14	30	17
Renfrew	246	29	9	15	17	11	2	5	11	8	8	9	5
Ayr	522	60	19	30	39	19	16	6	27	16	27	23	12
Lanark	681	69	28	43	55	27	12	10	32	24	28	23	24
Linlithgow	158	22	8	10	9	3	2	2	12	5	4	1	11
Edinburgh	510	60	11	25	24	15	12	6	26	14	18	30	20
Haddington	149	8	4	2	6	2	–	1	4	5	2	11	4
Berwick	225	25	4	5	7	7	8	5	12	7	7	12	9
Peebles	78	12	2	4	4	2	1	–	3	3	6	3	1
Selkirk	26	1	1	1	1	–	–	–	2	3	2	2	–
Roxburgh	185	30	1	7	7	5	2	2	12	4	5	3	4
Dumfries	430	52	8	18	19	5	5	7	12	8	10	21	18
Kirkcudbright	225	31	7	8	9	4	5	3	7	6	8	12	6
Wigtown	242	29	5	4	12	2	4	4	7	5	5	10	10

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—MALES.

Shetland	172	16	2	4	4	3	4	–	5	1	7	7	7
Orkney	167	7	–	3	4	3	1	1	6	2	7	10	3
Ross and Cromarty	104	15	–	8	4	4	2	2	1	–	4	6	3
Inverness	295	44	12	16	16	8	5	3	15	6	7	25	12
Argyll	176	10	1	5	2	2	3	–	3	5	11	12	7
Bute	94	2	–	1	–	1	–	1	2	6	4	5	3

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	3	2	4	2	10	6	8	6	8	13	6	5	1	1	2	1
Sutherland	4	1	4	4	7	5	9	13	11	12	16	10	5	5	–	–
Ross and Cromarty	10	9	10	8	14	16	24	22	35	39	44	20	13	1	2	–
Inverness	9	3	9	3	5	6	12	15	19	22	21	12	2	2	–	–
Nairn	–	–	1	–	1	–	–	2	2	–	4	3	–	–	–	–
Elgin	3	5	6	7	4	2	10	18	18	18	11	10	2	–	–	–
Banff	7	5	8	4	7	13	10	16	30	23	17	12	10	1	–	–
Aberdeen	19	20	25	27	13	35	42	45	69	69	58	36	15	2	–	4
Kincardine	5	7	6	5	5	8	9	14	19	11	14	4	2	–	–	–
Forfar	7	6	7	9	9	10	14	16	30	17	11	8	2	1	–	–
Perth	15	21	14	20	16	34	40	32	69	56	53	23	6	2	–	2
Fife	16	12	18	19	29	31	39	34	43	33	30	15	8	–	1	–
Kinross	–	3	3	1	4	4	5	3	6	5	8	1	1	–	–	1
Clackmannan	4	1	1	1	2	3	3	2	4	6	–	–	1	–	–	–
Stirling	14	10	17	11	16	11	17	24	17	15	6	5	1	1	–	–
Dumbarton	4	3	5	7	6	7	5	5	11	4	5	5	–	–	–	–
Argyll	14	15	10	14	15	18	10	25	28	26	26	16	4	2	–	–
Renfrew	9	2	7	8	10	14	17	13	17	7	10	2	1	–	–	–
Ayr	17	14	9	14	22	13	23	28	27	20	24	12	2	3	–	–
Lanark	24	17	17	35	24	31	30	30	32	29	18	9	8	2	–	–
Linlithgow	5	5	3	4	8	2	10	7	12	2	6	3	2	–	–	–
Edinburgh	19	14	25	9	17	29	27	39	29	17	16	8	–	–	–	–
Haddington	4	3	4	10	5	7	15	10	16	13	8	3	1	–	–	1
Berwick	6	5	8	7	10	10	8	12	17	15	9	6	2	1	–	1
Peebles	2	1	1	2	3	3	5	7	2	5	3	2	1	–	–	–
Selkirk	–	1	–	1	1	1	–	–	3	2	3	–	1	–	–	–
Roxburgh	6	3	8	1	6	11	8	13	20	10	14	3	–	–	–	–
Dumfries	11	14	10	9	18	23	27	27	30	36	21	14	4	1	–	2
Kirkcudbright	9	8	8	4	5	4	13	8	14	17	10	10	3	4	1	1
Wigtown	9	4	10	8	6	10	11	13	20	21	19	8	5	–	–	1

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—MALES.

Shetland	2	3	5	2	7	2	10	14	18	20	11	8	9	–	–	1
Orkney	6	3	3	4	5	4	6	18	15	21	16	14	3	2	–	–
Ross and Cromarty	2	3	1	4	1	6	5	4	1	5	10	11	1	1	–	–
Inverness	6	10	6	4	9	12	5	11	18	16	14	9	2	4	–	–
Argyll	9	1	5	8	4	5	9	12	16	15	19	5	1	3	2	1
Bute	8	4	3	3	5	5	3	5	9	8	12	1	1	–	–	2

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	141	6	2	2	5	–	3	2	4	5	5	5	3
Sutherland	214	12	1	–	4	4	1	3	8	5	3	9	4
Ross and Cromarty	403	17	6	6	8	2	6	4	13	12	9	15	13
Inverness	262	12	3	7	8	4	1	4	7	10	7	13	6
Nairn	27	4	–	–	–	2	–	–	–	1	–	–	–
Elgin	210	10	3	10	8	4	3	2	11	4	6	6	3
Banff	299	19	7	11	14	5	3	–	15	10	14	9	9
Aberdeen	900	76	23	30	45	18	12	15	38	29	35	25	19
Kincardine	249	19	4	12	17	11	7	3	11	6	6	8	10
Forfar	285	30	9	11	17	9	4	3	8	5	6	7	7
Perth	746	35	17	16	16	14	16	7	19	22	18	14	29
Fife	718	53	17	23	40	16	10	6	31	14	24	26	17
Kinross	70	6	1	2	1	1	–	1	2	–	3	2	1
Clackmannan	68	3	–	9	3	3	1	–	1	4	1	7	3
Stirling	394	29	12	27	28	10	10	5	18	20	23	19	13
Dumbarton	138	16	3	6	8	4	6	3	12	2	6	3	8
Argyll	410	25	10	10	13	9	4	5	18	9	9	18	14
Renfrew	247	18	8	12	11	4	8	3	11	7	16	9	8
Ayr	500	49	13	39	27	15	13	12	24	19	19	16	17
Lanark	630	59	25	40	68	22	18	15	28	24	17	22	16
Linlithgow	118	16	4	13	6	1	4	2	6	2	1	3	4
Edinburgh	545	46	18	20	33	17	17	14	22	22	18	24	16
Haddington	183	17	3	6	4	4	4	2	4	7	6	5	7
Berwick	223	14	6	3	7	7	3	2	12	10	10	7	7
Peebles	88	14	4	3	2	1	3	1	2	4	4	5	6
Selkirk	12	1	–	1	2	1	–	–	–	–	–	–	–
Roxburgh	199	18	2	6	5	1	2	3	8	3	8	5	11
Dumfries	466	26	10	14	9	10	5	6	13	13	17	16	17
Kirkcudbright	238	16	2	9	7	2	–	3	9	6	16	5	10
Wigtown	234	7	11	9	7	1	5	1	11	3	8	13	8

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

Shetland	231	18	1	6	6	3	4	–	4	2	2	5	13
Orkney	202	8	4	4	2	2	1	2	4	4	5	6	5
Ross and Cromarty	94	9	1	5	11	3	–	1	3	2	1	1	4
Inverness	305	41	4	11	6	9	2	5	16	7	14	15	12
Argyll	165	9	–	7	2	9	–	1	7	4	4	5	7
Bute	79	5	2	1	1	2	3	2	2	2	4	3	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	3	–	2	3	–	2	8	12	19	16	16	9	8	1	–	–
Sutherland	6	10	4	8	2	9	7	13	22	27	36	11	5	–	–	–
Ross and Cromarty	10	13	11	10	5	19	24	26	44	33	47	27	18	4	–	1
Inverness	6	5	7	8	16	11	10	17	24	30	21	12	9	1	2	1
Nairn	–	2	1	–	–	1	2	1	5	4	4	–	–	–	–	–
Elgin	7	6	2	5	8	8	17	9	27	22	15	9	4	1	–	–
Banff	13	7	11	4	7	9	10	15	20	19	29	20	13	5	1	–
Aberdeen	17	22	29	19	37	27	45	50	53	63	73	66	24	8	1	1
Kincardine	8	9	4	6	2	9	10	10	18	24	18	11	5	1	–	–
Forfar	12	11	8	10	10	12	8	15	19	14	29	14	5	1	1	–
Perth	28	19	20	17	38	43	44	49	71	60	69	44	14	5	–	2
Fife	21	32	16	30	35	32	30	44	59	55	50	24	10	1	1	1
Kinross	2	–	1	1	3	6	2	5	6	8	10	4	1	–	–	1
Clackmannan	1	2	2	2	2	1	6	6	4	6	1	–	–	–	–	–
Stirling	18	6	14	15	11	12	16	19	15	16	17	16	3	1	–	1
Dumbarton	5	4	5	1	6	2	5	2	6	7	9	3	4	1	–	1
Argyll	8	14	10	12	19	16	20	27	31	36	35	17	13	7	1	–
Renfrew	11	9	4	3	18	7	13	15	16	12	13	9	2	–	–	–
Ayr	11	11	11	8	17	15	21	22	31	30	29	14	12	5	–	–
Lanark	22	20	15	11	22	23	29	26	32	30	24	11	8	1	–	2
Linlithgow	2	4	3	2	5	2	5	5	12	12	2	2	–	–	–	–
Edinburgh	16	15	11	21	25	22	27	21	36	34	28	17	2	2	–	1
Haddington	4	4	4	8	4	6	13	12	13	20	16	4	5	1	–	–
Berwick	6	3	6	6	3	9	8	19	26	20	12	12	3	2	–	–
Peebles	1	4	4	2	2	–	3	2	7	5	5	3	1	–	–	–
Selkirk	1	1	–	–	–	1	1	1	–	2	–	–	–	–	–	–
Roxburgh	3	12	4	5	7	12	12	14	15	17	12	12	–	1	–	1
Dumfries	20	10	5	13	22	16	31	40	37	36	43	24	9	–	–	4
Kirkcudbright	6	11	3	5	11	16	17	23	22	20	8	4	4	2	–	1
Wigtown	3	6	9	5	4	10	8	12	28	16	21	14	7	3	3	1

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1872.—FEMALES.

Shetland	6	7	6	4	7	12	16	13	20	26	25	13	7	5	–	–
Orkney	7	4	4	6	3	4	16	17	22	20	26	18	4	4	–	–
Ross and Cromarty	2	3	5	2	–	1	4	5	6	10	9	3	2	1	–	–
Inverness	9	7	8	6	14	10	16	16	29	13	21	5	5	3	–	1
Argyll	6	4	3	3	6	12	11	14	12	12	17	6	3	–	1	–
Bute	3	6	–	3	1	1	4	3	5	14	5	5	2	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	75794	477	434	634	371	1238	1529	136	746	1011	4606	580	5685	2461	3089	137
SPECIFIED CAUSES . .	73681	422	405	601	337	1101	1321	130	714	972	4507	560	5614	2394	2986	135
I. Zymotic Class . .	15861	59	50	112	40	179	248	16	93	197	1009	115	1355	381	603	21
II. Diseases of Uncer. Seat	2548	19	28	27	17	52	58	3	44	63	211	32	192	95	126	4
III. Tubercular Class .	12596	69	46	95	31	156	171	16	92	127	672	70	835	343	438	14
IV. Brain and Nervous Sys.	6630	19	23	60	34	90	85	18	100	94	420	59	512	235	279	20
V. Organs of Circulation	3933	7	18	46	9	35	45	5	45	48	263	21	352	194	211	18
VI. Respiratory Organs .	11535	21	47	79	32	103	151	10	91	151	638	70	1006	327	383	12
VII. Organs of Digestion .	4822	23	17	36	26	55	85	15	68	80	302	43	280	196	170	9
VIII. Urinary Organs .	1244	8	9	21	5	17	22	1	18	27	124	14	70	48	52	5
IX. Organs of Generation	563	6	9	6	5	12	25	2	5	13	34	6	33	14	32	–
X. Organs of Locomotion	469	7	5	2	2	10	27	–	4	11	36	1	23	9	19	–
XI. Skin, etc. . . .	101	–	–	2	–	2	2	–	1	2	12	2	5	1	4	–
XII. Malformation . .	268	2	–	1	1	2	–	–	4	1	16	6	25	5	11	1
XIII. Premature Debility .	3619	13	9	20	6	26	49	8	32	35	215	16	324	92	142	8
XIV. Atrophy . . .	542	5	2	5	2	9	14	–	3	4	28	2	44	21	25	–
XV. Age	6208	145	126	74	119	326	294	35	98	100	393	78	382	338	350	19
XVI. Sudden Deaths .	171	6	–	–	–	1	3	1	–	2	3	–	12	8	15	–
XVII. Violent Deaths . .	2571	13	16	15	8	26	42	–	16	17	131	25	164	87	126	4
I. Small-pox . . .	2448	12	2	–	–	20	30	1	1	4	160	10	384	65	117	5
Measles . . .	925	2	–	–	–	2	14	–	1	26	155	13	141	4	7	–
Scarlatina . . .	2101	11	12	19	5	31	48	1	7	13	100	26	45	28	71	–
Diphtheria . .	1045	1	4	17	–	12	14	–	22	37	112	10	118	27	43	2
Hooping-cough .	2850	21	1	1	1	7	18	–	11	34	88	2	122	41	104	4
Croup . . .	1145	–	3	14	6	29	17	9	20	9	70	7	120	32	62	–
Thrush . . .	40	–	–	–	–	2	–	–	–	1	6	–	4	2	3	–
Diarrhœa . . .	1566	–	10	19	5	14	22	1	9	22	100	6	156	57	63	4
Dysentery . . .	209	–	1	1	2	3	3	–	2	4	14	2	22	12	9	–
Cholera . . .	83	–	–	–	–	–	1	–	–	1	3	–	5	1	3	–
Influenza . . .	93	1	3	1	–	3	–	–	–	–	11	–	9	3	3	1
Purpura . . .	52	1	–	1	–	1	–	–	–	1	3	1	6	1	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	10	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Typhus . . .	795	3	4	12	2	24	18	–	2	6	29	8	37	25	19	–
Enteric Fever . .	1223	–	3	16	8	11	32	2	5	23	84	21	88	45	36	3
Relapsing Fever .	115	–	–	–	–	3	–	–	–	–	6	–	13	1	2	–
Simple Cont. Fever .	103	2	–	2	–	2	12	–	1	1	3	2	6	6	3	–
Infantile Remittent .	118	–	2	1	–	–	–	–	–	3	10	–	5	4	9	–
Metria . . .	219	2	–	3	7	3	1	–	2	4	11	1	24	5	22	–
Rheumatic Fever .	153	–	3	1	2	4	6	1	2	3	6	2	7	7	7	–
Erysipelas . .	308	3	2	1	2	6	7	1	8	5	21	3	15	9	10	2
Pyæmia . . .	56	–	–	1	–	–	2	–	–	–	–	–	7	3	7	–
Syphilis . . .	193	–	–	2	–	1	2	–	–	–	16	1	17	3	1	–
Noma . . .	11	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	66	–	–	–	1	3	–	–	–	3	7	1	5	1	–	–
Dropsy . .	573	5	16	4	4	18	24	–	4	4	28	3	45	21	24	–
Abscess . . .	161	1	–	1	1	1	1	–	2	5	22	3	8	4	4	–
Ulcer . . .	38	–	–	–	–	1	–	–	–	2	1	–	1	2	5	1
Fistula . . .	14	–	–	–	–	–	–	–	–	–	2	–	3	1	–	–
Mortification . .	115	1	–	–	–	2	1	–	1	1	9	1	7	4	4	–
Cancer . . .	1559	7	12	22	11	26	29	3	37	48	141	24	123	62	87	3
Gout . . .	22	5	–	–	–	1	3	–	–	–	1	–	–	–	2	–
III. Scrofula . . .	810	3	5	3	3	8	5	–	3	10	64	2	36	26	28	1
Tabes Mesenterica .	1044	–	1	1	1	1	9	1	5	3	45	2	67	16	25	1
Phthisis . . .	8715	61	37	84	26	138	150	13	70	95	464	49	582	266	326	12
Hydrocephalus . .	2027	5	3	7	1	9	7	2	14	19	99	17	150	35	59	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	463	2249	1460	1505	399	5061	4346	21927	871	8714	717	558	224	404	815	1470	778	699
SPECIFIED CAUSES	442	2173	1409	1361	379	4914	4272	21625	823	8619	693	554	215	401	795	1403	744	660
Zymotic Class	68	533	310	172	57	996	773	4706	222	2702	169	99	33	88	81	188	92	94
Uncertain Seat	30	80	47	60	21	160	136	495	24	294	29	23	9	12	45	46	35	31
Tubercular Class	90	353	279	217	85	962	874	4397	105	1135	78	60	45	90	36	263	148	104
Brain, etc.	33	180	133	146	37	422	395	1751	88	823	78	74	12	29	109	131	78	63
Heart, etc.	12	114	97	67	30	243	249	801	47	543	53	54	19	24	66	95	65	37
Respiratory Organs	80	328	176	174	41	767	602	4207	136	1158	65	50	25	47	109	235	96	118
Digestive Organs	31	169	87	99	22	356	299	1450	39	458	34	39	24	32	67	124	50	37
Urinary Organs	8	24	20	32	5	68	57	307	12	168	9	6	3	4	17	29	19	15
Generative Organs	2	14	11	10	5	34	32	144	2	65	6	2	5	3	6	8	9	3
Locomotive Organs	2	12	3	13	4	29	27	112	4	67	4	4	3	4	4	13	5	3
Skin	–	2	2	2	–	13	11	22	2	7	1	1	–	2	2	–	–	1
Malformation	4	3	2	1	1	14	24	81	3	38	1	4	–	2	4	6	3	2
Premature Debility	23	109	68	30	9	269	254	1133	54	406	45	35	11	25	49	48	36	20
Atrophy	2	17	5	10	–	50	22	174	2	49	13	7	–	2	4	15	5	1
Age	47	172	109	281	45	315	372	878	55	441	93	67	19	19	70	157	78	113
Sudden Deaths	1	4	2	–	–	16	–	81	2	7	1	–	1	–	1	2	2	–
Violent Deaths	9	59	58	47	17	200	145	886	26	258	14	29	6	18	25	43	23	18
Small Pox	14	85	6	3	–	24	43	224	13	1090	72	9	7	14	4	18	7	4
Measles	–	35	21	3	–	75	70	312	–	26	1	2	1	1	–	4	3	6
Scarlatina	–	49	77	32	5	101	29	700	85	514	12	18	3	13	7	13	4	22
Diphtheria	16	40	28	14	3	65	55	221	17	102	11	20	2	4	19	5	2	2
Hooping Cough	13	127	49	28	7	280	164	1354	20	283	10	2	2	10	1	26	10	9
Croup	8	47	29	17	7	102	67	295	14	92	6	20	1	8	8	16	7	3
Thrush	–	–	–	2	–	–	–	14	1	3	–	1	–	–	–	1	–	–
Diarrhœa	4	31	39	12	3	102	94	517	20	155	6	5	3	12	13	33	12	17
Dysentery	–	9	6	6	5	14	18	42	3	13	4	3	–	–	3	4	3	1
Cholera	–	2	3	–	1	11	12	20	2	14	1	2	–	–	1	–	–	–
Influenza	–	8	2	8	1	2	6	21	–	6	–	–	–	–	1	2	1	–
Purpura	–	2	–	–	4	3	3	12	–	8	–	–	1	–	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	2	–	3	–	–	–	–	–	–	–	2	–	–
Typhus	7	28	10	12	6	78	27	268	5	129	12	2	3	–	6	8	1	4
Enteric Fever	4	37	23	16	4	58	104	325	22	113	25	10	7	17	7	38	23	13
Relapsing Fever	–	1	3	–	1	4	16	54	–	11	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	4	1	1	–	2	13	15	6	6	–	–	1	2	2	–	8	2
Infantile Remittent	–	5	–	–	3	18	4	35	1	10	1	–	–	1	3	1	1	1
Metria	1	5	1	4	2	15	10	62	1	22	3	–	–	1	–	5	1	1
Rheumatic Fever	–	1	4	3	–	11	6	36	4	21	3	2	–	–	–	4	3	4
Erysipelas	1	6	5	8	4	14	20	77	5	48	2	2	1	2	5	6	4	3
Pyæmia	–	3	–	–	–	3	1	14	1	9	–	1	–	1	1	1	1	–
Syphilis	–	8	3	2	1	11	11	80	2	27	–	–	1	2	–	–	1	1
Noma	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	3	1	1	–	7	6	21	–	5	–	–	–	–	–	–	–	1
Dropsy	18	29	15	15	2	55	23	143	2	36	6	4	2	2	5	5	5	6
Abscess	–	1	3	–	2	9	10	41	1	30	3	–	–	1	3	1	1	2
Ulcer	–	–	–	1	–	3	2	7	–	10	–	2	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	1	1	4	–	–	–	–	–	1	–	–
Mortification	1	4	3	2	–	8	8	21	1	21	1	2	1	2	4	3	–	2
Cancer	11	42	24	41	15	78	86	260	19	187	18	15	6	7	32	35	29	19
Gout	–	–	1	–	2	–	1	1	–	1	1	–	–	–	1	1	–	1
Scrofula	–	24	16	10	10	42	78	299	12	70	4	5	2	5	4	17	10	5
Tabes Mesenterica	3	33	27	6	10	85	96	434	15	94	5	4	7	4	13	21	8	1
Phthisis	68	229	182	177	51	648	555	2916	60	772	58	45	30	63	97	188	112	91
Hydrocephalus	19	67	54	24	14	187	145	748	18	199	11	6	6	18	22	37	18	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	680	2	2	7	3	8	8	–	10	9	43	5	31	16	36	–
Apoplexy	1555	2	1	13	6	9	13	8	34	15	81	9	141	52	63	7
Paralysis	2031	12	10	20	14	40	36	7	34	38	111	20	161	105	100	6
Delirium Tremens	60	–	–	1	1	–	–	–	1	–	6	1	8	2	3	–
Chorea	10	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–
Epilepsy	263	1	5	4	4	5	7	–	2	3	21	–	15	14	13	2
Tetanus	46	–	–	–	–	5	1	–	–	–	–	–	5	1	1	–
Insanity	26	–	–	–	–	1	3	–	–	–	3	–	1	–	4	–
Convulsions	1033	–	3	10	4	9	9	3	9	11	77	13	91	20	24	3
Brain Disease	926	2	2	5	2	12	8	–	10	18	76	10	59	25	35	2
V. Pericarditis	77	–	1	1	1	–	–	–	–	1	3	–	3	4	3	2
Aneurism	103	–	–	7	–	–	–	1	–	3	10	–	8	3	8	–
Heart Disease	3753	7	17	38	8	35	45	4	45	44	250	21	341	187	200	16
VI. Laryngitis	163	1	–	1	1	–	5	–	–	4	17	2	11	2	4	–
Bronchitis	7897	11	31	47	15	53	79	7	59	97	443	46	724	212	258	2
Pleurisy	231	–	–	–	–	4	7	–	3	6	17	2	21	6	15	3
Pneumonia	2570	3	6	19	5	21	31	2	24	38	126	16	221	85	85	7
Asthma	408	6	5	11	11	23	24	1	4	6	24	3	22	14	15	–
Lung Disease	266	–	5	1	–	2	5	–	1	–	11	1	7	8	6	–
VII. Teething	759	1	–	–	3	–	9	5	11	11	56	4	48	18	32	1
Quinsey	54	1	–	1	–	2	4	–	–	–	5	–	5	1	1	–
Gastritis	215	–	1	–	2	5	4	1	2	1	19	1	7	13	9	1
Enteritis	874	1	–	6	2	16	16	1	9	14	21	7	40	23	20	1
Peritonitis	319	1	–	3	1	2	6	–	3	5	23	5	25	8	8	2
Ascites	81	–	–	–	3	2	1	1	1	2	5	–	8	4	1	–
Ulceration of Intestines	227	1	1	3	2	1	–	1	10	3	24	3	14	6	8	–
Hernia	107	–	–	1	–	1	1	1	1	2	9	2	8	5	5	–
Ileus	281	2	–	2	4	6	6	–	7	12	36	4	23	13	12	–
Intussusception	38	–	–	1	–	1	–	–	–	1	–	–	7	–	2	–
Stricture of Intestines	31	–	–	2	–	–	1	–	–	1	2	–	1	1	2	–
Stomach Disease	702	11	10	7	4	8	17	3	10	12	43	6	29	50	29	1
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Hepatitis	140	1	1	–	–	1	2	–	4	1	6	–	7	8	6	2
Jaundice	217	2	1	2	–	2	3	–	4	7	18	1	16	5	12	–
Liver Disease	741	2	3	8	5	7	14	2	6	8	33	10	35	40	21	1
Spleen Disease	34	–	–	–	–	1	1	–	–	–	1	–	6	1	2	–
VIII. Nephritis	108	1	–	–	–	1	3	1	–	–	4	–	6	4	3	–
Nephria	353	2	2	7	1	4	5	–	3	13	26	1	26	12	15	1
Addison's Disease	9	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	62	–	1	2	2	2	5	–	–	1	6	–	2	1	–	–
Diabetes	95	–	–	1	1	2	2	–	3	–	14	1	5	3	8	–
Stone	58	2	2	6	1	4	2	–	–	1	5	3	–	1	1	–
Cystitis	192	1	–	3	–	3	–	–	4	4	21	5	12	7	16	1
Stricture of Urethra	14	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Kidney Disease	353	2	3	2	–	1	5	–	7	7	47	4	18	20	9	3
IX. Paramenia	30	–	1	–	–	–	2	–	1	–	2	1	1	2	1	–
Ovarian Dropsy	76	1	–	–	–	1	–	1	1	3	10	1	5	1	7	–
Childbirth	391	5	7	5	5	11	20	1	3	9	14	4	22	10	19	–
Organs of Generation	66	–	1	1	–	–	3	–	–	1	8	–	5	1	5	–
X. Bone Disease	145	–	–	1	1	1	5	–	1	5	15	1	8	4	8	–
Rheumatism	168	7	4	–	1	8	19	–	2	3	11	–	2	4	8	–
Joint Disease	156	–	1	1	–	1	3	–	1	3	10	–	13	1	3	–
XI. Carbuncle	23	–	–	1	–	–	–	–	–	1	2	2	–	–	1	–
Phlegmon	20	–	–	–	–	1	–	–	1	1	2	–	–	1	2	–
Skin Disease	58	–	–	1	–	1	2	–	–	–	8	–	5	–	1	–
XVII. Intemperance	151	–	–	1	–	1	2	–	1	–	6	–	19	3	4	1
Privation	3	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Want of Breast Milk	78	–	–	–	–	–	–	–	–	–	2	–	2	2	4	–
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	19	–	1	1	–	–	2	–	–	–	–	–	–	3	–	–
Poison	49	–	–	–	–	–	–	–	–	1	–	–	2	2	1	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	263	3	3	3	1	2	7	–	2	3	15	3	18	9	10	–
Hanging, etc.	38	–	1	–	–	2	1	–	–	1	3	–	–	3	6	–
Suffocation	137	–	–	1	–	–	–	–	1	2	9	2	20	2	7	1
Drowning	576	2	5	6	2	15	18	–	2	4	41	13	35	26	39	–
Fracture and Contusion	1078	8	5	3	4	5	10	–	8	4	43	6	53	30	50	2
Gunshot Wounds	19	–	–	–	–	–	1	–	1	–	1	–	2	3	3	–
Cuts and Stabs	32	–	–	–	–	–	–	–	–	1	2	–	5	2	–	–
Other Violent Causes	125	–	1	–	1	1	1	–	1	1	7	1	8	2	2	–
Not Specified	2113	55	29	33	34	137	208	6	32	39	99	20	71	67	103	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	12	13	14	5	48	37	233	9	88	1	1	–	2	11	9	9	6
Apoplexy	9	33	42	31	16	107	106	363	16	205	23	24	2	6	35	38	30	15
Paralysis	15	64	33	41	6	132	122	431	29	250	31	24	6	11	30	50	21	21
Delirium Tremens	–	–	–	2	–	3	2	14	2	9	1	1	–	–	1	–	–	2
Chorea	–	–	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	13	3	6	1	17	7	55	5	36	2	3	1	1	3	8	3	3
Tetanus	–	3	1	2	–	4	4	9	2	4	–	1	–	–	–	1	1	1
Insanity	–	–	–	2	1	4	1	4	–	2	–	–	–	–	–	–	–	–
Convulsions	5	29	27	19	1	49	56	371	15	120	5	8	2	4	16	8	6	6
Brain Disease	2	26	14	29	7	57	60	267	10	108	15	12	1	5	13	17	8	9
Pericarditis	1	–	2	1	1	9	5	23	–	15	–	–	–	–	–	1	–	–
Aneurism	–	1	2	1	–	4	3	18	2	23	–	3	–	1	2	2	–	1
Heart Disease	11	113	93	65	29	230	241	760	45	505	53	51	19	23	64	92	65	36
Laryngitis	–	2	–	1	1	11	6	56	–	18	1	–	–	–	–	7	6	6
Bronchitis	59	205	126	114	24	538	425	2954	94	786	45	29	20	42	73	156	56	67
Pleurisy	1	6	5	3	–	11	12	51	4	32	1	2	2	1	2	6	7	1
Pneumonia	14	66	38	39	13	181	105	944	33	259	16	14	3	4	29	58	26	39
Asthma	6	28	2	15	3	20	35	85	1	25	1	3	–	–	4	8	1	2
Lung Disease	–	21	5	2	–	6	19	117	4	38	1	2	–	–	1	–	–	3
Teething	7	27	13	4	–	85	51	271	4	59	4	5	6	4	1	8	–	11
Quinsey	1	3	3	1	–	6	3	10	–	5	1	–	–	–	–	–	1	–
Gastritis	–	5	5	12	5	8	13	63	–	19	3	–	1	1	1	11	–	2
Enteritis	–	28	16	4	2	81	75	332	20	64	7	5	3	9	11	22	11	7
Peritonitis	2	13	3	2	1	28	16	81	4	47	1	1	2	2	9	10	4	1
Ascites	2	4	1	2	–	7	9	19	–	1	1	1	–	–	3	1	1	1
Ulceration of Intestines	–	8	5	7	1	7	13	40	3	22	4	6	–	2	7	13	10	2
Hernia	3	6	3	2	1	3	5	27	–	15	1	–	–	–	3	–	1	1
Ileus	3	5	–	5	–	7	12	71	1	26	3	2	2	2	3	6	4	2
Intussusception	–	2	1	1	–	4	2	4	–	9	–	–	1	–	2	–	–	–
Stricture of Intestines	–	1	–	–	–	5	4	2	–	3	–	1	–	1	1	3	–	–
Stomach Disease	3	32	17	17	2	38	35	198	–	62	3	2	3	6	11	23	9	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	11	2	15	8	40	–	10	2	1	–	1	2	3	–	2
Jaundice	3	7	3	3	1	14	9	62	1	21	–	5	3	–	5	4	1	2
Liver Disease	7	24	16	28	7	43	42	218	6	94	4	10	2	3	9	20	8	5
Spleen Disease	–	1	–	–	–	5	2	12	–	1	–	–	1	–	–	–	–	–
Nephritis	2	1	2	3	–	8	4	41	1	14	–	–	–	–	1	5	3	–
Nephria	4	7	6	8	2	14	17	70	5	72	3	1	–	2	7	5	7	5
Addison's Disease	–	–	1	1	–	3	–	1	–	–	–	–	–	–	1	–	1	–
Ischuria	–	1	1	4	–	2	4	17	1	6	1	–	–	–	1	–	1	1
Diabetes	–	1	2	1	–	6	7	19	–	9	–	1	–	1	2	3	1	2
Stone	–	–	1	3	1	3	2	9	–	7	–	–	–	–	–	1	1	2
Cystitis	–	3	5	3	1	11	11	40	1	16	3	1	2	–	3	11	3	1
Stricture of Urethra	–	–	–	1	–	2	–	6	1	–	–	–	–	–	–	–	–	–
Kidney Disease	2	11	2	8	1	19	12	104	3	44	2	3	1	1	2	4	2	4
Paramenia	–	–	1	–	–	1	4	7	–	2	–	1	–	–	1	1	1	–
Ovarian Dropsy	–	3	–	1	1	4	4	17	–	9	1	–	–	1	1	1	2	–
Childbirth	2	10	7	6	3	26	21	108	2	45	3	1	4	2	4	4	5	3
Organs of Generation	–	1	3	3	1	3	3	12	–	9	2	–	1	–	–	2	1	–
Bone Disease	–	6	–	–	2	11	4	28	1	28	–	1	1	1	4	5	2	1
Rheumatism	–	2	2	9	1	9	12	40	1	12	3	1	1	–	–	2	2	2
Joint Disease	2	4	1	4	1	9	11	44	2	27	1	2	1	3	–	6	1	–
Carbuncle	–	–	2	2	–	2	2	4	–	2	–	–	–	1	1	–	–	–
Phlegmon	–	1	–	–	–	3	2	2	–	2	–	–	–	1	1	–	–	–
Skin Disease	–	1	–	–	–	8	7	16	2	3	1	1	–	–	–	–	–	1
Intemperance	–	4	1	3	–	13	5	61	2	17	1	1	–	–	3	1	–	1
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	3	–	–	1	5	–	43	–	12	–	–	–	3	–	–	–	1
Neglect	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	6	2	2	1	–	–	–	–	–	–	–
Poison	–	–	3	–	–	1	7	23	–	6	–	–	–	–	1	2	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	11	3	5	–	16	15	94	1	20	1	1	1	–	5	2	6	–
Hanging, etc.	–	–	–	1	–	2	–	10	–	2	1	2	1	–	1	1	–	–
Suffocation	–	–	2	3	–	14	4	35	–	21	1	3	2	2	1	1	2	1
Drowning	3	12	26	17	14	45	22	145	3	30	2	16	1	4	3	8	9	8
Fracture and Contusion	3	23	17	12	2	93	83	407	18	125	6	5	–	8	9	24	5	7
Gunshot Wounds	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	–	2	1	10	–	3	–	–	1	1	–	2	–	–
Other Violent Causes	–	4	5	6	–	8	4	50	–	15	1	1	–	–	2	2	1	–
Not Specified	21	76	51	144	20	147	74	302	48	95	24	4	9	3	20	67	34	30

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37939	205	203	332	157	635	724	68	349	483	2283	270	2750	1194	1473	67
SPECIFIED CAUSES	36794	181	193	315	140	564	629	64	329	457	2228	258	2704	1169	1418	67
I. Zymotic Class	7764	31	22	54	10	82	117	10	43	86	508	53	667	180	279	11
II. Diseases of Uncer. Seat	976	8	10	8	6	17	24	1	15	24	73	11	69	38	34	1
III. Tubercular Class	6171	32	27	52	15	97	102	5	50	54	336	28	375	170	221	8
IV. Brain and Nervous Sys.	3515	9	16	34	19	50	42	10	51	55	222	27	283	110	147	11
V. Organs of Circulation	1977	3	12	29	5	23	23	3	21	26	133	14	148	105	82	9
VI. Respiratory Organs	6025	11	22	42	18	59	73	5	34	74	301	30	494	174	207	4
VII. Organs of Digestion	2425	10	7	20	17	34	40	9	37	49	153	18	126	106	69	4
VIII. Urinary Organs	812	4	8	19	2	11	17	–	13	18	79	11	43	29	36	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	246	4	2	1	2	7	14	–	1	7	19	1	11	4	4	–
XI. Skin, etc.	48	–	–	1	–	1	1	–	1	1	4	2	–	1	3	–
XII. Malformation	162	1	–	1	1	2	–	–	2	–	10	4	13	3	8	–
XIII. Premature Debility	2064	7	5	17	2	18	24	4	15	17	125	7	182	59	86	4
XIV. Atrophy	234	1	2	2	–	5	6	–	–	–	13	1	13	8	10	–
XV. Age	2351	50	48	25	38	135	109	16	37	33	152	31	151	117	127	8
XVI. Sudden Deaths	91	2	–	–	–	1	2	1	–	2	3	–	7	4	5	–
XVII. Violent Deaths	1933	8	12	10	5	22	35	–	9	11	97	20	122	61	100	3
I. Small Pox	1311	8	–	–	–	12	19	1	1	1	85	7	203	30	59	3
Measles	451	1	–	–	–	–	7	–	–	13	80	4	70	2	2	–
Scarlatina	1073	7	8	10	4	13	25	–	5	9	56	11	26	16	36	–
Diphtheria	505	1	1	11	–	6	8	–	6	19	52	4	56	12	20	2
Hooping Cough	1263	7	–	1	–	2	10	–	5	10	41	1	65	17	41	2
Croup	629	–	3	5	3	12	9	7	10	4	39	3	63	14	40	–
Thrush	21	–	–	–	–	–	–	–	–	1	3	–	4	2	2	–
Diarrhœa	784	–	6	6	3	6	7	1	5	11	43	1	76	30	30	2
Dysentery	96	–	–	1	–	2	2	–	1	3	4	1	11	5	1	–
Cholera	42	–	–	–	–	–	–	–	–	–	3	–	1	–	2	–
Influenza	49	1	1	1	–	–	–	–	–	–	7	–	5	1	1	–
Purpura	27	–	–	1	–	1	–	–	–	–	2	1	3	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	399	2	1	9	–	11	8	–	1	2	13	6	15	12	6	–
Enteric Fever	590	–	–	6	–	5	12	1	3	7	39	12	34	19	16	1
Relapsing Fever	56	–	–	–	–	2	–	–	–	–	3	–	9	–	1	–
Simple Cont. Fever	46	2	–	–	–	1	4	–	–	1	1	–	5	2	1	–
Infantile Remittent	56	–	1	1	–	–	–	–	–	3	7	–	3	3	5	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	72	–	1	–	–	2	2	–	2	2	4	–	2	6	1	–
Erysipelas	154	2	–	1	–	5	3	–	4	–	13	1	5	5	6	1
Pyæmia	32	–	–	–	–	–	–	–	–	–	–	–	5	2	6	–
Syphilis	98	–	–	1	–	1	1	–	–	–	12	1	6	2	1	–
Noma	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	37	–	–	–	1	1	–	–	–	1	3	–	4	1	–	–
Dropsy	239	1	5	–	2	8	7	–	2	2	7	1	16	7	11	–
Abscess	80	1	–	1	–	1	–	–	1	4	13	1	3	2	1	–
Ulcer	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Fistula	7	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
Mortification	57	–	–	–	–	1	1	–	–	1	3	1	5	1	1	–
Cancer	526	3	5	7	3	6	13	1	12	16	44	8	38	27	17	1
Gout	18	3	–	–	–	–	3	–	–	–	1	–	–	–	2	–
III. Scrofula	467	1	2	2	2	6	4	–	2	5	38	1	16	16	15	1
Tabes Mesenterica	566	–	–	1	–	–	4	–	1	3	23	2	35	4	13	–
Phthisis	4035	29	23	43	12	87	89	5	40	39	221	17	236	130	163	7
Hydrocephalus	1103	2	2	6	1	4	5	–	7	7	54	8	88	20	30	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	218	1120	775	738	200	2558	2230	11271	487	4381	340	287	102	208	382	734	370	345
SPECIFIED CAUSES	205	1074	739	675	185	2467	2184	11109	458	4325	332	284	97	206	371	700	347	320
Zymotic Class	26	265	153	87	27	491	380	2305	117	1341	86	56	14	48	40	86	48	41
Uncertain Seat	13	23	20	22	10	67	60	201	11	123	11	12	7	5	18	16	7	11
Tubercular Class	39	169	144	113	42	447	412	2153	58	573	35	29	20	46	64	126	73	56
Brain, etc.	16	95	78	74	19	229	212	954	43	419	38	34	7	11	53	71	37	39
Heart, etc.	7	64	43	31	18	112	130	426	25	285	29	27	9	12	29	50	25	19
Respiratory Organs	45	180	104	91	12	386	341	2280	78	588	33	27	12	28	53	127	41	51
Digestive Organs	12	73	46	51	11	173	169	736	23	235	16	18	9	17	28	66	23	20
Urinary Organs	2	12	13	24	3	48	36	200	9	97	5	5	2	2	11	20	17	12
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	9	–	5	3	15	8	64	2	41	1	3	2	2	3	7	2	2
Skin	–	2	1	1	–	5	4	12	1	3	1	1	–	1	1	–	–	–
Malformation	3	2	1	–	1	12	13	46	1	26	–	2	–	–	3	4	2	1
Premature Debility	12	65	44	13	3	151	148	633	37	227	23	24	4	12	27	32	25	12
Atrophy	2	8	2	4	–	28	10	74	2	25	6	2	–	1	–	6	3	–
Age	20	66	40	122	23	133	149	309	27	156	40	20	6	8	28	55	30	42
Sudden Deaths	1	1	1	–	–	10	–	43	1	5	–	–	1	–	–	1	–	–
Violent Deaths	7	40	49	37	13	160	112	673	23	181	8	24	4	13	3	33	14	14
Small Pox	7	48	5	1	–	14	25	126	8	576	40	7	4	7	–	10	2	2
Measles	–	20	7	1	–	38	32	155	–	12	–	–	–	1	–	3	3	–
Scarlatina	–	25	42	21	1	56	9	350	46	257	6	11	1	6	3	4	1	8
Diphtheria	3	18	10	7	1	33	23	117	8	55	5	10	1	3	9	2	1	1
Hooping Cough	5	51	24	15	2	121	74	608	9	117	3	1	2	6	–	12	6	5
Croup	5	28	18	8	1	57	29	171	11	45	5	11	–	4	6	11	6	1
Thrush	–	–	–	1	–	–	–	6	–	1	–	1	–	–	–	–	–	–
Diarrhœa	3	19	18	7	–	52	54	275	14	72	1	4	1	7	6	9	7	8
Dysentery	–	6	3	2	4	6	9	21	1	3	2	1	–	–	1	3	2	1
Cholera	–	–	2	–	–	6	7	10	–	8	–	2	–	–	1	–	–	–
Influenza	–	5	1	4	1	1	4	9	–	4	–	–	–	–	1	2	–	–
Purpura	–	2	–	–	4	1	1	6	–	2	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Typhus	2	13	3	6	4	43	17	136	3	72	6	–	2	–	–	2	1	3
Enteric Fever	–	18	13	7	3	28	61	169	7	56	14	4	3	10	4	21	11	6
Relapsing Fever	–	1	–	–	1	1	8	22	–	8	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	–	–	–	1	5	7	3	4	–	–	–	2	2	–	2	2
Infantile Remittent	–	1	–	–	2	6	3	15	–	3	1	–	–	1	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	2	1	–	9	4	13	2	9	2	2	–	–	–	1	2	2
Erysipelas	1	2	4	4	3	7	9	35	3	23	1	1	–	–	5	6	3	1
Pyæmia	–	2	–	–	–	3	1	5	1	4	–	1	–	–	1	–	1	–
Syphilis	–	4	1	1	–	7	5	43	1	10	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	1	–	–	4	3	14	–	1	–	–	–	–	–	–	–	1
Dropsy	7	9	10	6	2	24	12	70	–	16	3	1	2	2	2	1	1	2
Abscess	–	–	1	–	1	4	6	21	1	15	1	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	1	1	4	–	4	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Mortification	1	1	–	–	–	5	1	13	–	12	1	2	1	1	2	2	–	1
Cancer	5	11	7	16	6	29	36	78	10	73	5	9	4	2	12	11	5	6
Gout	–	–	1	–	1	–	1	1	–	1	1	–	–	–	1	1	–	1
Scrofula	–	15	8	5	6	26	47	171	8	41	3	3	2	5	1	6	7	2
Tabes Mesenterica	2	16	19	3	5	44	57	247	9	46	2	1	4	–	8	11	5	1
Phthisis	26	99	91	93	24	270	234	1333	30	379	26	22	11	29	40	88	53	46
Hydrocephalus	11	39	26	12	7	107	74	402	11	107	4	3	3	12	15	21	8	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	393	–	1	3	2	6	3	–	4	8	23	2	17	11	20	–
Apoplexy	797	1	1	9	3	3	4	5	17	5	39	5	69	25	31	4
Paralysis	968	6	10	11	7	21	20	4	14	20	55	9	81	44	52	2
Delirium Tremens	50	–	–	–	1	–	–	–	1	–	5	1	6	2	2	–
Chorea	4	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Epilepsy	140	–	2	2	2	5	5	–	1	2	15	–	12	5	7	2
Tetanus	27	–	–	–	–	3	1	–	–	–	–	–	4	–	–	–
Insanity	13	–	–	–	–	1	2	–	–	–	3	–	–	–	1	–
Convulsions	616	–	2	8	3	5	2	1	6	9	47	5	62	12	15	3
Brain Disease	507	2	–	1	1	5	5	–	8	11	34	5	32	11	19	–
V. Pericarditis	46	–	–	1	–	–	–	–	–	1	2	–	2	3	2	1
Aneurism	77	–	–	6	–	–	–	1	–	1	10	–	6	2	1	–
Heart Disease	1854	3	12	22	5	23	23	2	21	24	121	14	140	100	79	8
VI. Laryngitis	99	–	–	1	1	–	2	–	–	2	11	1	4	1	2	–
Bronchitis	3947	7	13	20	8	31	40	2	19	40	195	23	339	107	131	1
Pleurisy	134	–	–	–	–	2	2	–	1	3	11	1	17	2	7	2
Pneumonia	1468	2	5	17	4	14	19	2	12	25	64	5	116	54	53	1
Asthma	225	2	3	4	5	11	9	1	2	4	13	–	14	8	8	–
Lung Disease	152	–	1	–	–	1	1	–	–	–	7	–	4	2	6	–
VII. Teething	381	–	–	–	2	–	4	4	7	6	28	2	21	8	13	–
Quinsey	27	–	–	1	–	1	4	–	–	–	4	–	2	–	–	–
Gastritis	115	–	1	–	1	3	2	1	2	1	10	–	3	9	1	1
Enteritis	482	1	–	3	1	8	8	1	5	7	12	2	20	13	11	1
Peritonitis	134	–	–	1	1	2	2	–	1	3	11	1	12	5	3	–
Ascites	25	–	–	–	2	1	–	–	–	2	–	–	3	3	–	–
Ulceration of Intestines	122	–	–	2	1	1	–	1	6	3	14	2	9	4	4	–
Hernia	52	–	–	–	–	1	1	–	1	1	4	1	3	2	1	–
Ileus	147	2	–	1	4	3	1	–	4	7	16	1	9	9	5	–
Intussusception	17	–	–	1	–	–	–	–	–	1	–	–	4	–	–	–
Stricture of Intestines	19	–	–	2	–	–	–	–	–	–	2	–	1	1	1	–
Stomach Disease	326	5	3	2	2	6	6	1	3	6	21	4	8	20	16	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hepatitis	65	–	–	–	–	1	–	–	3	1	3	–	2	4	–	–
Jaundice	105	–	1	2	–	–	–	–	2	6	9	1	8	5	4	–
Liver Disease	389	2	2	5	3	6	11	1	3	5	18	4	20	23	10	1
Spleen Disease	18	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
VIII. Nephritis	67	1	–	–	–	1	2	–	–	–	2	–	3	2	2	–
Nephria	197	1	2	6	1	3	4	–	1	6	13	1	15	4	10	1
Addison's Disease	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	51	–	1	2	1	1	3	–	–	1	6	–	2	1	–	–
Diabetes	60	–	–	1	–	1	2	–	3	–	9	1	3	2	3	–
Stone	51	1	2	6	–	3	2	–	–	1	3	2	–	1	1	–
Cystitis	165	1	–	2	–	2	–	–	4	4	17	5	9	7	14	1
Stricture of Urethra	14	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–
Kidney Disease	201	–	2	2	–	–	4	–	4	5	28	2	10	12	6	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	86	–	–	1	1	1	4	–	–	4	8	1	2	2	3	–
Rheumatism	70	4	1	–	1	5	9	–	–	1	6	–	2	1	1	–
Joint Disease	90	–	1	–	–	1	1	–	1	2	5	–	7	1	–	–
XI. Carbuncle	16	–	–	1	–	–	–	–	–	1	1	2	–	–	1	–
Phlegmon	7	–	–	–	–	–	–	–	1	–	1	–	–	1	1	–
Skin Disease	25	–	–	–	–	1	1	–	–	–	2	–	–	–	1	–
XVII. Intemperance	99	–	–	1	–	1	2	–	1	–	6	–	12	1	2	–
Privation	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	43	–	–	–	–	–	–	–	–	–	–	–	1	2	4	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	–	1	–	–	2	–	–	–	–	–	–	3	–	–
Poison	25	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	136	1	1	–	–	1	4	–	1	3	4	1	11	5	5	–
Hanging, etc.	24	–	1	–	–	–	1	–	–	–	2	–	–	1	3	–
Suffocation	72	–	–	–	–	–	–	–	–	1	5	2	14	1	3	1
Drowning	501	2	5	6	2	15	17	–	1	2	38	11	31	17	32	–
Fracture and Contusion	878	5	4	2	3	4	7	–	6	3	33	5	39	24	47	2
Gunshot Wounds	18	–	–	–	–	–	1	–	–	–	1	–	2	3	3	–
Cuts and Stabs	28	–	–	–	–	–	–	–	–	1	1	–	5	2	–	–
Other Violent Causes	95	–	1	–	–	1	1	–	–	1	6	1	6	1	1	–
Not Specified	1145	24	10	17	17	71	95	4	20	26	55	12	46	25	55	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	8	7	6	4	24	24	141	5	50	1	–	–	–	7	6	4	4
Apoplexy	6	18	27	16	9	58	50	190	11	98	14	12	2	1	14	23	17	10
Paralysis	6	35	12	20	2	72	58	200	9	111	15	10	4	5	14	24	6	9
Delirium Tremens	–	–	–	2	–	3	2	13	2	7	–	–	–	–	1	–	–	2
Chorea	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	6	1	1	–	6	3	30	3	21	1	2	–	1	1	2	1	1
Tetanus	–	1	1	1	–	3	2	6	–	2	–	1	–	–	–	1	–	1
Insanity	–	–	–	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Convulsions	2	14	17	11	–	29	38	210	7	74	3	3	1	2	9	6	5	5
Brain Disease	–	13	13	15	3	33	35	162	6	54	4	6	–	2	7	9	4	7
Pericarditis	1	–	2	–	–	4	3	15	–	9	–	–	–	–	–	–	–	–
Aneurism	–	1	1	1	–	3	3	16	–	18	–	3	–	1	1	2	–	–
Heart Disease	6	63	40	30	18	105	124	395	25	258	29	24	9	11	28	48	25	19
Laryngitis	–	1	–	1	1	5	5	35	–	14	–	–	–	–	–	6	2	4
Bronchitis	28	109	74	55	5	265	221	1557	48	388	21	15	7	25	36	78	20	19
Pleurisy	–	2	2	3	–	5	8	35	2	13	–	2	2	1	2	4	4	1
Pneumonia	13	37	24	25	4	99	63	537	23	140	11	7	3	2	12	36	14	25
Asthma	4	17	1	6	2	9	26	52	1	14	–	2	–	–	2	3	1	1
Lung Disease	–	14	3	1	–	3	18	64	4	19	1	1	–	–	1	–	–	1
Teething	3	15	4	–	–	40	33	138	2	33	1	1	4	1	–	4	–	7
Quinsey	–	2	1	1	–	2	2	4	–	3	–	–	–	–	–	–	–	–
Gastritis	–	–	3	6	4	3	5	37	–	12	1	–	–	1	1	7	–	–
Enteritis	–	12	10	–	1	45	47	180	13	41	5	2	–	6	5	12	8	2
Peritonitis	1	4	3	1	–	13	3	37	2	18	–	1	1	2	1	4	1	–
Ascites	–	–	–	–	–	1	5	5	–	–	–	1	–	–	1	–	1	–
Ulceration of Intestines	–	1	3	4	–	5	5	24	1	11	3	4	–	–	2	8	3	1
Hernia	1	5	2	1	–	1	4	12	–	8	–	–	–	–	2	–	–	1
Ileus	2	2	–	3	–	–	7	42	1	15	–	2	2	–	3	2	2	2
Intussusception	–	–	–	1	–	2	–	2	–	3	–	–	1	–	2	–	–	–
Stricture of Intestines	–	–	–	–	–	4	3	–	–	3	–	–	–	1	–	1	–	–
Stomach Disease	–	14	7	14	–	21	21	90	–	33	3	–	–	4	5	8	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	1	10	5	17	–	5	1	1	–	–	2	3	–	2
Jaundice	3	5	1	3	1	6	3	30	–	9	–	2	–	–	2	2	–	–
Liver Disease	2	12	12	14	4	16	24	111	4	40	2	4	–	1	3	15	6	5
Spleen Disease	–	–	–	–	–	4	2	7	–	1	–	–	1	–	–	–	–	–
Nephritis	1	–	1	2	–	4	1	31	–	9	–	–	–	–	–	2	3	–
Nephria	1	3	2	4	2	7	10	39	4	36	2	–	–	–	4	5	6	4
Addison's Disease	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–
Ischuria	–	1	1	3	–	2	4	15	1	3	–	–	–	–	1	–	1	1
Diabetes	–	1	1	1	–	4	4	10	–	5	–	1	–	1	2	3	1	1
Stone	–	–	1	3	–	3	2	9	–	7	–	–	–	–	–	1	1	2
Cystitis	–	2	4	3	1	11	8	35	1	14	3	1	2	–	3	8	2	1
Stricture of Urethra	–	–	–	1	–	2	–	6	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	5	2	7	–	13	7	54	2	23	–	3	–	1	1	1	2	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	5	–	–	1	4	3	16	1	20	–	1	–	–	3	2	2	1
Rheumatism	–	1	–	3	1	5	2	18	–	6	–	–	1	–	–	1	–	1
Joint Disease	–	3	–	2	1	6	3	30	1	15	1	2	1	2	–	4	–	–
Carbuncle	–	–	1	1	–	1	1	2	–	2	–	–	–	1	1	–	–	–
Phlegmon	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	–	4	2	9	1	1	1	1	–	–	–	–	–	–
Intemperance	–	2	1	2	–	11	4	35	2	12	1	1	–	–	2	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	4	–	23	–	5	–	–	–	2	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Poison	–	–	3	–	–	1	1	16	–	1	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	3	1	3	–	9	10	53	1	10	–	1	1	–	2	1	1	–
Hanging, etc.	–	–	–	1	–	1	–	7	–	2	1	2	1	–	–	1	–	–
Suffocation	–	–	2	1	–	8	2	20	–	8	–	2	1	–	–	1	–	–
Drowning	1	10	22	16	12	41	18	132	2	25	2	15	–	3	3	6	7	7
Fracture and Contusion	3	19	16	10	1	74	68	337	17	100	3	3	–	7	5	20	5	6
Gunshot Wounds	–	–	–	–	–	1	2	1	–	4	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	–	2	1	8	–	2	–	–	1	1	–	2	–	–
Other Violent Causes	–	3	4	4	–	8	4	39	–	10	1	–	–	–	1	1	1	–
Not Specified	13	46	36	63	15	91	46	162	29	56	8	3	5	2	11	34	23	25

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37855	272	231	302	214	603	805	68	397	528	2323	310	2935	1267	1616	70
SPECIFIED CAUSES	36887	241	212	286	197	537	692	66	385	515	2279	302	2910	1225	1568	68
I. Zymotic Class	8097	28	28	58	30	97	131	6	50	111	501	62	688	201	324	10
II. Diseases of Uncer. Seat	1572	11	18	19	11	35	34	2	29	39	138	21	123	57	92	3
III. Tubercular Class	6425	37	19	43	16	59	69	11	42	73	336	42	460	173	217	6
IV. Brain and Nervous Sys.	3115	10	7	26	15	40	43	8	49	39	198	32	229	125	132	9
V. Organs of Circulation	1956	4	6	17	4	12	22	2	24	22	130	7	204	89	129	9
VI. Respiratory Organs	5510	10	25	37	14	44	78	5	57	77	337	40	512	153	176	8
VII. Organs of Digestion	2397	13	10	16	9	21	45	6	31	31	149	25	154	90	101	5
VIII. Urinary Organs	432	4	1	2	3	6	5	1	5	9	45	3	27	19	16	1
IX. Organs of Generation	563	6	9	6	5	12	25	2	5	13	34	6	33	14	32	–
X. Organs of Locomotion	223	3	3	1	–	3	13	–	3	4	17	–	12	5	15	–
XI. Skin, etc.	53	–	–	1	–	1	1	–	–	1	8	–	5	–	1	–
XII. Malformation	106	1	–	–	–	–	–	–	2	1	6	2	12	2	3	1
XIII. Premature Debility	1555	6	4	3	4	8	25	4	17	18	90	9	142	33	56	4
XIV. Atrophy	308	4	–	3	2	4	8	–	3	4	15	1	31	13	15	–
XV. Age	3857	95	78	49	81	191	185	19	61	67	241	47	231	221	223	11
XVI. Sudden Deaths	80	4	–	–	–	–	1	–	–	–	–	–	5	4	10	–
XVII. Violent Deaths	638	5	4	5	3	4	7	–	7	6	34	5	42	26	26	1
I. Small Pox	1137	4	2	–	–	8	11	–	–	3	75	3	181	35	58	2
Measles	474	1	–	–	–	2	7	–	1	13	75	9	71	2	5	–
Scarlatina	1028	4	4	9	1	18	23	1	2	4	44	15	19	12	35	–
Diphtheria	540	–	3	6	–	6	6	–	16	18	60	6	62	15	23	–
Hooping Cough	1587	14	1	–	1	5	8	–	6	24	47	1	57	24	63	2
Croup	516	–	–	9	3	17	8	2	10	5	31	4	57	18	22	–
Thrush	19	–	–	–	–	2	–	–	–	–	3	–	–	–	1	–
Diarrhœa	782	–	4	13	2	8	15	–	4	11	57	5	80	27	33	2
Dysentery	113	–	1	–	2	1	1	–	1	1	10	1	11	7	8	–
Cholera	41	–	–	–	–	–	1	–	–	1	–	–	4	1	1	–
Influenza	44	–	2	–	–	3	–	–	–	–	4	–	4	2	2	1
Purpura	25	1	–	–	–	–	–	–	–	1	1	–	3	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	396	1	3	3	2	13	10	–	1	4	16	2	22	13	13	–
Enteric Fever	633	–	3	10	8	6	20	1	2	16	45	9	54	26	20	2
Relapsing Fever	59	–	–	–	–	1	–	–	–	–	3	–	4	1	1	–
Simple Cont. Fever	57	–	–	2	–	1	8	–	1	–	2	2	1	4	2	–
Infantile Remittent	62	–	1	–	–	–	–	–	–	–	3	–	2	1	4	–
Metria	219	2	–	3	7	3	1	–	2	4	11	1	24	5	22	–
Rheumatic Fever	81	–	2	1	2	2	4	1	–	1	2	2	5	1	6	–
Erysipelas	154	1	2	–	2	1	4	1	4	5	8	2	10	4	4	1
Pyæmia	24	–	–	1	–	–	2	–	–	–	–	–	2	1	1	–
Syphilis	95	–	–	1	–	–	1	–	–	–	4	–	11	1	–	–
Noma	6	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	29	–	–	–	–	2	–	–	–	2	4	1	1	–	–	–
Dropsy	334	4	11	4	2	10	17	–	2	2	21	2	29	14	13	–
Abscess	81	–	–	–	1	–	1	–	1	1	9	2	5	2	3	–
Ulcer	26	–	–	–	–	1	–	–	–	2	1	–	1	2	3	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	58	1	–	–	–	1	–	–	1	–	6	–	2	3	3	–
Cancer	1033	4	7	15	8	20	16	2	25	32	97	16	85	35	70	2
Gout	4	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
III. Scrofula	343	2	3	1	1	2	1	–	1	5	26	1	20	10	13	–
Tabes Mesenterica	478	–	1	–	1	1	5	1	4	–	22	–	32	12	12	1
Phthisis	4680	32	14	41	14	51	61	8	30	56	243	32	346	136	163	5
Hydrocephalus	924	3	1	1	–	5	2	2	7	12	45	9	62	15	29	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	245	1129	685	767	199	2503	2116	10656	384	4333	377	271	122	196	433	736	408	354
SPECIFIED CAUSES	237	1099	670	686	194	2447	2088	10516	365	4294	361	270	118	195	424	703	397	340
Zymotic Class	42	268	157	85	30	505	393	2401	105	1361	83	43	19	40	41	102	44	53
Uncertain Seat	17	57	27	38	11	93	76	294	13	171	18	11	2	7	27	30	28	20
Tubercular Class	51	184	135	104	43	515	462	2244	47	562	43	31	25	44	72	137	75	48
Brain, etc.	17	85	55	72	18	193	183	797	45	404	40	40	5	18	56	60	41	24
Heart, etc.	5	50	54	36	12	131	119	375	22	258	24	27	10	12	37	45	40	18
Respiratory Organs	35	148	72	83	29	381	261	1927	58	570	32	23	13	19	56	108	55	67
Digestive Organs	19	96	41	48	11	183	130	714	16	223	18	21	15	15	39	58	27	17
Urinary Organs	6	12	7	8	2	20	21	107	3	71	4	1	1	2	6	9	2	3
Generative Organs	2	14	11	10	5	34	32	144	2	65	6	2	5	3	6	8	9	3
Locomotive Organs	2	3	3	8	1	14	19	48	2	26	3	1	1	2	1	6	3	1
Skin	–	–	1	1	–	8	7	10	1	4	–	–	–	1	1	–	–	1
Malformation	1	1	1	1	–	2	11	35	2	12	1	2	–	2	1	2	1	1
Premature Debility	11	44	24	17	6	118	106	500	17	179	22	11	7	13	22	16	11	8
Atrophy	–	9	3	6	–	22	12	100	–	24	7	5	–	1	4	9	2	1
Age	27	106	69	159	22	182	223	569	28	285	53	47	13	11	42	102	48	71
Sudden Deaths	–	3	1	–	–	6	–	38	1	2	1	–	–	–	1	1	2	–
Violent Deaths	2	19	9	10	4	40	33	213	3	77	6	5	2	5	12	10	9	4
Small Pox	7	37	1	2	–	10	18	98	5	514	32	2	3	7	4	8	5	2
Measles	–	15	14	2	–	37	38	157	–	14	1	2	1	–	–	1	–	6
Scarlatina	–	24	35	11	4	45	20	350	39	257	6	7	2	7	4	9	3	14
Diphtheria	13	22	18	7	2	32	32	104	9	47	6	10	1	1	10	3	1	1
Hooping Cough	8	76	25	13	5	159	90	746	11	166	7	1	–	4	1	14	4	4
Croup	3	19	11	9	6	45	38	124	3	47	1	9	1	4	2	5	1	2
Thrush	–	–	–	1	–	–	–	8	1	2	–	–	–	–	–	1	–	–
Diarrhœa	1	12	21	5	3	50	40	242	6	83	5	1	2	5	7	24	5	9
Dysentery	–	3	3	4	1	8	9	21	2	10	2	2	–	–	2	1	1	–
Cholera	–	2	1	–	1	5	5	10	2	6	1	–	–	–	–	–	–	–
Influenza	–	3	1	4	–	1	2	12	–	2	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	–	2	2	6	–	6	–	–	1	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–
Typhus	5	15	7	6	2	35	10	132	2	57	6	2	1	–	6	6	–	1
Enteric Fever	4	19	10	9	1	30	43	156	15	57	11	6	4	7	3	17	12	7
Relapsing Fever	–	–	3	–	–	3	8	32	–	3	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	3	1	1	–	1	8	8	3	2	–	–	1	–	–	–	6	–
Infantile Remittent	–	4	–	–	1	12	1	20	1	7	–	–	–	–	2	1	1	1
Metria	1	5	1	4	2	15	10	62	1	22	3	–	–	1	–	5	1	1
Rheumatic Fever	–	–	2	2	–	2	2	23	2	12	1	–	–	–	–	3	1	2
Erysipelas	–	4	1	4	1	7	11	42	2	25	1	1	1	2	–	–	1	2
Pyæmia	–	1	–	–	–	–	–	9	–	5	–	–	–	1	–	1	–	–
Syphilis	–	4	2	1	1	4	6	37	1	17	–	–	1	1	–	–	1	1
Noma	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	3	3	7	–	4	–	–	–	–	–	–	–	–
Dropsy	11	20	5	9	–	31	11	73	2	20	3	3	–	–	3	4	4	4
Abscess	–	1	2	–	1	5	4	20	–	15	2	–	–	1	2	1	–	2
Ulcer	–	–	–	1	–	2	1	3	–	6	–	2	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–
Mortification	–	3	3	2	–	3	7	8	1	9	–	–	–	1	2	1	–	1
Cancer	6	31	17	25	9	49	50	182	9	114	13	6	2	5	20	24	24	13
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	9	8	5	4	16	31	128	4	29	1	2	–	–	3	11	3	3
Tabes Mesenterica	1	17	8	3	5	41	39	187	6	48	3	3	3	4	5	10	3	–
Phthisis	42	130	91	84	27	378	321	1583	30	393	32	23	19	34	57	100	59	45
Hydrocephalus	8	28	28	12	7	80	71	346	7	92	7	3	3	6	7	16	10	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	287	2	1	4	1	2	5	–	6	1	20	3	14	5	16	–
Apoplexy	758	1	–	4	3	6	9	3	17	10	42	4	72	27	32	3
Paralysis	1063	6	–	9	7	19	16	3	20	18	56	11	80	61	48	4
Delirium Tremens	10	–	–	1	–	–	–	–	–	–	1	–	2	–	1	–
Chorea	6	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Epilepsy	123	1	3	2	2	–	2	–	1	1	6	–	3	9	6	–
Tetanus	19	–	–	–	–	2	–	–	–	–	–	–	1	1	1	–
Insanity	13	–	–	–	–	–	1	–	–	–	–	–	1	–	3	–
Convulsions	417	–	1	2	1	4	7	2	3	2	30	8	29	8	9	–
Brain Disease	419	–	2	4	1	7	3	–	2	7	42	5	27	14	16	2
V. Pericarditis	31	–	1	–	1	–	–	–	–	–	1	–	1	1	1	1
Aneurism	26	–	–	1	–	–	–	–	–	2	–	–	2	1	7	–
Heart Disease	1899	4	5	16	3	12	22	2	24	20	129	7	201	87	121	8
VI. Laryngitis	64	1	–	–	–	–	3	–	–	2	6	1	7	1	2	–
Bronchitis	3950	4	18	27	7	22	39	5	40	57	248	23	385	105	127	1
Pleurisy	97	–	–	–	–	2	5	–	2	3	6	1	4	4	8	1
Pneumonia	1102	1	1	2	1	7	12	–	12	13	62	11	105	31	32	6
Asthma	183	4	2	7	6	12	15	–	2	2	11	3	8	6	7	–
Lung Disease	114	–	4	1	–	1	4	–	1	–	4	1	3	6	–	–
VII. Teething	378	1	–	–	1	–	5	1	4	5	28	2	27	10	19	1
Quinsey	27	1	–	–	–	1	–	–	–	–	1	–	3	1	1	–
Gastritis	100	–	–	–	1	2	2	–	–	–	9	1	4	4	8	–
Enteritis	392	–	–	3	1	8	8	–	4	7	9	5	20	10	9	–
Peritonitis	185	1	–	2	–	–	4	–	2	2	12	4	13	3	5	2
Ascites	56	–	–	–	1	1	1	1	1	–	5	–	5	1	1	–
Ulceration of Intestines	105	1	1	1	1	–	–	–	4	–	10	1	5	2	4	–
Hernia	55	–	–	1	–	–	–	1	–	1	5	1	5	3	4	–
Ileus	134	–	–	1	–	3	5	–	3	5	20	3	14	4	7	–
Intussusception	21	–	–	–	–	1	–	–	–	–	–	–	3	–	2	–
Stricture of Intestines	12	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–
Stomach Disease	376	6	7	5	2	2	11	2	7	6	22	2	21	30	13	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Hepatitis	75	1	1	–	–	–	2	–	1	–	3	–	5	4	6	2
Jaundice	112	2	–	–	–	2	3	–	2	1	9	–	8	–	8	–
Liver Disease	352	–	1	3	2	1	3	1	3	3	15	6	15	17	11	–
Spleen Disease	16	–	–	–	–	–	–	–	–	–	–	–	6	1	2	–
VIII. Nephritis	41	–	–	–	–	–	1	1	–	–	2	–	3	2	1	–
Nephria	156	1	–	1	–	1	1	–	2	7	13	–	11	8	5	–
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Diabetes	35	–	–	–	1	1	–	–	–	–	5	–	2	1	5	–
Stone	7	1	–	–	1	1	–	–	–	–	2	1	–	–	–	–
Cystitis	27	–	–	1	–	1	–	–	–	–	4	–	3	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	152	2	1	–	–	1	1	–	3	2	19	2	8	8	3	1
IX. Paramenia	30	–	1	–	–	–	2	–	1	–	2	1	1	2	1	–
Ovarian Dropsy	76	1	–	–	–	1	–	1	1	3	10	1	5	1	7	–
Childbirth	391	5	7	5	5	11	20	1	3	9	14	4	22	10	19	–
Organs of Generation	66	–	1	1	–	–	3	–	–	1	8	–	5	1	5	–
X. Bone Disease	59	–	–	–	–	–	1	–	1	1	7	–	6	2	5	–
Rheumatism	98	3	3	–	–	3	10	–	2	2	5	–	–	3	7	–
Joint Disease	66	–	–	1	–	–	2	–	–	1	5	–	6	–	3	–
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Phlegmon	13	–	–	–	–	1	–	–	–	1	1	–	–	–	1	–
Skin Disease	33	–	–	1	–	–	1	–	–	–	6	–	5	–	–	–
XVII. Intemperance	52	–	–	–	–	–	–	–	–	–	–	–	7	2	2	1
Privation	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	35	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	24	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	2	2	3	1	1	3	–	1	–	11	2	7	4	5	–
Hanging, etc.	14	–	–	–	–	2	–	–	–	1	1	–	–	2	3	–
Suffocation	65	–	–	1	–	–	–	–	1	1	4	–	6	1	4	–
Drowning	75	–	–	–	–	–	1	–	1	2	3	2	4	9	7	–
Fracture and Contusion	200	3	1	1	1	1	3	–	2	1	10	1	14	6	3	–
Gunshot Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	30	–	–	–	1	–	–	–	1	–	1	–	2	1	1	–
Not Specified	968	31	19	16	17	66	113	2	12	13	44	8	25	42	48	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	4	6	8	1	24	13	92	4	38	–	1	–	2	4	3	5	2
Apoplexy	3	15	15	15	7	49	56	173	5	107	9	12	–	5	21	15	13	5
Paralysis	9	29	21	21	4	60	64	231	20	139	16	14	2	6	16	26	15	12
Delirium Tremens	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	7	2	5	1	11	4	25	2	15	1	1	1	–	2	6	2	2
Tetanus	–	2	–	1	–	1	2	3	2	2	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	3	1	3	–	1	–	–	–	–	–	–	–	–
Convulsions	3	15	10	8	1	20	18	161	8	46	2	5	1	2	7	2	1	1
Brain Disease	2	13	1	14	4	24	25	105	4	54	11	6	1	3	6	8	4	2
Pericarditis	–	–	–	1	1	5	2	8	–	6	–	–	–	–	–	1	–	–
Aneurism	–	–	1	–	–	1	–	2	2	5	–	–	–	–	1	–	–	1
Heart Disease	5	50	53	35	11	125	117	365	20	247	24	27	10	12	36	44	40	17
Laryngitis	–	1	–	–	–	6	1	21	–	4	1	–	–	–	–	1	4	2
Bronchitis	31	96	52	59	19	273	204	1397	46	398	24	14	13	17	37	78	36	48
Pleurisy	1	4	3	–	–	6	4	16	2	19	1	–	–	–	–	2	3	–
Pneumonia	1	29	14	14	9	82	42	407	10	119	5	7	–	2	17	22	12	14
Asthma	2	11	1	9	1	11	9	33	–	11	1	1	–	–	2	5	–	1
Lung Disease	–	7	2	1	–	3	1	53	–	19	–	1	–	–	–	–	–	2
Teething	4	12	9	4	–	45	18	133	2	26	3	4	2	3	1	4	–	4
Quinsey	1	1	2	–	–	4	1	6	–	2	1	–	–	–	–	–	1	–
Gastritis	–	5	2	6	1	5	8	26	–	7	2	–	1	–	–	4	–	2
Enteritis	–	16	6	4	1	36	28	152	7	23	2	3	3	3	6	10	3	5
Peritonitis	1	9	–	1	1	15	13	44	2	29	1	–	1	–	8	6	3	1
Ascites	2	4	1	2	–	6	4	14	–	1	1	–	–	–	2	1	–	1
Ulceration of Intestines	–	7	2	3	1	2	8	16	2	11	1	2	–	2	5	5	7	1
Hernia	2	1	1	1	1	2	1	15	–	7	1	–	–	–	1	–	1	–
Ileus	1	3	–	2	–	7	5	29	–	11	3	–	–	2	–	4	2	–
Intussusception	–	2	1	–	–	2	2	2	–	6	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	1	2	–	–	–	1	–	–	1	2	–	–
Stomach Disease	3	18	10	3	2	17	14	108	–	29	–	2	3	2	6	15	7	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	1	8	1	5	3	23	–	5	1	–	–	1	–	–	–	–
Jaundice	–	2	2	–	–	8	6	32	1	12	–	3	3	–	3	2	1	2
Liver Disease	5	12	4	14	3	27	18	107	2	54	2	6	2	2	6	5	2	–
Spleen Disease	–	1	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	1	1	–	4	3	10	1	5	–	–	–	–	1	3	–	–
Nephria	3	4	4	4	–	7	7	31	1	36	1	1	–	2	3	–	1	1
Addison's Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	–	1	–	–	–	2	–	3	1	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	2	3	9	–	4	–	–	–	–	–	–	–	1
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	–	–	3	5	–	2	–	–	–	–	–	3	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	6	–	1	1	6	5	50	1	21	2	–	1	–	1	3	–	1
Paramenia	–	–	1	–	–	1	4	7	–	2	–	1	–	–	1	1	1	–
Ovarian Dropsy	–	3	–	1	1	4	4	17	–	9	1	–	–	1	1	1	2	–
Childbirth	2	10	7	6	3	26	21	108	2	45	3	1	4	2	4	4	5	3
Organs of Generation	–	1	3	3	1	3	3	12	–	9	2	–	1	–	–	2	1	–
Bone Disease	–	1	–	–	1	7	1	12	–	8	–	–	1	1	1	3	–	–
Rheumatism	–	1	2	6	–	4	10	22	1	6	3	1	–	–	–	1	2	1
Joint Disease	2	1	1	2	–	3	8	14	1	12	–	–	–	1	–	2	1	–
Carbuncle	–	–	1	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	3	1	1	–	2	–	–	–	1	1	–	–	–
Skin Disease	–	–	–	–	–	4	5	7	1	2	–	–	–	–	–	–	–	1
Intemperance	–	2	–	1	–	2	1	26	–	5	–	–	–	–	1	1	–	1
Privation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	–	–	1	1	–	20	–	7	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	4	1	1	1	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	6	7	–	5	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	8	2	2	–	7	5	41	–	10	1	–	–	–	3	1	5	–
Hanging, etc.	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	–	–
Suffocation	–	–	–	2	–	6	2	15	–	13	1	1	1	2	1	–	2	1
Drowning	2	2	4	1	2	4	4	13	1	5	–	1	1	1	–	2	2	1
Fracture and Contusion	–	4	1	2	1	19	15	70	1	25	3	2	–	1	4	4	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	2	–	–	–	11	–	5	–	1	–	–	1	1	–	–
Not Specified	8	30	15	81	5	56	28	140	19	39	16	1	4	1	9	33	11	14

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	30199	14053	5484	3491	2119	1697	1430	1338	587
SPECIFIED CAUSES	29927	13945	5447	3464	2110	1636	1411	1333	581
I. Zymotic Class	7431	2976	1718	963	531	349	301	497	96
II. Diseases of Uncertain Seat	852	310	200	104	85	48	60	30	15
III. Tubercular Class	5315	2883	743	552	330	291	258	162	96
IV. Brain and Nervous System	2580	1121	547	569	202	142	132	112	55
V. Organs of Circulation	1433	508	363	192	124	89	46	64	47
VI. Respiratory Organs	5433	2971	745	681	321	251	212	172	80
VII. Organs of Digestion	1781	905	276	156	127	105	110	60	42
VIII. Urinary Organs	507	214	120	38	63	23	16	23	10
IX. Organs of Generation	194	84	38	15	18	11	14	12	2
X. Organs of Locomotion	185	77	46	16	20	7	11	6	2
XI. Skin, etc.	33	12	4	2	5	7	1	1	1
XII. Malformation	105	49	24	14	8	3	1	5	1
XIII. Premature Debility	1454	690	208	182	91	103	74	74	32
XIV. Atrophy	229	107	27	30	9	25	16	6	9
XV. Age	1218	411	227	149	114	79	117	55	66
XVI. Sudden Deaths	90	62	3	8	2	4	5	4	2
XVII. Violent Deaths	1087	565	158	93	60	99	37	50	25
I. Small Pox	1555	149	718	300	130	9	9	223	17
Measles	340	108	8	124	51	6	31	12	–
Scarlatina	928	362	343	8	67	43	12	87	6
Diphtheria	412	141	53	103	66	21	13	9	6
Hooping Cough	1568	1026	190	84	31	110	96	30	1
Croup	451	184	29	87	42	44	26	31	8
Thrush	15	6	1	2	5	–	–	–	1
Diarrhœa	690	335	88	109	44	37	31	26	20
Dysentery	50	15	8	12	1	7	2	2	3
Cholera	34	14	9	2	3	5	–	–	1
Influenza	22	14	3	3	2	–	–	–	–
Purpura	21	6	6	5	1	2	–	1	–
Ague	–	–	–	–	–	–	–	–	–
Worms	3	2	–	–	–	–	1	–	–
Typhus	413	182	101	19	16	23	37	19	16
Enteric Fever	400	198	63	48	28	19	13	24	7
Relapsing Fever	65	34	5	13	5	–	3	4	1
Simple Continued Fever	24	13	4	3	1	2	–	1	–
Infantile Remittent	53	23	8	5	7	–	9	–	1
Metria	90	38	17	10	7	4	8	3	3
Rheumatic Fever	43	13	10	3	5	5	3	4	–
Erysipelas	121	48	29	7	8	6	4	16	3
Pyæmia	17	5	7	2	–	–	1	2	–
Syphilis	108	56	18	11	11	6	1	3	2
Noma	8	4	–	3	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	30	13	3	3	5	3	1	1	1
Dropsy	186	80	20	29	12	14	25	4	2
Abscess	80	29	20	5	14	3	5	4	–
Ulcer	13	4	1	1	1	1	–	5	–
Fistula	8	1	2	3	–	–	–	1	1
Mortification	47	14	17	4	3	4	2	2	1
Cancer	485	168	136	59	49	23	27	13	10
Gout	3	1	1	–	1	–	–	–	–
III. Scrofula	327	196	46	27	24	19	6	3	6
Tabes Mesenterica	480	270	59	56	25	15	36	13	6
Phthisis	3593	1957	501	385	222	193	168	95	72
Hydrocephalus	915	460	137	84	59	64	48	51	12

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	312	165	67	19	16	22	6	10	7
Apoplexy	560	230	134	63	33	33	33	20	14
Paralysis	682	253	152	75	50	37	57	35	23
Delirium Tremens	32	13	6	4	4	2	1	1	1
Chorea	3	2	–	–	–	–	1	–	–
Epilepsy	90	32	25	6	10	5	8	3	1
Tetanus	12	6	3	2	–	1	–	–	–
Insanity	11	1	2	1	3	4	–	–	–
Convulsions	515	256	79	72	48	15	16	27	2
Brain Disease	363	163	79	27	38	23	10	16	7
V. Pericarditis	36	15	9	2	3	3	1	2	1
Aneurism	50	16	19	2	6	2	2	2	1
Heart Disease	1347	477	335	188	115	84	43	60	45
VI. Laryngitis	82	43	15	7	8	2	5	1	1
Bronchitis	3874	2135	488	505	232	181	161	119	53
Pleurisy	78	30	22	6	7	6	1	3	3
Pneumonia	1149	628	176	146	51	55	37	39	17
Asthma	112	48	17	14	13	5	6	3	6
Lung Disease	138	87	27	3	10	2	2	7	–
VII. Teething	366	194	34	31	30	34	26	8	9
Quinsey	20	3	3	4	3	3	2	1	1
Gastritis	66	37	11	5	5	3	4	1	–
Enteritis	305	187	35	20	8	21	25	7	2
Peritonitis	110	40	30	8	7	11	4	8	2
Ascites	30	12	1	8	3	1	4	–	1
Ulceration of Intestines	48	17	14	6	6	2	2	1	–
Hernia	42	22	7	5	1	1	1	3	2
Ileus	103	50	18	13	14	2	1	2	3
Intussusception	14	2	7	4	–	–	–	1	–
Stricture of Intestines	8	–	1	1	1	2	2	1	–
Stomach Disease	263	143	39	16	22	9	11	13	10
Pancreas Disease	2	–	–	1	1	–	–	–	–
Hepatitis	48	24	3	4	3	1	9	2	2
Jaundice	80	34	15	9	8	5	7	1	1
Liver Disease	261	133	57	17	14	9	11	11	9
Spleen Disease	15	7	1	4	1	1	1	–	–
VIII. Nephritis	46	29	7	3	1	1	1	4	–
Nephria	157	49	59	17	17	4	4	4	3
Addison's Disease	4	1	–	–	–	3	–	–	–
Ischuria	22	13	5	1	2	–	1	–	–
Diabetes	25	10	4	1	5	1	1	2	1
Stone	16	4	7	–	2	2	1	–	–
Cystitis	52	19	11	5	9	3	2	1	2
Stricture of Urethra	9	5	–	1	1	2	–	–	–
Kidney Disease	176	84	27	10	26	7	6	12	4
IX. Paramenia	6	2	1	1	1	–	–	–	1
Ovarian Dropsy	33	12	7	2	6	3	1	1	1
Childbirth	133	63	26	10	5	8	11	10	–
Organs of Generation	22	7	4	2	6	–	2	1	–
X. Bone Disease	57	16	22	6	6	1	3	1	2
Rheumatism	47	24	6	1	7	3	4	2	–
Joint Disease	81	37	18	9	7	3	4	3	–
XI. Carbuncle	5	2	2	–	–	1	–	–	–
Phlegmon	8	1	1	–	2	2	–	1	1
Skin Disease	20	9	1	2	3	4	1	–	–
XVII. Intemperance	84	44	12	15	3	8	1	–	1
Privation	1	–	–	–	1	–	–	–	–
Want of Breast Milk	44	24	9	2	1	3	2	3	–
Neglect	1	–	1	–	–	–	–	–	–
Cold	3	2	1	–	–	–	–	–	–
Poison	23	17	5	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	112	67	13	12	5	7	3	4	1
Hanging, etc.	14	8	2	–	3	–	–	–	1
Suffocation	71	26	8	14	8	7	5	3	–
Drowning	179	84	6	20	14	23	7	18	7
Fracture and Contusion	460	239	88	23	19	45	18	16	12
Gunshot Wounds	7	1	2	–	1	–	1	1	1
Cuts and Stabs	14	7	3	1	1	1	–	–	1
Other Violent Causes	74	46	8	6	4	4	–	5	1
Not Specified	272	108	37	27	9	61	19	5	6

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15192	7171	2710	1660	1040	862	727	715	307
SPECIFIED CAUSES	15043	7116	2693	1644	1033	826	712	715	304
I. Zymotic Class	3704	1483	845	474	262	177	141	267	55
II. Diseases of Uncertain Seat	333	117	84	37	29	17	27	15	7
III. Tubercular Class	2573	1407	385	231	161	129	122	86	52
IV. Brain and Nervous System	1377	606	266	151	110	82	76	62	24
V. Organs of Circulation	714	261	180	77	62	41	25	39	29
VI. Respiratory Organs	2780	1557	373	332	153	116	115	93	41
VII. Organs of Digestion	879	456	135	73	56	51	55	30	23
VIII. Urinary Organs	318	137	71	21	39	17	13	13	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	104	43	31	6	11	4	8	–	1
XI. Skin, etc.	14	7	2	–	2	2	–	–	1
XII. Malformation	60	28	17	5	6	2	1	1	–
XIII. Premature Debility	811	393	109	98	55	60	33	45	18
XIV. Atrophy	102	41	12	12	4	16	9	4	4
XV. Age	417	132	71	56	36	27	55	21	19
XVI. Sudden Deaths	49	32	3	3	2	2	4	2	1
XVII. Violent Deaths	808	416	109	68	45	83	28	37	22
I. Small Pox	828	84	371	157	68	3	6	130	9
Measles	177	64	5	62	24	4	13	5	–
Scarlatina	468	168	172	7	35	26	6	49	5
Diphtheria	209	79	29	48	30	14	4	2	3
Hooping Cough	709	475	78	44	12	45	40	15	–
Croup	249	110	16	44	21	24	15	14	5
Thrush	7	2	–	2	2	–	–	–	1
Diarrhœa	360	187	39	51	19	19	15	16	14
Dysentery	20	7	2	6	–	3	–	1	1
Cholera	21	9	6	1	3	2	–	–	–
Influenza	11	6	2	1	2	–	–	–	–
Purpura	8	2	2	2	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–
Worms	3	2	–	–	–	–	1	–	–
Typhus	216	91	55	7	7	14	23	11	8
Enteric Fever	203	107	27	21	12	11	8	13	4
Relapsing Fever	32	14	4	9	3	–	–	2	–
Simple Continued Fever	13	6	3	2	–	1	–	1	–
Infantile Remittent	25	9	3	3	5	–	4	–	1
Metria	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	4	4	1	4	5	2	1	–
Erysipelas	58	22	16	3	5	2	2	6	2
Pyæmia	8	2	3	1	–	–	1	1	–
Syphilis	55	30	8	2	9	3	1	–	2
Noma	3	3	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	8	1	3	1	1	1	–	1
Dropsy	73	33	8	10	5	5	10	2	–
Abscess	42	17	12	–	7	2	1	3	–
Ulcer	5	2	–	–	–	–	–	3	–
Fistula	4	–	–	3	–	–	–	1	–
Mortification	25	7	9	3	1	2	2	1	–
Cancer	165	49	53	18	14	7	13	5	6
Gout	3	1	1	–	1	–	–	–	–
III. Scrofula	182	105	26	14	15	11	6	2	3
Tabes Mesenterica	253	151	29	28	13	6	18	7	1
Phthisis	1641	902	255	144	102	76	74	49	39
Hydrocephalus	497	249	75	45	31	36	24	28	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	183	99	38	11	8	14	4	4	5
Apoplexy	283	118	63	28	18	21	21	9	5
Paralysis	318	116	60	42	25	19	29	19	8
Delirium Tremens	29	13	5	3	3	2	1	1	1
Chorea	–	–	–	–	–	–	–	–	–
Epilepsy	49	17	15	5	6	1	3	1	1
Tetanus	7	4	1	2	–	–	–	–	–
Insanity	5	–	1	–	3	1	–	–	–
Convulsions	300	141	48	47	28	7	12	17	–
Brain Disease	203	98	35	13	19	17	6	11	4
V. Pericarditis	24	10	5	1	2	3	–	2	1
Aneurism	42	14	15	2	6	2	1	1	1
Heart Disease	648	237	160	74	54	36	24	36	27
VI. Laryngitis	51	27	11	3	6	1	1	1	1
Bronchitis	1923	1086	238	241	103	79	87	63	26
Pleurisy	43	19	8	4	3	4	–	3	2
Pneumonia	635	357	98	71	28	31	22	18	10
Asthma	57	22	8	11	7	–	4	3	2
Lung Disease	71	46	10	2	6	1	1	5	–
VII. Teething	179	101	17	12	14	16	10	5	4
Quinsey	11	2	2	2	2	1	1	1	–
Gastritis	38	20	7	3	4	1	2	1	–
Enteritis	159	92	22	12	4	11	15	2	1
Peritonitis	58	21	13	5	6	7	2	3	1
Ascites	8	3	–	3	–	1	–	–	1
Ulceration of Intestines	25	12	4	4	1	1	2	1	–
Hernia	17	9	4	1	–	–	1	1	1
Ileus	49	28	11	5	2	–	–	1	2
Intussusception	5	–	2	3	–	–	–	–	–
Stricture of Intestines	7	–	1	1	1	1	2	1	–
Stomach Disease	125	67	22	5	9	3	7	8	4
Pancreas Disease	1	–	–	1	–	–	–	–	–
Hepatitis	22	11	–	1	–	1	6	1	2
Jaundice	37	16	5	5	5	3	2	–	1
Liver Disease	131	71	24	10	7	4	4	5	6
Spleen Disease	7	3	1	–	1	1	1	–	–
VIII. Nephritis	34	22	6	2	1	–	1	2	–
Nephria	85	32	29	9	8	1	3	3	–
Addison's Disease	3	1	–	–	–	2	–	–	–
Ischuria	19	12	3	1	2	–	1	–	–
Diabetes	13	4	1	–	4	1	1	1	1
Stone	16	4	7	–	2	2	1	–	–
Cystitis	43	15	10	3	7	3	2	1	2
Stricture of Urethra	9	5	–	1	1	2	–	–	–
Kidney Disease	96	42	15	5	14	6	4	6	4
IX. Paramenia	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–
X. Bone Disease	33	9	16	1	3	1	2	–	1
Rheumatism	22	9	4	1	4	1	3	–	–
Joint Disease	49	25	11	4	4	2	3	–	–
XI. Carbuncle	3	1	2	–	–	–	–	–	–
Phlegmon	3	1	–	–	1	–	–	–	1
Skin Disease	8	5	–	–	1	2	–	–	–
XVII. Intemperance	54	27	8	9	3	6	1	–	–
Privation	1	–	–	–	1	–	–	–	–
Want of Breast Milk	20	10	5	1	–	3	1	–	–
Neglect	1	–	1	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–
Poison	15	13	1	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	60	36	7	8	2	4	–	3	–
Hanging, etc.	10	5	2	–	2	–	–	–	1
Suffocation	41	15	2	11	5	2	4	2	–
Drowning	158	75	2	17	13	22	6	17	6
Fracture and Contusion	373	192	70	17	15	40	15	12	12
Gunshot Wounds	7	1	2	–	1	–	1	1	1
Cuts and Stabs	10	5	2	1	–	1	–	–	1
Other Violent Causes	58	37	7	4	3	4	–	2	1
Not Specified	149	55	17	16	7	36	15	–	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15007	6882	2774	1831	1079	835	703	623	280
SPECIFIED CAUSES	14884	6829	2754	1820	1077	810	699	618	277
I. Zymotic Class	3727	1493	873	489	269	172	160	230	41
II. Diseases of Uncertain Seat	519	193	116	67	56	31	33	15	8
III. Tubercular Class	2742	1476	358	321	169	162	136	76	44
IV. Brain and Nervous System	1203	515	281	118	92	60	56	50	31
V. Organs of Circulation	719	247	183	115	62	48	21	25	18
VI. Respiratory Organs	2653	1414	372	349	168	135	97	79	39
VII. Organs of Digestion	902	449	141	83	71	54	55	30	19
VIII. Urinary Organs	189	77	49	17	24	6	3	10	3
IX. Organs of Generation	194	84	38	15	18	11	14	12	2
X. Organs of Locomotion	81	34	15	10	9	3	3	6	1
XI. Skin, etc.	19	5	2	2	3	5	1	1	–
XII. Malformation	45	21	7	9	2	1	–	4	1
XIII. Premature Debility	643	297	99	84	36	43	41	29	14
XIV. Atrophy	127	66	15	18	5	9	7	2	5
XV. Age	801	297	156	93	78	52	62	34	47
XVI. Sudden Deaths	41	30	–	5	–	2	1	2	1
XVII. Violent Deaths	279	149	49	25	15	16	9	13	3
I. Small Pox	727	65	347	143	62	6	3	93	8
Measles	163	44	3	62	27	2	18	7	–
Scarlatina	460	194	171	1	32	17	6	38	1
Diphtheria	203	62	24	55	36	7	9	7	3
Hooping Cough	859	551	112	40	19	65	56	15	1
Croup	202	74	13	43	21	20	11	17	3
Thrush	8	4	1	–	3	–	–	–	–
Diarrhœa	330	148	49	58	25	18	16	10	6
Dysentery	30	8	6	6	1	4	2	1	2
Cholera	13	5	3	1	–	3	–	–	1
Influenza	11	8	1	2	–	–	–	–	–
Purpura	13	4	4	3	–	1	–	1	–
Ague	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–
Typhus	197	91	46	12	9	9	14	8	8
Enteric Fever	197	91	36	27	16	8	5	11	3
Relapsing Fever	33	20	1	4	2	–	3	2	1
Simple Continued Fever	11	7	1	1	1	1	–	–	–
Infantile Remittent	28	14	5	2	2	–	5	–	–
Metria	90	38	17	10	7	4	8	3	3
Rheumatic Fever	22	9	6	2	1	–	1	3	–
Erysipelas	63	26	13	4	3	4	2	10	1
Pyæmia	9	3	4	1	–	–	–	1	–
Syphilis	53	26	10	9	2	3	–	3	–
Noma	5	1	–	3	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	5	2	–	4	2	–	1	–
Dropsy	113	47	12	19	7	9	15	2	2
Abscess	38	12	8	5	7	1	4	1	–
Ulcer	8	2	1	1	1	1	–	2	–
Fistula	4	1	2	–	–	–	–	–	1
Mortification	22	7	8	1	2	2	–	1	1
Cancer	320	119	83	41	35	16	14	8	4
Gout	–	–	–	–	–	–	–	–	–
III. Scrofula	145	91	20	13	9	8	–	1	3
Tabes Mesenterica	227	119	30	28	12	9	18	6	5
Phthisis	1952	1055	246	241	120	117	94	46	33
Hydrocephalus	418	211	62	39	28	28	24	23	3

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	129	66	29	8	8	8	2	6	2
Apoplexy	277	112	71	35	15	12	12	11	9
Paralysis	364	137	92	33	25	18	28	16	15
Delirium Tremens	3	–	1	1	1	–	–	–	–
Chorea	3	2	–	–	–	–	1	–	–
Epilepsy	41	15	10	1	4	4	5	2	–
Tetanus	5	2	2	–	–	1	–	–	–
Insanity	6	1	1	1	–	3	–	–	–
Convulsions	215	115	31	25	20	8	4	10	2
Brain Disease	160	65	44	14	19	6	4	5	3
V. Pericarditis	12	5	4	1	1	–	1	–	–
Aneurism	8	2	4	–	–	–	1	1	–
Heart Disease	699	240	175	114	61	48	19	24	18
VI. Laryngitis	31	16	4	4	2	1	4	–	–
Bronchitis	1951	1049	250	264	129	102	74	56	27
Pleurisy	35	11	14	2	4	2	1	–	1
Pneumonia	514	271	78	75	23	24	15	21	7
Asthma	55	26	9	3	6	5	2	–	4
Lung Disease	67	41	17	1	4	1	1	2	–
VII. Teething	187	93	17	19	16	18	16	3	5
Quinsey	9	1	1	2	1	2	1	–	1
Gastritis	28	17	4	2	1	2	2	–	–
Enteritis	146	95	13	8	4	10	10	5	1
Peritonitis	52	19	17	3	1	4	2	5	1
Ascites	22	9	1	5	3	–	4	–	–
Ulceration of Intestines	23	5	10	2	5	1	–	–	–
Hernia	25	13	3	4	1	1	–	2	1
Ileus	54	22	7	8	12	2	1	1	1
Intussusception	9	2	5	1	–	–	–	1	–
Stricture of Intestines	1	–	–	–	–	1	–	–	–
Stomach Disease	138	76	17	11	13	6	4	5	6
Pancreas Disease	1	–	–	–	1	–	–	–	–
Hepatitis	26	13	3	3	3	–	3	1	–
Jaundice	43	18	10	4	3	2	5	1	–
Liver Disease	130	62	33	7	7	5	7	6	3
Spleen Disease	8	4	–	4	–	–	–	–	–
VIII. Nephritis	12	7	1	1	–	1	–	2	–
Nephria	72	17	30	8	9	3	1	1	3
Addison's Disease	1	–	–	–	–	1	–	–	–
Ischuria	3	1	2	–	–	–	–	–	–
Diabetes	12	6	3	1	1	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–
Cystitis	9	4	1	2	2	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–
Kidney Disease	80	42	12	5	12	1	2	6	–
IX. Paramenia	6	2	1	1	1	–	–	–	1
Ovarian Dropsy	33	12	7	2	6	3	1	1	1
Childbirth	133	63	26	10	5	8	11	10	–
Organs of Generation	22	7	4	2	6	–	2	1	–
X. Bone Disease	24	7	6	5	3	–	1	1	1
Rheumatism	25	15	2	–	3	2	1	2	–
Joint Disease	32	12	7	5	3	1	1	3	–
XI. Carbuncle	2	1	–	–	–	1	–	–	–
Phlegmon	5	–	1	–	1	2	–	1	–
Skin Disease	12	4	1	2	2	2	1	–	–
XVII. Intemperance	30	17	4	6	–	2	–	–	1
Privation	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	14	4	1	1	–	1	3	–
Neglect	–	–	–	–	–	–	–	–	–
Cold	3	2	1	–	–	–	–	–	–
Poison	8	4	4	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	52	31	6	4	3	3	3	1	1
Hanging, etc.	4	3	–	–	1	–	–	–	–
Suffocation	30	11	6	3	3	5	1	1	–
Drowning	21	9	4	3	1	1	1	1	1
Fracture and Contusion	87	47	18	6	4	5	3	4	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	2	1	–	1	–	–	–	–
Other Violent Causes	16	9	1	2	1	–	–	3	–
Not Specified	123	53	20	11	2	25	4	5	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	8603	465	428	254	304	311	310	297	332	532	571	1106	1641	464	348	470	252	518
SPECIFIED CAUSES	8399	461	421	252	299	307	306	284	324	522	568	1076	1606	442	338	464	248	481
I. Zymotic Class	1729	117	57	34	38	66	92	42	59	90	106	213	393	150	77	105	18	72
II. Uncertain Seat	223	15	13	15	11	13	6	10	12	19	10	27	29	7	2	14	11	9
III. Tubercular Class	1551	61	60	46	36	56	30	54	67	91	127	228	330	63	63	103	53	83
IV. Brain, etc.	842	39	57	16	53	33	27	29	37	49	50	93	181	31	22	41	37	47
V. Heart, etc.	437	20	34	18	25	16	14	30	20	30	37	53	56	16	8	17	20	23
VI. Respiratory Organs	1391	60	68	40	56	44	45	39	43	73	103	197	238	77	74	81	44	109
VII. Digestive Organs	540	30	33	14	16	16	19	27	39	38	35	45	108	15	22	37	15	40
VIII. Urinary Organs	113	11	6	6	8	5	6	4	2	10	8	7	17	4	4	6	3	6
IX. Generative Organs	53	2	3	1	1	4	2	4	3	1	2	6	15	2	2	–	–	5
X. Locomotive Organs	51	14	2	2	1	1	1	–	–	3	7	6	4	2	1	–	3	4
XI. Skin	9	–	2	–	–	2	–	–	–	1	1	1	1	–	–	1	–	–
XII. Malformation	25	–	3	–	–	–	–	1	–	1	–	5	7	2	3	1	2	–
XIII. Premature Debility	440	18	30	21	12	15	21	16	12	22	41	50	88	18	24	17	17	18
XIV. Atrophy	75	7	2	1	1	1	6	2	1	6	2	13	15	1	3	1	2	11
XV. Age	605	53	38	33	30	23	24	18	19	73	19	89	69	24	27	14	12	40
XVI. Sudden Deaths	20	–	1	–	–	3	3	–	–	–	–	3	5	–	–	3	–	2
XVII. Violent Deaths	295	14	12	5	11	9	10	8	19	15	20	40	50	30	6	23	11	12
I. Small Pox	116	14	11	6	8	1	35	2	–	1	3	16	10	8	1	–	–	–
Measles	128	–	1	1	1	–	–	1	8	36	8	6	8	24	12	19	–	3
Scarlatina	244	31	–	–	6	1	5	1	2	1	1	22	111	45	14	2	1	1
Diphtheria	105	10	4	2	–	4	8	1	6	7	7	7	32	4	6	2	3	2
Hooping Cough	362	10	11	1	–	20	9	11	19	17	30	66	81	19	12	39	–	17
Croup	136	9	11	6	4	8	9	5	8	5	11	10	22	5	7	7	3	6
Thrush	6	–	–	–	–	1	–	–	–	–	–	1	3	–	–	–	–	1
Diarrhœa	209	13	7	5	7	11	12	10	7	8	12	19	41	13	10	14	4	16
Dysentery	21	1	2	–	–	1	4	2	–	–	1	–	3	5	–	–	–	2
Cholera	6	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–	–	–
Influenza	8	–	–	1	–	–	2	–	2	–	–	2	–	–	1	–	–	–
Purpura	7	–	–	–	–	–	–	1	–	–	–	4	1	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	87	1	1	3	3	1	2	5	4	3	8	17	21	3	7	1	5	2
Enteric Fever	130	21	6	1	5	7	2	2	1	7	13	6	18	17	–	11	–	13
Relapsing Fever	20	–	–	–	–	–	–	–	–	1	–	6	5	1	–	7	–	–
Simple Cont. Fever	4	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1
Infantile Remittent	11	–	–	–	–	–	1	–	–	–	3	2	4	–	–	1	–	–
Metria	31	1	1	2	1	7	–	–	–	–	1	5	7	1	1	–	–	4
Rheumatic Fever	21	1	–	–	1	1	2	–	1	1	–	2	7	1	2	–	–	2
Erysipelas	36	3	1	1	1	–	1	–	1	3	1	10	5	3	2	1	2	1
Pyæmia	12	–	–	1	–	3	–	–	–	–	–	4	3	1	–	–	–	–
Syphilis	28	2	–	4	1	–	–	1	–	–	1	6	10	–	2	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	–	2	–	–	–	1	1	–	–	3	–	–	–	–	–
Dropsy	60	5	6	–	1	4	1	4	8	2	1	9	8	1	1	7	1	1
Abscess	11	–	–	1	–	–	1	–	–	2	–	2	1	–	1	2	1	–
Ulcer	3	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	–	–	2	–	–	–	–	1	–	–	–	2	2	–	–	2	–
Cancer	129	10	7	12	8	9	3	6	2	12	9	15	15	4	–	4	6	7
Gout	4	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1
III. Scrofula	87	4	–	3	2	5	–	8	2	13	2	15	16	4	6	3	1	3
Tabes Mesenterica	150	2	3	2	–	2	1	8	7	16	11	23	26	6	7	18	9	9
Phthisis	982	51	43	28	28	37	23	30	34	50	93	151	208	34	37	52	30	53
Hydrocephalus	332	4	14	13	6	12	6	8	24	12	21	39	80	19	13	30	13	18

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

	DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV.	Cephalitis	78	2	4	1	3	3	7	2	2	6	1	11	24	2	1	3	5	1
	Apoplexy	186	8	18	8	15	8	5	2	10	9	8	22	30	6	4	12	7	14
	Paralysis	244	13	19	4	16	9	12	14	9	22	16	27	40	7	6	10	8	12
	Delirium Tremens	3	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Epilepsy	34	4	2	–	2	–	1	–	–	1	1	5	9	1	–	2	1	5
	Tetanus	11	–	1	–	1	–	–	2	–	1	2	1	2	–	–	–	–	1
	Insanity	3	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	Convulsions	143	6	6	1	2	8	1	1	15	3	12	13	41	4	6	8	10	6
	Brain Disease	139	5	7	1	13	4	1	8	1	7	10	14	33	10	5	6	6	8
V.	Pericarditis	6	–	–	1	–	1	–	–	–	1	–	–	1	–	–	2	–	–
	Aneurism	8	–	1	2	–	–	1	–	1	–	1	–	–	–	–	–	2	–
	Heart Disease	423	20	33	15	25	15	13	30	19	29	36	53	55	16	8	15	18	23
VI.	Laryngitis	13	2	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–	4
	Bronchitis	974	39	55	26	46	34	32	24	31	57	76	135	132	64	58	53	29	83
	Pleurisy	19	–	–	1	3	2	2	–	–	–	1	4	3	–	–	2	–	1
	Pneumonia	307	12	9	11	6	4	9	9	9	9	13	49	95	9	8	23	13	19
	Asthma	47	4	4	1	–	3	2	5	–	7	4	4	3	2	3	2	1	2
	Lung Disease	31	3	–	1	1	1	–	1	3	–	9	3	3	1	3	1	1	–
VII.	Teething	76	4	6	3	–	2	6	6	2	6	6	6	16	–	3	4	1	5
	Quinsey	4	–	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–
	Gastritis	31	–	–	–	–	1	2	–	2	2	2	3	2	1	6	6	–	4
	Enteritis	89	6	4	–	1	2	2	3	3	9	10	8	23	1	2	7	2	6
	Peritonitis	38	3	9	2	2	–	2	1	1	3	1	3	3	2	1	2	1	2
	Ascites	11	–	–	–	–	–	–	3	–	4	–	–	2	–	–	–	2	–
	Ulcer. of Intestines	34	–	4	2	–	3	–	1	2	1	4	1	6	1	1	2	1	5
	Hernia	11	1	1	–	1	–	–	1	1	–	1	–	3	–	–	1	1	–
	Ileus	19	1	–	1	3	2	–	1	–	1	1	–	4	4	–	1	–	–
	Intussusception	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Strict. of Intestines	6	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	2
	Stomach Disease	90	6	5	2	2	4	4	3	7	3	4	5	19	1	1	8	2	14
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	14	–	1	–	1	–	–	1	–	–	1	1	6	–	–	1	2	–
	Jaundice	17	–	–	–	1	–	–	1	1	–	–	3	6	–	2	1	1	1
	Liver Disease	93	9	2	3	4	2	1	5	10	9	4	11	18	4	5	3	2	1
	Spleen Disease	5	–	–	1	1	–	1	–	–	–	–	1	–	–	–	1	–	–
VIII.	Nephritis	13	1	1	–	1	–	1	1	–	1	–	–	3	1	–	1	–	2
	Nephria	28	2	1	2	2	–	2	–	1	5	–	–	7	2	1	–	1	2
	Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Ischuria	8	4	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
	Diabetes	7	–	–	1	1	1	–	–	–	–	1	1	1	–	–	1	–	–
	Stone	6	1	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–
	Cystitis	22	–	–	2	2	1	3	–	–	–	3	–	3	1	1	3	1	2
	Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Kidney Disease	28	3	4	1	2	3	–	3	1	2	3	1	2	–	1	1	1	–
IX.	Paramenia	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	Ovarian Dropsy	7	–	–	–	1	–	–	2	–	–	–	1	2	–	–	–	–	1
	Childbirth	36	1	2	–	–	3	2	2	2	–	2	5	10	2	2	–	–	3
	Organs of Generation	7	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	1
X.	Bone Disease	17	5	–	1	1	–	1	–	–	–	–	3	–	–	1	–	3	2
	Rheumatism	18	7	–	1	–	1	–	–	–	3	–	1	3	2	–	–	–	–
	Joint Disease	16	2	2	–	–	–	–	–	–	–	7	2	1	–	–	–	–	2
XI.	Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	Skin Disease	7	–	2	–	–	1	–	–	–	1	1	1	–	–	–	1	–	–
XVII.	Intemperance	15	1	2	–	–	1	1	–	1	1	–	1	2	2	–	–	3	–
	Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	11	–	–	–	–	–	–	1	–	–	–	–	1	8	–	1	–	–
	Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	Poison	11	–	1	–	–	1	–	–	2	2	1	1	3	–	–	–	–	–
	Poisoned Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Burns and Scalds	24	1	1	1	1	1	1	1	2	1	4	1	5	–	1	1	2	–
	Hanging, etc.	6	1	–	–	–	1	1	–	–	–	–	–	1	–	1	–	1	–
	Suffocation	7	–	–	–	–	–	2	–	1	–	2	–	2	–	–	–	–	–
	Drowning	67	4	–	–	2	–	3	1	4	4	2	18	10	4	–	8	–	7
	Fracture & Contusion	132	7	8	2	5	5	2	5	5	4	10	16	23	15	4	13	3	5
	Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cuts and Stabs	6	–	–	1	2	–	–	–	–	1	–	1	1	–	–	–	–	–
	Other Violent Causes	13	–	–	1	1	–	–	–	4	1	1	2	1	–	–	–	2	–
	Not Specified.	204	4	7	2	5	4	4	13	8	10	3	30	35	22	10	6	4	37

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4363	227	203	127	143	158	156	151	188	276	291	556	830	234	175	253	122	273
SPECIFIED CAUSES	4252	226	201	126	139	156	155	143	182	269	290	541	808	219	171	249	120	257
I. Zymotic Class	842	57	32	21	17	35	43	26	30	41	48	105	197	72	39	40	7	32
II. Uncertain Seat	89	6	3	6	5	2	3	2	7	11	1	7	13	4	–	9	5	5
III. Tubercular Class	760	37	34	18	10	28	15	26	34	50	60	113	161	31	23	52	28	40
VI. Brain, etc.	473	19	29	11	32	20	19	18	23	25	25	49	103	18	9	24	18	31
V. Heart, etc.	211	9	12	7	9	11	2	15	9	18	23	28	27	6	5	11	7	12
VI. Respiratory Organs	759	28	26	23	30	20	28	22	26	34	65	119	128	34	41	52	26	57
VII. Digestive Organs	263	15	13	5	7	9	8	11	18	20	16	25	48	5	14	21	5	23
VIII. Urinary Organs	75	10	4	4	4	3	5	–	2	6	5	6	8	4	3	5	2	4
IX. Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs	25	7	1	1	1	–	–	–	–	1	3	3	2	–	1	–	2	3
XI. Skin	4	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–
XII. Malformation	17	–	3	–	–	–	–	1	–	–	–	2	3	2	3	1	2	–
XIII. Premature Debility	252	8	18	11	6	14	15	9	8	16	22	21	49	9	14	8	8	16
XIV. Atrophy	29	3	–	–	–	–	3	–	1	2	1	2	8	1	2	1	–	5
XV. Age	217	16	18	15	10	8	5	6	7	33	6	24	23	10	11	2	5	18
XVI. Sudden Deaths	10	–	1	–	–	2	–	–	–	–	–	1	4	–	–	2	–	–
XVII. Violent Deaths	226	11	7	4	8	3	9	7	17	12	14	35	34	23	6	20	5	11
I. Small Pox	68	10	8	4	4	–	21	1	–	–	1	9	6	4	–	–	–	–
Measles	57	–	–	1	1	–	–	–	3	15	4	4	3	12	7	5	–	2
Scarlatina	138	14	–	–	4	1	4	–	1	1	–	17	59	23	11	2	–	1
Diphtheria	52	5	–	2	–	2	5	1	2	3	2	4	17	4	3	–	1	1
Hooping Cough	158	5	7	–	–	13	2	3	11	6	13	24	38	9	4	17	–	6
Croup	75	6	8	3	2	6	5	4	5	4	4	4	11	2	3	2	2	4
Thrush	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diarrhœa	106	6	4	4	2	6	4	6	4	4	6	14	22	5	5	6	2	6
Dysentery	8	–	1	–	–	–	1	2	–	–	1	–	1	–	–	–	–	2
Cholera	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Influenza	4	–	–	1	–	–	–	–	1	–	–	1	–	–	1	–	–	–
Purpura	4	–	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	1	2	–	–	5	1	1	5	12	11	1	1	–	–	1
Enteric Fever	66	8	2	–	2	5	–	2	–	5	6	3	12	8	–	5	–	8
Relapsing Fever	8	–	–	–	–	–	–	–	–	1	–	2	2	1	–	2	–	–
Simple Cont. Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	–	–	–	–	–	1	–	–	–	2	–	3	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	1	–	–	–	–	–	–	1	–	–	–	3	1	1	–	–	–
Erysipelas	17	1	1	–	–	–	–	–	1	1	1	3	3	1	1	1	2	1
Pyæmia	5	–	–	1	–	2	–	–	–	–	–	1	–	1	–	–	–	–
Syphilis	17	1	–	4	–	–	–	1	–	–	–	4	5	–	2	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	1	–	–	–	1	–	–	–	3	–	–	–	–	–
Dropsy	22	–	2	–	1	2	–	–	6	2	–	–	4	–	–	5	–	–
Abscess	5	–	–	1	–	–	1	–	–	1	–	1	–	–	–	1	–	–
Ulcer	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	2	–
Cancer	45	6	1	4	3	–	1	2	–	6	1	6	4	3	–	2	2	4
Gout	4	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	1
III. Scrofula	53	3	–	1	–	3	–	5	1	11	1	9	10	2	4	2	–	1
Tabes Mesenterica	87	1	1	1	–	2	–	6	3	8	6	14	15	4	3	10	6	7
Phthisis	451	30	23	10	7	18	14	11	20	23	45	68	90	17	13	25	13	24
Hydrocephalus	169	3	10	6	3	5	1	4	10	8	8	22	46	8	3	15	9	8

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	48	1	2	1	1	1	5	2	–	5	–	8	14	1	1	2	3	1
Apoplexy	100	3	8	4	8	6	4	–	7	4	3	11	16	3	2	6	4	11
Paralysis	120	6	7	3	8	5	8	9	3	11	8	11	22	4	1	6	2	6
Delirium Tremens	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	3	2	–	2	–	1	–	–	–	–	3	4	–	–	1	–	2
Tetanus	7	–	1	–	1	–	–	1	–	1	1	1	1	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	91	2	5	1	2	5	1	1	12	–	6	7	26	2	4	6	6	5
Brain Disease	86	3	4	1	10	2	–	5	1	4	7	8	20	8	1	3	3	6
V. Pericarditis	4	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1	–	–
Aneurism	6	–	1	2	–	–	–	–	1	–	1	–	–	–	–	–	1	–
Heart Disease	201	9	11	4	9	10	2	15	8	17	22	28	27	6	5	10	6	12
VI. Laryngitis	7	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	3
Bronchitis	515	19	19	15	24	15	17	12	17	24	44	86	76	27	30	36	15	39
Pleurisy	13	–	–	–	3	2	2	–	–	–	1	2	1	–	–	2	–	–
Pneumonia	181	8	5	8	3	2	8	7	7	6	8	27	48	6	4	11	9	14
Asthma	25	–	2	–	–	–	1	2	–	4	4	3	2	1	2	2	1	1
Lung Disease	18	–	–	–	–	1	–	1	2	–	8	–	1	–	3	1	1	–
VII. Teething	36	1	2	2	–	1	2	4	1	4	3	4	6	–	–	4	–	2
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	19	–	–	–	–	–	–	–	2	–	1	2	1	1	5	4	–	3
Enteritis	50	3	3	–	1	1	1	–	2	5	6	5	14	–	2	4	–	3
Peritonitis	14	–	3	2	–	–	1	–	1	1	–	1	1	1	1	1	–	1
Ascites	3	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Ulcer. of Intestines	21	–	3	1	–	2	–	1	1	1	1	–	6	–	1	–	–	4
Hernia	7	1	1	–	1	–	–	1	–	–	–	–	2	–	–	–	1	–
Ileus	6	–	–	–	1	1	–	1	–	–	1	–	–	2	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	35	2	1	–	1	3	4	1	3	1	2	1	5	–	–	4	–	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	2	–
Jaundice	10	–	–	–	1	–	–	–	–	–	–	2	2	–	2	1	1	1
Liver Disease	51	8	–	–	2	1	–	3	7	5	2	8	7	1	3	2	1	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
VIII. Nephritis	7	1	–	–	1	–	1	–	–	–	–	–	2	1	–	–	–	1
Nephria	16	2	1	1	–	–	2	–	1	3	–	–	–	2	1	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	3	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–
Diabetes	5	–	–	–	1	1	–	–	–	–	–	1	1	–	–	1	–	–
Stone	6	1	–	–	–	–	–	–	–	–	1	3	–	–	1	–	–	–
Cystitis	18	–	–	2	1	1	2	–	–	–	2	–	3	1	1	3	1	1
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	15	3	3	1	1	1	–	–	1	1	2	–	1	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	11	4	–	–	1	–	–	–	–	–	–	1	–	–	1	–	2	2
Rheumatism	6	2	–	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Joint Disease	8	1	1	–	–	–	–	–	–	–	3	1	1	–	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	–	–	–	1	–	–	–	–	1	1	–	–	–	1	–	–
XVII. Intemperance	10	1	2	–	–	–	1	–	1	1	–	1	–	1	–	–	2	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	–	–	–	–	–	–	1	–	–	–	–	1	5	–	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	13	1	–	–	1	–	1	1	1	–	2	1	2	–	1	1	1	–
Hanging, etc.	4	1	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
Suffocation	4	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–
Drowning	63	4	–	–	2	–	3	1	3	4	2	18	8	4	–	8	–	6
Fracture & Contusion	103	4	5	2	2	3	2	4	5	3	8	13	19	13	4	10	1	5
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	6	–	–	1	2	–	–	–	–	1	–	1	1	–	–	–	–	–
Other Violent Causes	10	–	–	1	1	–	–	–	4	1	1	1	–	–	–	–	1	–
Not Specified	111	1	2	1	4	2	1	8	6	7	1	15	22	15	4	4	2	16

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4240	238	225	127	161	153	154	146	144	256	280	550	811	230	173	217	130	245
SPECIFIED CAUSES	4147	235	220	126	160	151	151	141	142	253	278	535	798	223	167	215	128	224
I. Zymotic Class	887	60	25	13	21	31	49	16	29	49	58	108	196	78	38	65	11	40
II. Uncertain Seat	134	9	10	9	6	11	3	8	5	8	9	20	16	3	2	5	6	4
III. Tubercular Class	791	24	26	28	26	28	15	28	33	41	67	115	169	32	40	51	25	43
IV. Brain, etc.	369	20	28	5	21	13	8	11	14	24	25	44	78	13	13	17	19	16
V. Heart, etc.	226	11	22	11	16	5	12	15	11	12	14	25	29	10	3	6	13	11
VI. Respiratory Organs	632	32	42	17	26	24	17	17	17	39	38	78	110	43	33	29	18	52
VII. Digestive Organs	277	15	20	9	9	7	11	16	12	18	19	20	60	10	8	16	10	17
VIII. Urinary Organs	38	1	2	2	4	2	1	4	–	4	3	1	9	–	1	1	1	2
IX. Generative Organs	53	2	3	1	1	4	2	4	3	1	2	6	15	2	2	–	–	5
X. Locomotive Organs	26	7	1	1	–	1	1	–	–	2	4	3	2	2	–	–	1	1
XI. Skin	5	–	2	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
XII. Malformation	8	–	–	–	–	–	–	–	–	1	–	3	4	–	–	–	–	–
XIII. Premature Debility	188	10	12	10	6	1	6	7	4	6	19	29	39	9	10	9	9	2
XIV. Atrophy	46	4	2	1	1	1	3	2	–	4	1	11	7	–	1	–	2	6
XV. Age	388	37	20	18	20	15	19	12	12	40	13	65	46	14	16	12	7	22
XVI. Sudden Deaths	10	–	–	–	–	1	3	–	–	–	–	2	1	–	–	1	–	2
XVII. Violent Deaths	69	3	5	1	3	6	1	1	2	3	6	5	16	7	–	3	6	1
I. Small Pox	48	4	3	2	4	1	14	1	–	1	2	7	4	4	1	–	–	–
Measles	71	–	1	–	–	–	–	1	5	21	4	2	5	12	5	14	–	1
Scarlatina	106	17	–	–	2	–	1	1	1	–	1	5	52	22	3	–	1	–
Diphtheria	53	5	4	–	–	2	3	–	4	4	5	3	15	–	3	2	2	1
Hooping Cough	204	5	4	1	–	7	7	8	8	11	17	42	43	10	8	22	–	11
Croup	61	3	3	3	2	2	4	1	3	1	7	6	11	3	4	5	1	2
Thrush	5	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	1
Diarrhœa	103	7	3	1	5	5	8	4	3	4	6	5	19	8	5	8	2	10
Dysentery	13	1	1	–	–	1	3	–	–	–	–	–	2	5	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	46	1	1	2	1	1	2	–	3	2	3	5	10	2	6	1	5	1
Enteric Fever	64	13	4	1	3	2	2	–	1	2	7	3	6	9	–	6	–	5
Relapsing Fever	12	–	–	–	–	–	–	–	–	–	–	4	3	–	–	5	–	–
Simple Cont. Fever	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1
Infantile Remittent	5	–	–	–	–	–	–	–	–	–	1	2	1	–	–	1	–	–
Metria	31	1	1	2	1	7	–	–	–	–	1	5	7	1	1	–	–	4
Rheumatic Fever	14	–	–	–	1	1	2	–	–	1	–	2	4	–	1	–	–	2
Erysipelas	19	2	–	1	1	–	1	–	–	2	–	7	2	2	1	–	–	–
Pyæmia	7	–	–	–	–	1	–	–	–	–	–	3	3	–	–	–	–	–
Syphilis	11	1	–	–	1	–	–	–	–	–	1	2	5	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	38	5	4	–	–	2	1	4	2	–	1	9	4	1	1	2	1	1
Abscess	6	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Cancer	84	4	6	8	5	9	2	4	2	6	8	9	11	1	–	2	4	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	34	1	–	2	2	2	–	3	1	2	1	6	6	2	2	1	1	2
Tabes Mesenterica	63	1	2	1	–	–	1	2	4	8	5	9	11	2	4	8	3	2
Phthisis	531	21	20	18	21	19	9	19	14	27	48	83	118	17	24	27	17	29
Hydrocephalus	163	1	4	7	3	7	5	4	14	4	13	17	34	11	10	15	4	10

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton	Ayr.	Kilmarnock	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	30	1	2	–	2	2	2	–	2	1	1	3	10	1	–	1	2	–
Apoplexy	86	5	10	4	7	2	1	2	3	5	5	11	14	3	2	6	3	3
Paralysis	124	7	12	1	8	4	4	5	6	11	8	16	18	3	5	4	6	6
Delirium Tremens	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	16	1	–	–	–	–	–	–	–	1	1	2	5	1	–	1	1	3
Tetanus	4	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Convulsions	52	4	1	–	–	3	–	–	3	3	6	6	15	2	2	2	4	1
Brain Disease	53	2	3	–	3	2	1	3	–	3	3	6	13	2	4	3	3	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Aneurism	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	222	11	22	11	16	5	11	15	11	12	14	25	28	10	3	5	12	11
VI. Laryngitis	6	1	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	1
Bronchitis	459	20	36	11	22	19	15	12	14	33	32	49	56	37	28	17	14	44
Pleurisy	6	–	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–	1
Pneumonia	126	4	4	3	3	2	1	2	2	3	5	22	47	3	4	12	4	5
Asthma	22	4	2	1	–	3	1	3	–	3	–	1	1	1	1	–	–	1
Lung Disease	13	3	–	1	1	–	–	–	1	–	1	3	2	1	–	–	–	–
VII. Teething	40	3	4	1	–	1	4	2	1	2	3	2	10	–	3	–	1	3
Quinsey	3	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–
Gastritis	12	–	–	–	–	1	2	–	–	2	1	1	1	–	1	2	–	1
Enteritis	39	3	1	–	–	1	1	3	1	4	4	3	9	1	–	3	2	3
Peritonitis	24	3	6	–	2	–	1	1	–	2	1	2	2	1	–	1	1	1
Ascites	8	–	–	–	–	–	–	3	–	1	–	–	2	–	–	–	2	–
Ulcer. of Intestines	13	–	1	1	–	1	–	–	1	–	3	1	–	1	–	2	1	1
Hernia	4	–	–	–	–	–	–	–	1	–	1	–	1	–	–	1	–	–
Ileus	13	1	–	1	2	1	–	–	–	1	–	–	4	2	–	1	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	1
Stomach Disease	55	4	4	2	1	1	–	2	4	2	2	4	14	1	1	4	2	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	1	–	1	–	–	1	–	–	1	1	2	–	–	1	–	–
Jaundice	7	–	–	–	–	–	–	1	1	–	–	1	4	–	–	–	–	–
Liver Disease	42	1	2	3	2	1	1	2	3	4	2	3	11	3	2	1	1	–
Spleen Disease	3	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	1	–	–	–	–	1	–	1	–	–	1	–	–	1	–	1
Nephria	12	–	–	1	2	–	–	–	–	2	–	–	7	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	1	–	1	2	–	3	–	1	1	1	1	–	1	–	1	–
IX. Paramenia	3	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
Ovarian Dropsy	7	–	–	–	1	–	–	2	–	–	–	1	2	–	–	–	–	1
Childbirth	36	1	2	–	–	3	2	2	2	–	2	5	10	2	2	–	–	3
Organs of Generation	7	1	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	1
X. Bone Disease	6	1	–	1	–	–	1	–	–	–	–	2	–	–	–	–	1	–
Rheumatism	12	5	–	–	–	1	–	–	–	2	–	–	2	2	–	–	–	–
Joint Disease	8	1	1	–	–	–	–	–	–	–	4	1	–	–	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Skin Disease	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	1	–	–	–	–	–	–	2	1	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Poison	7	–	1	–	–	1	–	–	–	1	1	1	2	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	1	1	–	1	–	–	1	1	2	–	3	–	–	–	1	–
Hanging, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	3	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	1
Fracture & Contusion	29	3	3	–	3	2	–	1	–	1	2	3	4	2	–	3	2	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
Not Specified	93	3	5	1	1	2	3	5	2	3	2	15	13	7	6	2	2	21

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	16815	74	65	357	209	82	337	421	662	119	626	477	1140	337	1155
SPECIFIED CAUSES . . .	16339	72	59	343	193	80	327	404	625	119	615	465	1102	322	1117
I. Zymotic Class . .	3470	22	13	79	53	7	49	101	158	23	142	90	225	45	284
II. Diseases of Uncert. Seat	600	2	5	11	6	3	20	29	28	7	18	20	47	20	48
III. Tubercular Class .	2991	14	7	58	21	11	41	53	85	13	89	91	160	69	183
IV. Brain and Nervous Syst.	1495	3	5	40	24	17	53	37	57	18	63	56	97	24	86
V. Organs of Circulation .	919	1	2	22	8	4	20	15	41	7	46	35	87	9	50
VI. Respiratory Organs .	2282	2	8	48	25	7	44	60	66	8	90	56	139	54	167
VII. Organs of Digestion .	1075	3	2	15	9	8	24	40	40	9	33	22	61	21	74
VIII. Urinary Organs . .	247	3	–	13	3	1	8	11	7	3	5	13	19	6	8
IX. Organs of Generation .	129	–	1	3	3	1	1	9	3	1	7	2	10	2	8
X. Organs of Locomotion	92	–	1	1	1	–	1	3	6	–	1	1	10	2	8
XI. Skin, etc. . . .	30	–	–	–	–	–	–	1	5	2	1	–	1	–	2
XII. Malformation . .	74	1	–	–	–	–	3	1	–	–	4	3	8	–	1
XIII. Premature Debility .	922	1	1	15	6	5	18	17	33	–	39	16	62	22	59
XIV. Atrophy . . .	112	3	–	5	3	–	3	1	5	–	5	1	7	1	10
XV. Age	1333	14	12	24	27	15	31	21	69	22	57	42	117	40	97
XVI. Sudden Deaths . .	32	–	–	–	–	1	–	1	1	–	1	4	5	1	3
XVII. Violent Deaths . .	536	3	2	9	4	–	11	4	21	6	14	13	47	6	29
I. Small Pox . . .	365	10	–	–	11	–	1	3	8	–	27	30	50	12	20
Measles . . .	270	–	–	–	–	–	–	17	45	–	11	1	5	–	21
Scarlatina . . .	481	8	3	12	12	1	–	10	7	–	17	8	24	–	29
Diphtheria . . .	259	–	3	17	2	–	16	15	7	5	2	3	19	13	32
Hooping Cough . .	536	–	–	–	4	–	6	22	26	–	12	17	38	9	75
Croup	318	–	1	8	7	2	16	7	15	3	3	7	25	4	34
Thrush	9	–	–	–	2	–	–	–	–	–	2	–	2	–	–
Diarrhœa . . .	350	–	4	13	2	1	3	5	18	–	18	9	15	1	13
Dysentery . . .	64	–	1	–	–	–	–	1	4	–	5	2	2	–	3
Cholera	24	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Influenza . . .	23	–	–	1	–	–	–	–	2	–	4	1	–	–	2
Purpura	8	–	–	–	–	–	–	1	1	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	161	2	1	12	10	–	2	2	4	4	8	2	9	4	16
Enteric Fever . .	329	–	–	6	–	2	1	12	7	8	20	9	16	1	21
Relapsing Fever . .	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	29	–	–	2	–	–	1	–	1	–	1	–	1	–	2
Infantile Remittent .	31	–	–	1	–	–	–	2	3	–	–	–	4	–	4
Metria	53	2	–	2	1	–	–	3	3	1	5	–	6	1	4
Rheumatic Fever .	40	–	–	1	1	1	1	1	–	1	2	–	1	–	1
Erysipelas . . .	51	–	–	1	1	–	2	–	3	1	1	1	4	–	–
Pyæmia	11	–	–	1	–	–	–	–	–	–	1	–	2	–	1
Syphilis	42	–	–	2	–	–	–	–	4	–	1	–	–	–	5
Noma	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	16	–	–	–	1	–	–	1	1	–	–	–	–	–	2
Dropsy	139	–	1	2	4	–	2	2	6	1	3	3	10	12	22
Abscess	36	–	–	–	–	–	1	5	3	2	1	3	1	–	–
Ulcer	13	–	–	–	–	–	–	1	–	–	–	–	3	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	32	–	–	–	–	–	–	1	3	–	–	1	2	1	2
Cancer	360	2	4	9	1	3	17	19	15	4	14	13	31	7	22
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	189	–	–	2	2	–	–	7	8	–	2	7	9	–	6
Tabes Mesenterica .	244	–	–	–	–	1	2	1	3	–	5	2	13	1	18
Phthisis . . .	2097	9	7	54	18	8	34	41	63	12	64	71	120	52	122
Hydrocephalus . .	461	5	–	2	1	2	5	4	11	1	18	11	18	16	37

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	838	370	226	1441	2221	2534	595	837	385	110	58	366	179	186	185	223
SPECIFIED CAUSES	819	329	223	1398	2199	2490	568	815	373	110	57	363	178	181	181	212
Zymotic Class	192	43	32	286	418	523	159	219	110	14	8	84	15	21	23	32
Uncertain Seat	28	15	11	40	79	69	14	28	10	5	2	9	5	6	10	5
Tubercular Class	166	58	65	322	461	511	79	105	47	17	15	84	38	53	39	36
Brain, etc.	75	37	28	109	205	167	61	62	30	16	5	27	24	18	18	33
Heart, etc.	60	21	19	71	128	84	23	46	27	13	6	20	12	10	20	12
Respiratory Organs	93	55	25	239	300	378	98	106	37	10	8	41	26	27	19	46
Digestive Organs	45	17	14	88	164	199	28	52	18	8	4	26	17	13	8	13
Urinary Organs	12	10	4	21	21	38	9	10	3	2	1	4	2	1	4	5
Generative Organs	8	3	3	6	19	19	1	7	3	–	–	3	3	1	1	1
Locomotive Organs	3	4	2	7	13	13	2	4	–	–	–	4	1	1	1	2
Skin	1	1	–	3	4	5	1	–	1	–	–	2	–	–	–	–
Malformation	2	1	1	10	13	10	2	5	1	1	–	2	–	2	2	1
Premature Debility	40	9	5	72	124	176	36	76	27	9	1	24	5	9	6	8
Atrophy	4	1	–	8	7	22	2	8	8	2	–	2	1	1	2	–
Age	65	45	11	71	169	148	35	65	42	4	5	17	23	10	20	15
Sudden Deaths	2	–	–	5	–	6	2	–	–	–	–	–	–	–	–	–
Violent Deaths	23	9	3	40	74	122	16	21	9	9	2	14	6	8	8	3
Small Pox	2	1	–	–	37	27	8	51	49	–	1	13	–	4	–	–
Measles	12	1	–	36	10	98	–	6	–	–	1	1	–	–	1	4
Scarlatina	50	3	1	41	21	94	70	38	9	1	1	13	1	1	1	5
Diphtheria	20	5	–	24	27	16	8	11	7	1	1	4	–	–	–	1
Hooping Cough	24	9	5	67	83	67	12	32	7	–	–	10	–	4	–	7
Croup	16	6	6	26	37	44	12	19	2	3	–	8	3	1	1	2
Thrush	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Diarrhœa	26	7	–	26	55	56	14	25	5	2	1	12	5	6	2	6
Dysentery	6	–	2	4	14	14	–	1	2	1	–	–	1	–	1	–
Cholera	3	–	–	4	6	5	1	1	–	1	–	–	1	–	–	–
Influenza	–	–	1	2	4	3	–	2	–	–	–	–	–	–	1	–
Purpura	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	5	15	11	28	4	4	9	–	–	–	–	–	–	2
Enteric Fever	17	2	3	21	62	38	18	14	14	3	2	16	3	4	5	4
Relapsing Fever	3	–	–	1	9	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	7	1	5	1	–	–	–	–	1	–	5	–
Infantile Remittent	–	–	3	5	1	4	1	1	1	–	–	1	–	–	–	–
Metria	–	4	1	3	4	8	–	2	2	–	–	1	–	–	–	–
Rheumatic Fever	2	–	–	3	5	7	1	5	2	2	–	–	–	–	2	1
Erysipelas	2	3	3	2	12	6	2	1	1	–	–	2	–	1	2	–
Pyæmia	–	–	–	2	1	–	1	–	–	–	–	1	–	–	1	–
Syphilis	3	–	1	3	10	4	2	3	–	–	1	2	–	–	1	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	3	4	2	–	–	–	–	–	–	–	–	–	1
Dropsy	5	1	–	11	16	26	2	5	1	1	–	1	1	1	–	–
Abscess	3	–	1	1	6	4	1	1	3	–	–	–	–	–	–	–
Ulcer	–	–	–	2	1	1	–	4	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	1	7	3	–	1	1	1	1	2	–	2	–	1
Cancer	18	13	8	22	45	33	10	17	4	2	1	6	4	3	10	3
Gout	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	11	2	8	8	34	46	12	10	2	–	–	4	2	5	2	–
Tabes Mesenterica	17	1	9	29	49	60	11	5	3	3	2	3	–	5	1	–
Phthisis	113	45	37	227	300	321	41	82	34	13	11	59	33	40	32	34
Hydrocephalus	25	10	11	58	78	84	15	8	8	1	2	18	3	3	4	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	132	–	1	6	2	–	8	4	5	–	3	3	15	1	3
Apoplexy	391	–	1	8	1	8	17	4	12	3	18	10	18	5	22
Paralysis	488	2	2	12	15	6	17	17	10	6	28	26	36	13	23
Delirium Tremens	14	–	–	1	–	–	1	–	1	–	1	1	1	–	–
Chorea	4	–	–	–	1	–	–	–	1	1	–	–	–	–	–
Epilepsy	49	–	–	4	1	–	1	1	4	–	3	2	6	–	7
Tetanus	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	200	–	1	6	1	3	4	6	9	3	5	8	6	4	17
Brain Disease	208	1	–	8	3	–	5	5	15	5	5	6	13	1	13
V. Pericarditis	15	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	21	–	–	7	–	1	–	2	–	–	2	1	2	–	1
Heart Disease	883	1	2	15	8	3	20	13	41	7	44	34	84	9	49
VI. Laryngitis	25	–	–	–	–	–	–	2	1	1	2	–	3	–	1
Bronchitis	1559	2	7	33	14	6	28	41	41	4	50	46	97	38	111
Pleurisy	53	–	–	–	1	–	2	2	1	–	9	–	3	–	2
Pneumonia	523	–	–	12	3	–	13	14	18	1	27	10	33	12	31
Asthma	78	–	1	2	6	1	1	1	4	1	1	–	1	4	9
Lung Disease	44	–	–	1	1	–	–	–	1	1	1	–	2	–	13
VII. Teething	178	–	–	–	–	4	4	2	10	–	7	2	10	4	11
Quinsey	9	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Gastritis	31	–	–	–	–	–	1	1	1	1	1	1	2	–	3
Enteritis	237	–	–	2	1	1	4	11	2	2	7	1	7	–	7
Peritonitis	75	1	–	3	1	–	2	2	2	–	–	–	2	2	7
Ascites	15	–	–	–	–	–	–	2	–	–	–	–	–	1	1
Ulceration of Intestines	51	–	–	1	–	–	5	2	7	–	2	1	2	–	2
Hernia	22	–	–	1	–	1	1	2	1	–	1	–	2	1	3
Ileus	54	–	–	1	–	–	2	7	2	1	3	2	6	3	2
Intussusception	11	–	–	1	1	–	–	–	–	–	–	–	1	–	2
Stricture of Intestines	12	–	–	1	–	–	–	1	1	–	–	–	2	–	–
Stomach Disease	133	2	–	–	3	1	3	1	6	3	3	3	6	2	24
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	28	–	–	–	–	–	–	–	2	–	1	3	2	–	1
Jaundice	54	–	–	1	1	–	1	5	2	–	2	–	7	2	3
Liver Disease	155	–	2	4	–	1	1	4	4	2	6	8	11	5	6
Spleen Disease	10	–	–	–	1	–	–	–	–	–	–	1	1	–	1
VIII. Nephritis	22	–	–	–	–	1	–	–	–	–	–	1	1	2	–
Nephria	71	1	–	2	1	–	1	6	1	1	2	5	8	2	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	15	–	–	–	2	–	–	1	–	–	1	–	–	–	1
Diabetes	28	–	–	1	–	–	2	–	–	–	1	–	2	–	–
Stone	8	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Cystitis	42	1	–	3	–	–	2	2	–	1	1	1	4	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	58	1	–	1	–	–	3	2	6	1	–	6	4	2	4
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	13	–	–	–	–	1	–	2	–	–	1	–	1	–	1
Childbirth	94	–	1	3	3	–	1	6	2	1	6	2	6	2	6
Organs of Generation	16	–	–	–	–	–	–	1	1	–	–	–	2	–	1
X. Bone Disease	32	–	–	–	–	–	–	2	4	–	–	–	3	–	3
Rheumatism	29	–	–	–	1	–	1	1	–	–	–	–	4	–	1
Joint Disease	31	–	1	1	–	–	–	–	2	–	1	1	3	2	4
XI. Carbuncle	11	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Skin Disease	15	–	–	–	–	–	–	–	4	–	1	–	–	–	1
XVII. Intemperance	26	–	–	–	–	–	1	–	1	–	1	2	1	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	20	–	–	–	–	–	–	–	1	–	–	1	4	–	1
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poison	11	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	63	–	1	1	–	–	2	2	2	–	1	2	6	3	7
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	24	–	–	1	–	–	–	–	–	–	3	–	2	–	–
Drowning	123	1	–	4	3	–	1	1	8	5	3	2	15	2	7
Fracture and Contusion	235	2	–	3	1	–	5	–	8	1	5	4	18	1	12
Gunshot Wounds	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	–	1	–	–	–	1	1	1	–	–	–	1	–	2
Not Specified	476	2	6	14	16	2	10	17	37	–	11	12	38	15	38

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	10	–	5	16	15	16	6	1	–	–	–	2	2	2	2	4
Apoplexy	25	11	13	29	60	41	11	24	12	3	1	5	9	5	9	6
Paralysis	18	11	4	29	61	47	21	26	7	8	2	11	10	8	1	11
Delirium Tremens	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	4	1	6	3	2	1	–	1	–	–	–	–	1
Tetanus	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	12	5	–	12	36	33	11	4	2	2	1	4	–	1	2	2
Brain Disease	10	7	6	17	29	22	6	5	8	3	–	5	3	2	4	6
Pericarditis	1	–	1	5	2	3	–	2	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	1	2	–	–	–	1	–	–	–	–
Heart Disease	59	21	18	66	125	81	22	42	27	13	6	19	12	10	20	12
Laryngitis	–	–	1	3	2	2	–	1	–	–	–	–	–	1	4	1
Bronchitis	67	48	16	159	210	250	68	79	30	7	6	37	18	12	8	26
Pleurisy	3	–	–	1	11	7	4	4	–	–	1	–	–	1	1	–
Pneumonia	22	6	7	68	51	98	22	19	7	1	1	4	7	13	6	17
Asthma	–	–	1	7	21	12	1	3	–	–	–	–	1	–	–	–
Lung Disease	1	1	–	1	5	9	3	–	–	2	–	–	–	–	–	2
Teething	10	–	–	18	35	40	3	9	1	1	–	3	–	–	–	4
Quinsey	2	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–
Gastritis	2	4	2	1	7	1	–	–	1	–	–	–	1	–	–	1
Enteritis	10	1	2	20	43	66	15	11	6	–	–	9	3	3	2	1
Peritonitis	2	1	1	9	6	22	3	4	–	–	–	1	1	1	2	–
Ascites	–	–	–	2	4	4	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	3	1	–	3	6	4	2	3	3	–	–	1	–	1	1	1
Hernia	2	–	1	–	3	–	–	2	–	–	–	–	1	–	–	–
Ileus	–	1	–	2	7	6	1	3	3	–	–	1	1	–	–	–
Intussusception	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	3	–	–	1	–	–	–	1	1	1	–	–
Stomach Disease	8	2	1	10	20	10	–	6	2	2	–	5	4	4	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	1	4	2	6	–	1	1	–	–	1	–	–	–	1
Jaundice	1	1	1	2	5	10	1	1	–	1	1	1	1	1	1	2
Liver Disease	4	5	5	14	19	24	3	10	–	4	2	3	3	2	1	2
Spleen Disease	–	–	–	–	2	3	–	–	–	–	1	–	–	–	–	–
Nephritis	1	1	–	6	1	4	1	1	–	–	–	–	1	1	–	–
Nephria	4	3	2	4	4	9	3	3	1	–	–	2	–	–	1	2
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	2	–	1	1	2	1	–	1	–	–	–	–	–	1	–
Diabetes	2	–	–	4	5	5	–	3	–	1	–	1	1	–	–	–
Stone	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	1	–	4	3	10	1	2	–	–	1	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	1	2	6	8	2	1	1	1	–	1	–	–	1	2
Paramenia	–	–	–	–	3	1	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	1	1	–	2	1	–	–	1	–	–	1	–	–	–	–
Childbirth	5	2	2	5	12	15	1	6	1	–	–	2	2	–	1	1
Organs of Generation	3	–	–	1	2	2	–	1	1	–	–	–	–	1	–	–
Bone Disease	–	–	2	5	3	4	–	2	–	–	–	1	1	1	–	1
Rheumatism	2	2	–	–	7	7	–	1	–	–	–	–	–	–	1	1
Joint Disease	1	2	–	2	3	2	2	1	–	–	–	3	–	–	–	–
Carbuncle	1	1	–	–	2	2	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	–	–	–	2	2	3	1	–	1	–	–	–	–	–	–	–
Intemperance	–	1	–	1	3	11	1	3	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	9	–	–	–	–	–	2	–	–	–	1
Neglect	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Poison	1	–	–	–	4	2	–	1	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	5	7	16	1	–	1	–	–	–	1	2	2	–
Hanging, etc.	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	1	–	1	1	3	–	3	–	2	1	2	1	1	1	–
Drowning	11	4	1	7	9	18	1	4	1	7	–	2	1	1	3	1
Fracture and Contusion	8	1	1	21	46	60	12	7	4	–	–	8	2	3	1	1
Gunshot Wounds	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	2	–	3	2	–	–	2	1	–	–	–	–	–	1	–
Not Specified	19	41	3	43	22	44	27	22	12	–	1	3	1	5	4	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8500	33	36	196	103	41	150	192	318	58	320	236	549	160	566
SPECIFIED CAUSES	8224	32	33	186	93	40	143	182	297	58	312	233	526	150	545
I. Zymotic Class	1684	11	7	39	22	4	20	37	79	12	72	41	103	18	136
II. Diseases of Uncert. Seat	231	–	3	3	3	1	9	10	6	4	3	9	14	10	13
III. Tubercular Class	1461	6	4	28	14	3	20	24	39	5	54	48	81	29	92
IV. Brain and Nervous Syst.	785	2	5	24	13	9	25	23	31	9	29	32	46	12	43
V. Organs of Circulation	462	1	1	15	6	2	10	8	15	5	28	19	32	4	33
VI. Respiratory Organs	1215	1	5	26	11	3	16	27	25	2	49	23	74	32	88
VII. Organs of Digestion	547	–	1	8	5	6	11	25	24	2	15	11	27	9	22
VIII. Urinary Organs	173	2	–	11	2	–	6	8	4	3	5	10	14	2	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	37	–	1	–	–	–	–	2	3	–	1	1	1	–	7
XI. Skin, etc.	15	–	–	–	–	–	–	1	2	2	–	–	1	–	2
XII. Malformation	46	–	–	–	–	–	2	–	–	–	2	2	7	–	–
XIII. Premature Debility	552	1	1	12	5	3	8	6	19	–	23	9	38	11	34
XIV. Atrophy	54	1	–	2	1	–	–	–	2	–	–	1	4	1	6
XV. Age	547	5	4	12	8	8	10	6	30	10	20	17	44	16	44
XVI. Sudden Deaths	19	–	–	–	–	1	–	1	1	–	1	3	2	1	1
XVII. Violent Deaths	396	2	1	6	3	–	6	4	17	4	10	7	38	5	20
I. Small Pox	203	6	–	–	7	–	1	1	4	–	15	13	28	6	14
Measles	125	–	–	–	–	–	–	7	20	–	5	–	2	–	13
Scarlatina	241	4	2	7	6	–	–	7	5	–	10	5	11	–	15
Diphtheria	118	–	1	11	–	–	4	8	4	3	2	2	7	3	12
Hooping Cough	234	–	–	–	–	–	3	4	13	–	9	8	14	3	30
Croup	166	–	1	2	3	2	7	2	9	1	2	2	15	4	18
Thrush	5	–	–	–	–	–	–	–	–	–	2	–	2	–	–
Diarrhœa	185	–	3	5	1	1	2	2	8	–	10	5	8	1	10
Dysentery	34	–	–	–	–	–	–	–	2	–	2	1	–	–	2
Cholera	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	15	–	–	1	–	–	–	–	1	–	3	–	–	–	2
Purpura	5	–	–	–	–	–	–	–	1	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	75	1	–	9	4	–	1	–	2	3	3	1	1	1	4
Enteric Fever	152	–	–	1	–	1	–	3	3	4	7	3	6	–	11
Relapsing Fever	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	11	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Infantile Remittent	18	–	–	1	–	–	–	2	2	–	–	–	2	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	–	–	–	1	1	–	–	–	–	–	–	1
Erysipelas	30	–	–	1	1	–	1	–	2	1	–	1	3	–	–
Pyæmia	9	–	–	–	–	–	–	–	–	–	1	–	2	–	1
Syphilis	19	–	–	1	–	–	–	–	2	–	–	–	–	–	2
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	–	–	–	–	–	–	–	1	–	–	–	–	–	2
Dropsy	65	–	–	–	3	–	2	1	–	1	–	–	4	5	8
Abscess	19	–	–	–	–	–	–	4	2	1	1	2	–	–	–
Ulcer	5	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	–	–	–	–	–	–	1	–	–	–	–	1	1	–
Cancer	116	–	3	3	–	1	7	4	3	2	2	7	7	4	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	114	–	–	1	1	–	–	4	2	–	1	5	6	–	4
Tabes Mesenterica	142	–	–	–	–	–	–	1	3	–	4	1	6	1	7
Phthisis	941	4	4	26	12	3	18	18	26	5	35	38	59	19	59
Hydrocephalus	264	2	–	1	1	–	2	1	8	–	14	4	10	9	22

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	435	178	106	723	1141	1371	329	446	191	62	24	182	75	94	82	103
SPECIFIED CAUSES	421	160	103	695	1127	1347	316	428	187	62	24	180	75	92	79	98
Zymotic Class	95	18	16	140	211	259	85	108	52	8	3	44	10	13	10	11
Uncertain Seat	10	4	4	20	34	30	7	14	5	3	2	3	2	2	2	1
Tubercular Class	91	26	31	157	210	254	42	45	21	7	7	43	16	25	17	22
Brain, etc.	41	21	17	47	109	102	31	33	12	11	3	10	8	9	9	19
Heart, etc.	27	10	9	26	63	51	11	31	17	7	2	9	6	4	5	5
Respiratory Organs	55	28	8	120	178	230	54	54	23	4	3	24	11	12	10	19
Digestive Organs	23	10	7	45	95	105	16	28	12	2	1	15	7	7	2	6
Urinary Organs	7	7	2	14	15	26	8	8	1	2	1	2	1	1	4	3
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	2	2	8	1	1	–	–	–	2	1	–	–	2
Skin	–	1	–	1	1	2	–	–	1	–	–	1	–	–	–	–
Malformation	1	–	1	9	7	5	1	4	–	1	–	–	–	2	2	–
Premature Debility	30	5	2	46	74	99	27	51	17	6	–	11	2	5	5	2
Atrophy	1	–	–	3	3	13	2	5	4	2	–	1	–	1	1	–
Age	22	22	4	34	73	63	15	28	18	1	1	6	9	6	6	5
Sudden Deaths	1	–	–	3	–	3	1	–	–	–	–	–	–	–	–	–
Violent Deaths	17	7	1	28	52	97	15	18	4	8	1	9	2	5	6	3
Small Pox	2	1	–	–	23	17	4	28	23	–	1	6	–	3	–	–
Measles	4	–	–	21	2	47	–	2	–	–	–	1	–	–	1	–
Scarlatina	27	1	–	21	7	47	36	15	4	1	–	6	1	1	–	2
Diphtheria	7	3	–	11	13	6	3	9	5	1	–	3	–	–	–	–
Hooping Cough	11	4	1	32	40	28	5	14	2	–	–	6	–	4	–	3
Croup	9	3	1	15	13	31	10	7	2	–	–	4	2	–	–	1
Thrush	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	13	4	–	13	33	26	11	13	–	1	1	7	2	1	1	3
Dysentery	3	–	2	2	7	9	–	–	1	1	–	–	1	–	1	–
Cholera	2	–	–	2	3	1	–	–	–	1	–	–	1	–	–	–
Influenza	–	–	1	1	3	1	–	2	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	3	5	8	15	3	3	4	–	–	–	–	–	–	1
Enteric Fever	11	–	3	6	34	16	6	10	8	1	1	9	2	3	2	1
Relapsing Fever	–	–	–	1	5	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	3	1	3	–	–	–	–	–	1	–	1	–
Infantile Remittent	–	–	2	2	1	3	–	–	1	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	2	4	3	1	3	1	2	–	–	–	–	1	–
Erysipelas	2	1	2	1	5	4	1	–	1	–	–	–	–	1	2	–
Pyæmia	–	–	–	2	1	–	1	–	–	–	–	–	–	–	1	–
Syphilis	1	–	–	3	5	2	1	1	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	1
Dropsy	3	–	–	7	7	18	–	4	–	–	–	1	1	–	–	–
Abscess	1	–	1	1	3	1	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	3	–	1	1	1	1	1	–	1	–	–
Cancer	6	4	2	9	20	5	6	8	2	2	1	1	1	1	2	–
Gout	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	6	1	5	7	18	29	8	8	2	–	–	4	1	–	1	–
Tabes Mesenterica	15	–	5	15	32	36	7	–	1	1	2	–	–	4	1	–
Phthisis	56	20	15	95	120	142	18	34	14	6	4	27	13	18	13	20
Hydrocephalus	14	5	6	40	40	47	9	3	4	–	1	12	2	3	2	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	75	–	1	3	1	–	3	4	3	–	2	3	9	1	2
Apoplexy	195	–	1	6	–	5	6	1	5	1	10	5	3	4	14
Paralysis	236	1	2	7	8	3	7	9	8	3	10	12	21	5	9
Delirium Tremens	12	–	–	–	–	–	1	–	1	–	1	1	–	–	–
Chorea	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Epilepsy	28	–	–	2	1	–	1	1	2	–	2	1	3	–	4
Tetanus	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	126	–	1	5	–	1	3	5	5	2	3	7	5	2	9
Brain Disease	106	1	–	1	2	–	4	3	6	3	1	3	5	–	5
V. Pericarditis	7	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	14	–	–	6	–	1	–	–	–	–	1	1	–	–	1
Heart Disease	441	1	1	9	6	1	10	8	15	5	27	18	31	4	32
VI. Laryngitis	15	–	–	–	–	–	–	1	–	1	1	–	1	–	–
Bronchitis	781	1	5	14	5	2	9	17	12	1	21	19	52	18	58
Pleurisy	34	–	–	–	1	–	1	1	1	–	9	–	–	–	1
Pneumonia	305	–	–	11	2	–	6	8	9	–	17	4	19	11	17
Asthma	49	–	–	1	2	1	–	–	2	–	–	–	–	3	5
Lung Disease	31	–	–	–	1	–	–	–	1	–	1	–	2	–	7
VII. Teething	91	–	–	–	–	3	2	–	3	–	4	1	5	2	3
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	14	–	–	–	–	–	1	1	–	–	–	1	–	–	–
Enteritis	138	–	–	1	1	1	2	6	2	–	2	–	5	–	3
Peritonitis	28	–	–	1	1	–	–	1	–	–	–	–	1	1	2
Ascites	6	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Ulceration of Intestines	28	–	–	1	–	–	2	2	5	–	1	1	1	–	–
Hernia	13	–	–	–	–	–	1	1	–	–	–	–	1	1	2
Ileus	27	–	–	1	–	–	1	3	2	–	1	1	2	2	–
Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	8	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Stomach Disease	68	–	–	–	2	1	2	1	4	2	1	1	3	–	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	–	–	–	–	–	–	–	2	–	1	1	–	–	–
Jaundice	25	–	–	1	–	–	–	4	1	–	–	–	4	2	2
Liver Disease	76	–	1	1	–	1	–	4	4	–	5	5	4	1	1
Spleen Disease	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	–	–	–	–	–	–	–	–	–	–	1	–	1	–
Nephria	41	1	–	1	1	–	–	4	–	1	2	3	5	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	1	–	–	1	–	–	1	–	–	–	1
Diabetes	19	–	–	1	–	–	2	–	–	–	1	–	1	–	–
Stone	7	–	–	6	–	–	–	–	–	–	–	–	–	–	–
Cystitis	39	1	–	2	–	–	2	2	–	1	1	1	4	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	41	–	–	1	–	–	2	1	4	1	–	5	4	–	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	16	–	–	–	–	–	–	2	2	–	–	–	–	–	3
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Joint Disease	13	–	1	–	–	–	–	–	1	–	1	1	–	–	3
XI. Carbuncle	8	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Skin Disease	5	–	–	–	–	–	–	–	1	–	–	–	–	–	1
XVII. Intemperance	16	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	–	–	–	–	–	–	–	–	–	–	1	4	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	35	–	–	–	–	–	1	2	1	–	1	1	4	3	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Drowning	101	1	–	4	3	–	–	1	8	3	2	2	11	1	6
Fracture and Contusion	193	1	–	2	–	–	4	–	6	1	5	1	18	1	12
Gunshot Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	13	–	1	–	–	–	–	1	1	–	–	–	–	–	1
Not Specified	276	1	3	10	10	1	7	10	21	–	8	3	23	10	21

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	6	–	4	4	7	9	4	1	–	–	–	–	2	2	2	2
Apoplexy	16	7	8	11	27	25	8	10	7	3	1	1	2	1	4	3
Paralysis	5	5	2	19	29	26	8	15	2	5	1	5	2	4	–	3
Delirium Tremens	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	5	1	1	1	–	–	–	–	–	–	1
Tetanus	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	–	6	27	19	4	3	1	2	1	2	–	1	2	2
Brain Disease	9	4	3	3	17	16	4	3	1	1	–	2	2	1	1	5
Pericarditis	1	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–
Heart Disease	26	10	9	25	61	49	11	28	17	7	2	8	6	4	5	5
Laryngitis	–	–	1	2	2	2	–	1	–	–	–	–	–	–	2	1
Bronchitis	42	24	4	77	117	141	32	42	18	3	1	22	9	6	3	6
Pleurisy	1	–	–	1	7	6	2	–	–	–	1	–	–	1	1	–
Pneumonia	12	3	2	36	31	62	16	10	5	–	1	2	1	5	4	11
Asthma	–	–	1	4	16	11	1	1	–	–	–	–	1	–	–	–
Lung Disease	–	1	–	–	5	8	3	–	–	1	–	–	–	–	–	1
Teething	3	–	–	10	23	19	2	6	1	–	–	1	–	–	–	3
Quinsey	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Gastritis	–	3	2	–	3	1	–	–	1	–	–	–	1	–	–	–
Enteritis	6	–	1	13	27	39	9	7	4	–	–	6	1	1	1	–
Peritonitis	2	–	–	3	2	9	2	1	–	–	–	1	–	1	–	–
Ascites	–	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	2	–	–	2	2	2	–	3	3	–	–	–	–	1	–	–
Hernia	2	–	–	–	3	–	–	1	–	–	–	–	1	–	–	–
Ileus	–	1	–	–	4	6	1	1	–	–	–	–	1	–	–	–
Intussusception	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	3	–	–	1	–	–	–	1	–	–	–	–
Stomach Disease	3	2	–	5	13	7	–	2	2	–	–	4	2	2	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	1	2	–	–	1	–	–	–	–	–	–	1
Jaundice	1	1	1	1	–	4	–	1	–	–	–	1	–	1	–	–
Liver Disease	4	2	3	7	11	9	2	4	–	2	–	1	–	1	1	2
Spleen Disease	–	–	–	–	2	2	–	–	–	–	1	–	–	–	–	–
Nephritis	1	1	–	3	1	4	–	–	–	–	–	–	–	1	–	–
Nephria	1	2	2	2	3	4	3	2	1	–	–	–	–	–	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	1	–	1	1	1	1	–	–	–	–	–	–	–	1	–
Diabetes	1	–	–	2	3	2	–	3	–	1	–	1	1	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	1	–	4	3	9	1	2	–	–	1	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	2	3	6	2	1	–	1	–	1	–	–	1	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	2	2	–	1	–	–	–	–	1	–	–	1
Rheumatism	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	1
Joint Disease	–	1	–	1	–	1	1	–	–	–	–	2	–	–	–	–
Carbuncle	–	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Intemperance	–	1	–	1	2	6	1	2	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	6	–	–	–	–	–	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	4	5	9	1	–	–	–	–	–	–	1	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	2	–	3	–	1	–	–	–	1	–	–
Drowning	8	4	1	6	6	16	–	4	1	7	–	1	1	–	3	1
Fracture and Contusion	7	1	–	12	35	54	12	7	1	–	–	7	1	3	1	1
Gunshot Wounds	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	1	–	3	2	–	–	1	1	–	–	–	–	–	1	–
Not Specified	14	18	3	28	14	24	13	18	4	–	–	2	–	2	3	5

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES OF SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8315	41	29	161	106	41	187	229	344	61	306	241	591	177	589
SPECIFIED CAUSES . . .	8115	40	26	157	100	40	184	222	328	61	303	232	576	172	572
I. Zymotic Class . .	1786	11	6	40	31	3	29	64	79	11	70	49	122	27	148
II. Uncertain Seat . .	369	2	2	8	3	2	11	19	22	3	15	11	33	10	35
III. Tubercular Class .	1530	8	3	30	7	8	21	29	46	8	35	43	79	40	91
IV. Brain, etc. . . .	710	1	–	16	11	8	28	14	26	9	34	24	51	12	43
V. Heart, etc. . . .	457	–	1	7	2	2	10	7	26	2	18	16	55	5	17
VI. Respiratory Organs .	1067	1	3	22	14	4	28	33	41	6	41	33	65	22	79
VII. Digestive Organs .	528	3	1	7	4	2	13	15	16	7	18	11	34	12	52
VIII. Urinary Organs . .	74	1	–	2	1	1	2	3	3	–	–	3	5	4	4
IX. Generative Organs .	129	–	1	3	3	1	1	9	3	1	7	2	10	2	8
X. Locomotive Organs .	55	–	–	1	1	–	1	1	3	–	–	–	9	2	1
XI. Skin etc., . . .	15	–	–	–	–	–	–	–	3	–	1	–	–	–	–
XII. Malformation . .	28	1	–	–	–	–	1	1	–	–	2	1	1	–	1
XIII. Premature Debility .	370	–	–	3	1	2	10	11	14	–	16	7	24	11	25
XIV. Atrophy . . .	58	2	–	3	2	–	3	1	3	–	5	–	3	–	4
XV. Age	786	9	8	12	19	7	21	15	39	12	37	25	73	24	53
XVI. Sudden Deaths . .	13	–	–	–	–	–	–	–	–	–	–	1	3	–	2
XVII. Violent Deaths . .	140	1	1	3	1	–	5	–	4	2	4	6	9	1	9
I. Small Pox . . .	162	4	–	–	4	–	–	2	4	–	12	17	22	6	6
Measles . . .	145	–	–	–	–	–	–	10	25	–	6	1	3	–	8
Scarlatina . . .	240	4	1	5	6	1	–	3	2	–	7	3	13	–	14
Diphtheria . . .	141	–	2	6	2	–	12	7	3	2	–	1	12	10	20
Hooping Cough . .	302	–	–	–	4	–	3	18	13	–	3	9	24	6	45
Croup	152	–	–	6	4	–	9	5	6	2	1	5	10	–	16
Thrush	4	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Diarrhœa	165	–	1	8	1	–	1	3	10	–	8	4	7	–	3
Dysentery	30	–	1	–	–	–	–	1	2	–	3	1	2	–	1
Cholera	14	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Influenza	8	–	–	–	–	–	–	–	1	–	1	1	–	–	–
Purpura	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	86	1	1	3	6	–	1	2	2	1	5	1	8	3	12
Enteric Fever . .	177	–	–	5	–	1	1	9	4	4	13	6	10	1	10
Relapsing Fever . .	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever .	18	–	–	2	–	–	1	–	–	–	–	–	1	–	2
Infantile Remittent .	13	–	–	–	–	–	–	–	1	–	–	–	2	–	3
Metria	53	2	–	2	1	–	–	3	3	1	5	–	6	1	4
Rheumatic Fever .	19	–	–	1	1	1	–	–	–	1	2	–	1	–	–
Erysipelas	21	–	–	–	–	–	1	–	1	–	1	–	1	–	–
Pyæmia	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	23	–	–	1	–	–	–	–	2	–	1	–	–	–	3
Noma	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	5	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Dropsy	74	–	1	2	1	–	–	1	6	–	3	3	6	7	14
Abscess	17	–	–	–	–	–	1	1	1	1	–	1	1	–	–
Ulcer	8	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	19	–	–	–	–	–	–	–	3	–	–	1	1	–	2
Cancer	244	2	1	6	1	2	10	15	12	2	12	6	24	3	19
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula . . .	75	–	–	1	1	–	–	3	6	–	1	2	3	–	2
Tabes Mesenterica .	102	–	–	–	–	1	2	–	–	–	1	1	7	–	11
Phthisis	1156	5	3	28	6	5	16	23	37	7	29	33	61	33	63
Hydrocephalus . .	197	3	–	1	–	2	3	3	3	1	4	7	8	7	15

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	403	192	120	718	1080	1163	266	391	194	48	34	184	104	92	103	120
SPECIFIED CAUSES	398	169	120	703	1072	1143	252	387	186	48	33	183	103	89	102	114
Zymotic Class	97	25	16	146	207	264	74	111	58	6	5	40	5	8	13	21
Uncertain Seat	18	11	7	20	45	39	7	14	5	2	–	6	3	4	8	4
Tubercular Class	75	32	34	165	251	257	37	60	26	10	8	41	22	28	22	14
Brain, etc.	34	16	11	62	96	65	30	29	18	5	2	17	16	9	9	14
Heart, etc.	33	11	10	45	65	33	12	15	10	6	4	11	6	6	15	7
Respiratory Organs	38	27	17	119	122	148	44	52	14	6	5	17	15	15	9	27
Digestive Organs	22	7	7	43	69	94	12	24	6	6	3	11	10	6	6	7
Urinary Organs	5	3	2	7	6	12	1	2	2	–	–	2	1	–	–	2
Generative Organs	8	3	3	6	19	19	1	7	3	–	–	3	3	1	1	1
Locomotive Organs	3	3	1	5	11	5	1	3	–	–	–	2	–	1	1	–
Skin	1	–	–	2	3	3	1	–	–	–	–	1	–	–	–	–
Malformation	1	1	–	1	6	5	1	1	1	–	–	2	–	–	–	1
Premature Debility	10	4	3	26	50	77	9	26	10	3	1	13	3	4	1	6
Atrophy	3	1	–	5	4	9	–	3	4	–	–	1	1	–	1	–
Age	43	23	7	37	96	85	20	37	24	3	4	11	14	4	14	10
Sudden Deaths	1	–	–	2	–	3	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	2	2	12	22	25	1	3	5	1	1	5	4	3	2	–
Small Pox	–	–	–	–	14	10	4	23	26	–	–	7	–	1	–	–
Measles	8	1	–	15	8	51	–	4	–	–	1	–	–	–	–	4
Scarlatina	23	2	1	20	14	47	34	23	5	–	1	7	–	–	1	3
Diphtheria	13	2	–	13	14	10	5	2	2	–	1	1	–	–	–	1
Hooping Cough	13	5	4	35	43	39	7	18	5	–	–	4	–	–	–	4
Croup	7	3	5	11	24	13	2	12	–	3	–	4	1	1	1	1
Thrush	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	13	3	–	13	22	30	3	12	5	1	–	5	3	5	1	3
Dysentery	3	–	–	2	7	5	–	1	1	–	–	–	–	–	–	–
Cholera	1	–	–	2	3	4	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	2	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	2	10	3	13	1	1	5	–	–	–	–	–	–	1
Enteric Fever	6	2	–	15	28	22	12	4	6	2	1	7	1	1	3	3
Relapsing Fever	3	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	4	–	2	1	–	–	–	–	–	–	4	–
Infantile Remittent	–	–	1	3	–	1	1	1	–	–	–	–	–	–	–	–
Metria	–	4	1	3	4	8	–	2	2	–	–	1	–	–	–	–
Rheumatic Fever	1	–	–	1	1	4	–	2	1	–	–	–	–	–	1	1
Erysipelas	–	2	1	1	7	2	1	1	–	–	–	2	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	2	–	1	–	5	2	1	2	–	–	1	1	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	4	9	8	2	1	1	1	–	–	–	1	–	–
Abscess	2	–	–	–	3	3	–	1	2	–	–	–	–	–	–	–
Ulcer	–	–	–	1	1	–	–	3	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	1	6	–	–	–	–	–	–	1	–	1	–	1
Cancer	12	9	6	13	25	28	4	9	2	–	–	5	3	2	8	3
Gout	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	5	1	3	1	16	17	4	2	–	–	–	–	1	5	1	–
Tabes Mesenterica	2	1	4	14	17	24	4	5	2	2	–	3	–	1	–	–
Phthisis	57	25	22	132	180	179	23	48	20	7	7	32	20	22	19	14
Hydrocephalus	11	5	5	18	38	37	6	5	4	1	1	6	1	–	2	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	57	–	–	3	1	–	5	–	2	–	1	–	6	–	1
Apoplexy	106	–	–	2	1	3	11	3	7	2	8	5	15	1	8
Paralysis	252	1	–	5	7	3	10	8	2	3	18	14	15	8	14
Delirium Tremens	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	21	–	–	2	–	–	–	–	2	–	1	1	3	–	3
Tetanus	4	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	74	–	–	1	1	2	1	1	4	1	2	1	1	2	8
Brain Disease	102	–	–	2	1	–	1	2	9	2	4	3	8	1	8
V. Pericarditis	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	7	–	–	1	–	–	–	2	–	–	1	–	2	–	–
Heart Disease	442	–	1	6	2	2	10	5	26	2	17	16	53	5	17
VI. Laryngitis	10	–	–	–	–	–	–	1	1	–	1	–	2	–	1
Bronchitis	778	1	2	19	9	4	19	24	29	3	29	27	45	20	53
Pleurisy	19	–	–	–	–	–	1	1	–	–	–	–	3	–	1
Pneumonia	218	–	–	1	1	–	7	6	9	1	10	6	14	1	14
Asthma	29	–	1	1	4	–	1	1	2	1	1	–	1	1	4
Lung Disease	13	–	–	1	–	–	–	–	–	1	–	–	–	–	6
VII. Teething	87	–	–	–	–	1	2	2	7	–	3	1	5	2	8
Quinsey	7	–	–	–	1	–	–	–	–	–	–	–	–	1	1
Gastritis	17	–	–	–	–	–	–	–	1	1	1	–	2	–	3
Enteritis	99	–	–	1	–	–	2	5	–	2	5	1	2	–	4
Peritonitis	47	1	–	2	–	–	2	1	2	–	–	–	1	1	5
Ascites	9	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Ulcer. of Intestines	23	–	–	–	–	–	3	–	2	–	1	–	1	–	2
Hernia	9	–	–	1	–	1	–	1	1	–	1	–	1	–	1
Ileus	27	–	–	–	–	–	1	4	–	1	2	1	4	1	2
Intussusception	7	–	–	–	1	–	–	–	–	–	–	–	1	–	2
Stricture of Intestines	4	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Stomach Disease	65	2	–	–	1	–	1	–	2	1	2	2	3	2	15
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	–	–	–	–	–	–	–	–	2	2	–	1
Jaundice	29	–	–	–	1	–	1	1	1	–	2	–	3	–	1
Liver Disease	79	–	1	3	–	–	1	–	–	2	1	3	7	4	5
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1
VIII. Nephritis	9	–	–	–	–	1	–	–	–	–	–	–	1	1	–
Nephria	30	–	–	1	–	–	1	2	1	–	–	2	3	1	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diabetes	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	1	–	–	–	–	1	1	2	–	–	1	–	2	1
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	13	–	–	–	–	1	–	2	–	–	1	–	1	–	1
Childbirth	94	–	1	3	3	–	1	6	2	1	6	2	6	2	6
Organs of Generation	16	–	–	–	–	–	–	1	1	–	–	–	2	–	1
X. Bone Disease	16	–	–	–	–	–	–	–	2	–	–	–	3	–	–
Rheumatism	21	–	–	–	1	–	1	1	–	–	–	–	3	–	–
Joint Disease	18	–	–	1	–	–	–	–	1	–	–	–	3	2	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	–	–	–	–	–	–	–	3	–	1	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	1	1	1	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	1	1	–	–	1	–	1	–	–	1	2	–	6
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Suffocation	13	–	–	1	–	–	–	–	–	–	2	–	1	–	–
Drowning	22	–	–	–	–	–	1	–	–	2	1	–	4	1	1
Fracture & Contusion	42	1	–	1	1	–	1	–	2	–	–	3	–	–	–
Gunshot Wounds	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	–	1	–	–	–	–	–	1	–	1
Not Specified	200	1	3	4	6	1	3	7	16	–	3	9	15	5	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	–	1	12	8	7	2	–	–	–	–	2	–	–	–	2
Apoplexy	9	4	5	18	33	16	3	14	5	–	–	4	7	4	5	3
Paralysis	13	6	2	10	32	21	13	11	5	3	1	6	8	4	1	8
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	2	1	1	2	1	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	2	–	6	9	14	7	1	1	–	–	2	–	–	–	–
Brain Disease	1	3	3	14	12	6	2	2	7	2	–	3	1	1	3	1
Pericarditis	–	–	1	4	1	1	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	33	11	9	41	64	32	11	14	10	6	4	11	6	6	15	7
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–
Bronchitis	25	24	12	82	93	109	36	37	12	4	5	15	9	6	5	20
Pleurisy	2	–	–	–	4	1	2	4	–	–	–	–	–	–	–	–
Pneumonia	10	3	5	32	20	36	6	9	2	1	–	2	6	8	2	6
Asthma	–	–	–	3	5	1	–	2	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	1	–	–	–	1	–	–	–	–	–	1
Teething	7	–	–	8	12	21	1	3	–	1	–	2	–	–	–	1
Quinsey	2	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	1	–	1	4	–	–	–	–	–	–	–	–	–	–	1
Enteritis	4	1	1	7	16	27	6	4	2	–	–	3	2	2	1	1
Peritonitis	–	1	1	6	4	13	1	3	–	–	–	–	1	–	2	–
Ascites	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	4	2	2	–	–	–	–	1	–	–	1	1
Hernia	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	2	3	–	–	2	3	–	–	1	–	–	–	–
Intussusception	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Stomach Disease	5	–	1	5	7	3	–	4	–	2	–	1	2	2	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	1	4	–	1	–	–	–	1	–	–	–	–
Jaundice	–	–	–	1	5	6	1	–	–	1	1	–	1	–	1	2
Liver Disease	–	3	2	7	8	15	1	6	–	2	2	2	3	1	–	–
Spleen Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	3	–	–	1	1	–	–	–	–	1	–	–	–
Nephria	3	1	–	2	1	5	–	1	–	–	–	2	–	–	–	1
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	2	2	3	–	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	3	2	–	–	1	–	–	–	–	–	–	1
Paramenia	–	–	–	–	3	1	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	–	1	1	–	2	1	–	–	1	–	–	1	–	–	–	–
Childbirth	5	2	2	5	12	15	1	6	1	–	–	2	2	–	1	1
Organs of Generation	3	–	–	1	2	2	–	1	1	–	–	–	–	1	–	–
Bone Disease	–	–	1	4	1	2	–	1	–	–	–	1	–	1	–	–
Rheumatism	2	2	–	–	7	2	–	1	–	–	–	–	–	–	1	–
Joint Disease	1	1	–	1	3	1	1	1	–	–	–	1	–	–	–	–
Carbuncle	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	5	–	1	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	3	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	–	4	–	–	1	–	–	–	–	1	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	2	7	–	–	1	–	–	–	1	1	1	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	1	1	–	–	–	1	1	2	1	–	1	–
Drowning	3	–	–	1	3	2	1	–	–	–	–	1	–	1	–	–
Fracture and Contusion	1	–	1	9	11	6	–	–	3	–	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	5	23	–	15	8	20	14	4	8	–	1	1	1	3	1	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	18093	277	371	831	464	54	409	590	1825	461	582	1397	1328	137	126
SPECIFIED CAUSES	17270	258	337	751	416	50	387	568	1772	441	563	1348	1271	135	120
I. Zymotic Class	2984	33	40	85	54	9	44	96	320	92	121	195	220	21	23
II. Diseases of Uncert. Seat	783	16	17	41	25	–	24	34	98	25	31	60	60	4	10
III. Tubercular Class	2515	37	31	120	45	5	51	74	257	57	52	156	192	14	21
IV. Brain and Nervous Syst.	1616	20	34	52	32	1	47	57	161	41	54	124	122	20	9
V. Organs of Circulation	1087	24	9	24	17	1	25	33	98	14	37	112	94	18	3
VI. Respiratory Organs	2245	31	32	72	38	3	47	91	251	62	71	191	155	12	26
VII. Organs of Digestion	1324	21	26	38	28	7	44	40	135	34	28	132	74	9	10
VIII. Urinary Organs	348	8	5	14	3	–	10	16	54	11	7	25	22	5	2
IX. Organs of Generation	152	3	5	6	8	1	4	4	13	5	6	10	16	–	–
X. Organs of Locomotion	107	1	2	5	2	–	3	8	10	1	1	6	7	–	–
XI. Skin, etc.	28	2	–	2	1	–	1	1	2	–	–	–	1	–	–
XII. Malformation	63	1	1	2	–	–	1	–	8	6	4	1	3	1	4
XIII. Premature Debility	745	5	6	16	7	3	14	18	91	16	40	44	44	8	1
XIV. Atrophy	118	–	2	6	5	–	–	3	14	2	5	11	11	–	1
XV. Age	2545	50	119	247	136	20	67	79	210	56	75	230	186	19	7
XVI. Sudden Deaths	20	–	–	1	–	–	–	1	–	–	2	2	4	–	–
XVII. Violent Deaths	590	6	8	20	15	–	5	13	50	19	29	49	60	4	3
I. Small Pox	393	–	–	7	4	1	–	1	22	10	32	18	31	5	2
Measles	170	–	–	2	–	–	1	9	59	13	3	3	2	–	–
Scarlatina	414	7	5	13	9	–	7	3	26	26	14	14	41	–	–
Diphtheria	259	–	–	8	1	–	6	22	39	5	7	18	12	2	3
Hooping Cough	350	1	1	3	–	–	5	12	31	2	14	23	37	4	4
Croup	214	6	6	6	3	7	4	2	13	4	9	17	20	–	4
Thrush	10	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Diarrhœa	297	6	5	10	4	–	6	17	38	6	10	28	25	4	3
Dysentery	70	1	2	3	1	–	2	3	9	2	3	7	2	–	–
Cholera	17	–	–	–	–	–	–	1	–	–	2	–	3	–	–
Influenza	32	–	–	1	–	–	–	–	7	–	1	2	1	1	–
Purpura	12	1	–	1	–	–	–	–	1	1	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Typhus	108	–	2	5	8	–	–	4	9	4	3	7	7	–	3
Enteric Fever	346	10	8	11	3	–	4	11	49	13	8	29	11	3	3
Relapsing Fever	15	–	–	3	–	–	–	–	1	–	–	–	2	–	–
Simple Continued Fever	43	–	–	2	11	–	–	1	1	2	1	6	2	–	–
Infantile Remittent	21	–	–	–	–	–	–	1	–	–	–	3	4	–	–
Metria	44	1	7	2	–	–	2	1	1	–	5	2	9	–	–
Rheumatic Fever	44	–	2	3	4	–	1	2	1	1	1	7	3	–	–
Erysipelas	89	–	2	3	3	1	6	5	10	2	4	5	5	2	1
Pyæmia	16	–	–	–	2	–	–	–	–	–	3	3	2	–	–
Syphilis	14	–	–	1	–	–	–	–	1	1	–	1	1	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	–	1	1	–	–	–	2	1	1	–	–	–	–	–
Dropsy	150	2	4	12	11	–	2	2	10	2	6	16	9	–	6
Abscess	32	1	1	1	1	–	1	–	5	1	1	1	2	–	–
Ulcer	9	–	–	1	–	–	–	1	–	–	–	2	2	1	–
Fistula	5	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Mortification	25	–	–	2	1	–	1	–	3	1	1	2	2	–	–
Cancer	543	13	11	23	9	–	20	29	77	20	23	39	44	3	4
Gout	7	–	–	1	3	–	–	–	–	–	–	–	1	–	–
III. Scrofula	194	1	3	6	–	–	3	3	32	2	2	13	14	1	–
Tabes Mesenterica	162	1	1	1	1	–	3	2	17	2	1	8	9	1	2
Phthisis	1848	30	26	105	42	5	36	54	179	37	34	123	146	12	16
Hydrocephalus	311	5	1	8	2	–	9	15	29	16	15	12	23	–	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	797	290	794	493	1022	1311	276	1055	332	448	166	38	384	896	463	476
SPECIFIED CAUSES	772	266	739	469	983	1264	255	1024	320	444	158	38	369	859	445	448
Zymotic Class	207	59	99	60	159	269	63	268	59	85	25	4	48	115	49	62
Uncertain Seat	22	7	28	12	28	37	10	36	19	18	7	3	29	33	23	26
Tubercular Class	116	46	129	91	195	216	26	125	31	43	30	6	45	151	85	68
Brain, etc.	65	21	83	39	91	95	27	102	48	58	7	2	48	76	50	30
Heart, etc.	34	17	33	37	54	59	24	70	26	41	13	4	34	68	39	25
Respiratory Organs	122	40	68	65	126	191	38	135	28	40	17	6	39	122	54	72
Digestive Organs	68	12	58	53	62	119	11	70	16	31	20	6	35	77	36	24
Urinary Organs	12	6	16	8	18	17	3	15	6	4	2	–	12	22	15	10
Generative Organs	2	–	6	3	10	16	1	8	3	2	5	–	3	3	7	2
Locomotive Organs	4	–	3	4	4	9	2	11	4	4	3	–	–	9	3	1
Skin	–	1	1	2	5	2	1	2	–	1	–	–	2	–	–	1
Malformation	1	–	–	–	10	4	1	4	–	3	–	–	2	4	1	1
Premature Debility	34	16	15	20	67	70	18	47	18	26	10	1	27	27	24	12
Atrophy	5	–	7	1	7	12	–	8	5	5	–	–	1	5	1	1
Age	57	25	165	48	111	96	20	94	51	63	14	2	35	121	44	98
Sudden Deaths	1	–	–	2	–	2	–	–	1	–	1	–	1	1	1	–
Violent Deaths	22	16	28	24	36	50	10	29	5	20	4	4	8	25	13	15
Small Pox	63	4	1	6	2	13	5	98	23	9	6	1	4	14	7	4
Measles	13	1	1	2	16	37	–	–	1	2	–	–	–	1	2	2
Scarlatina	19	25	25	5	6	50	15	46	3	17	2	–	5	12	2	17
Diphtheria	7	2	9	7	14	13	9	29	4	19	1	–	16	4	1	1
Hooping Cough	41	6	17	7	34	44	8	31	3	2	2	–	1	14	1	2
Croup	8	5	9	6	14	16	2	13	4	17	1	–	2	10	5	1
Thrush	–	–	2	–	–	3	1	–	–	1	–	–	–	–	–	–
Diarrhœa	8	6	1	8	19	29	6	16	1	3	2	–	4	15	6	11
Dysentery	4	–	6	1	3	5	3	2	2	2	–	–	2	2	2	1
Cholera	1	–	–	2	1	–	1	4	1	1	–	–	–	–	–	–
Influenza	6	–	6	–	2	1	–	1	–	–	–	–	1	2	–	–
Purpura	1	–	–	–	1	1	–	1	–	–	1	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
Typhus	7	1	7	3	5	9	1	5	3	2	3	–	1	6	1	2
Enteric Fever	14	5	8	5	22	37	4	12	11	7	5	1	4	24	15	9
Relapsing Fever	1	–	–	–	6	–	–	2	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	1	–	5	–	1	–	–	–	1	2	1	–	2	2
Infantile Remittent	1	–	–	4	–	1	–	1	–	–	–	–	3	1	1	1
Metria	1	1	–	–	5	2	1	–	1	–	–	–	–	1	1	1
Rheumatic Fever	–	1	2	–	–	4	3	2	1	–	–	–	–	2	1	3
Erysipelas	6	2	3	2	4	2	3	2	1	2	1	–	3	4	2	3
Pyæmia	2	–	–	–	–	1	–	–	–	1	–	–	1	1	–	–
Syphilis	2	–	1	1	–	1	–	3	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–
Dropsy	3	2	8	5	4	11	–	7	5	3	2	1	3	3	5	6
Abscess	1	–	–	–	2	2	–	5	–	–	–	1	2	1	1	2
Ulcer	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Mortification	2	–	1	1	1	–	1	1	–	1	–	–	2	1	–	1
Cancer	14	4	18	6	20	21	9	21	14	13	5	1	22	27	17	16
Gout	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	10	3	6	9	29	13	–	11	2	5	2	1	1	9	8	5
Tabes Mesenterica	7	3	5	5	20	24	4	17	2	1	5	1	4	11	3	1
Phthisis	77	35	105	60	112	156	19	94	24	32	19	4	34	110	65	57
Hydrocephalus	22	5	13	17	34	23	3	3	3	5	4	–	6	21	9	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	152	1	3	6	3	–	2	5	22	5	1	6	11	–	1
Apoplexy	408	5	6	7	5	–	17	11	36	6	19	28	32	7	4
Paralysis	571	8	14	18	15	1	17	21	51	14	19	56	43	6	2
Delirium Tremens	11	–	1	–	–	–	–	–	1	1	1	–	1	–	–
Chorea	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	79	–	4	2	2	–	1	2	7	–	2	11	6	2	–
Tetanus	10	–	–	1	–	–	–	–	–	–	1	1	–	–	–
Insanity	9	–	–	1	2	–	–	–	–	–	–	–	3	–	–
Convulsions	169	4	4	8	3	–	5	5	20	10	5	10	9	3	1
Brain Disease	205	2	2	9	2	–	5	13	23	5	6	12	17	2	1
V. Pericarditis	19	1	1	–	–	–	–	1	–	–	–	3	1	2	1
Aneurism	23	–	–	–	–	–	–	1	4	–	1	1	5	–	–
Heart Disease	1045	23	8	24	17	1	25	31	94	14	36	108	88	16	2
VI. Laryngitis	38	1	1	–	–	–	–	2	8	1	2	1	1	–	–
Bronchitis	1400	14	15	36	26	1	31	56	170	42	42	113	95	2	21
Pleurisy	72	–	–	3	1	–	1	4	9	2	2	3	8	3	1
Pneumonia	554	7	5	18	7	2	11	24	57	15	22	58	39	7	2
Asthma	134	9	11	14	3	–	3	5	7	2	2	8	9	–	2
Lung Disease	47	–	–	1	1	–	1	–	–	–	1	8	3	–	–
VII. Teething	132	–	3	–	1	1	7	9	16	4	1	7	14	1	3
Quinsey	16	1	–	–	1	–	–	–	2	–	1	–	–	–	–
Gastritis	80	–	2	5	1	1	1	–	13	–	1	12	4	1	–
Enteritis	236	4	2	14	5	–	5	3	11	5	8	20	9	1	–
Peritonitis	95	–	1	1	2	–	1	3	14	5	4	6	4	2	–
Ascites	24	–	3	2	–	1	1	–	2	–	–	3	1	–	1
Ulceration of Intestines	87	2	2	–	–	1	5	1	11	3	–	5	3	–	–
Hernia	30	–	–	–	–	–	–	–	7	2	–	3	3	–	2
Ileus	99	1	4	5	3	–	5	5	20	3	3	8	4	–	–
Intussusception	11	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Stricture of Intestines	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	187	7	4	3	8	2	7	11	15	3	1	37	15	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	40	–	–	1	2	–	4	1	1	–	–	3	4	2	–
Jaundice	60	1	–	1	1	–	3	2	8	1	4	4	5	–	1
Liver Disease	219	4	5	6	3	1	5	4	15	8	3	23	7	1	2
Spleen Disease	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	24	–	–	1	–	–	–	–	3	–	1	3	1	–	–
Nephria	89	5	1	3	1	–	2	7	8	–	2	4	5	1	2
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	14	2	2	–	–	–	–	–	4	–	–	1	–	–	–
Diabetes	34	–	1	2	1	–	1	–	9	1	1	2	5	–	–
Stone	23	–	1	4	–	–	–	1	3	3	–	1	1	–	–
Cystitis	75	–	–	3	–	–	2	2	12	4	2	4	8	1	–
Stricture of Urethra	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	85	1	–	1	1	–	4	5	15	3	1	10	2	3	–
IX. Paramenia	13	–	–	–	1	–	1	–	1	1	–	1	–	–	–
Ovarian Dropsy	21	–	–	–	–	–	1	1	4	1	1	–	6	–	–
Childbirth	99	2	5	6	5	1	2	3	7	3	4	8	8	–	–
Organs of Generation	19	1	–	–	2	–	–	–	1	–	1	1	2	–	–
X. Bone Disease	39	1	1	1	–	–	1	3	5	1	–	2	4	–	–
Rheumatism	42	–	1	3	1	–	1	2	4	–	–	4	3	–	–
Joint Disease	26	–	–	1	1	–	1	3	1	–	1	–	–	–	–
XI. Carbuncle	7	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Phlegmon	6	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Skin Disease	15	1	–	1	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	26	1	–	1	1	–	–	–	2	–	1	–	1	1	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Poison	4	–	–	–	–	–	–	1	–	–	–	2	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	55	2	1	2	3	–	–	1	8	3	2	6	2	–	–
Hanging, etc.	14	–	–	2	–	–	–	1	–	–	–	1	4	–	–
Suffocation	35	–	–	–	–	–	1	2	1	2	3	2	3	1	–
Drowning	178	2	2	11	8	–	1	3	19	8	10	17	21	–	1
Fracture and Contusion	233	–	4	3	2	–	3	4	16	5	10	14	25	2	2
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–
Cuts and Stabs	9	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Other Violent Causes	18	–	1	1	1	–	–	–	2	1	–	1	1	–	–
Not Specified	823	19	34	80	48	4	22	22	53	20	19	49	57	2	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	7	1	14	4	15	11	3	10	1	1	–	–	4	6	7	2
Apoplexy	9	7	16	12	29	18	5	27	11	21	1	1	19	25	15	9
Paralysis	27	6	19	9	23	41	8	37	24	16	4	–	12	31	19	10
Delirium Tremens	–	–	–	–	–	1	–	2	1	1	–	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	6	3	4	–	4	–	2	6	1	3	–	1	2	3	3	2
Tetanus	–	1	1	1	–	–	1	1	–	1	–	–	–	1	–	–
Insanity	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	–	11	6	5	10	4	10	3	6	1	–	6	3	2	4
Brain Disease	5	3	16	7	14	14	4	8	7	9	1	–	4	7	4	3
Pericarditis	–	1	1	–	2	2	–	2	–	–	–	–	–	1	–	–
Aneurism	–	1	–	–	1	2	1	–	–	3	–	–	–	2	–	1
Heart Disease	34	15	32	37	51	55	23	68	26	38	13	4	34	65	39	24
Laryngitis	1	–	–	1	4	4	–	1	1	–	–	–	–	3	1	5
Bronchitis	70	28	34	37	82	127	26	100	15	22	14	5	26	81	28	41
Pleurisy	4	2	–	3	–	5	–	3	1	2	1	1	2	4	6	1
Pneumonia	26	7	23	21	32	34	11	25	9	13	2	–	9	28	18	22
Asthma	14	2	10	2	3	11	–	2	1	3	–	–	2	6	1	2
Lung Disease	7	1	1	1	5	10	1	4	1	–	–	–	–	–	–	1
Teething	10	1	2	7	4	8	1	8	3	4	6	1	–	3	–	7
Quinsey	2	–	1	1	2	3	–	1	–	–	–	–	–	–	1	–
Gastritis	2	1	8	–	2	7	–	7	2	–	1	1	–	7	–	1
Enteritis	18	3	3	15	13	38	5	11	1	5	3	–	6	16	6	6
Peritonitis	5	–	1	4	6	8	1	5	1	1	2	1	7	7	2	1
Ascites	–	1	2	–	1	1	–	–	1	1	–	–	–	1	1	1
Ulceration of Intestines	5	–	3	–	2	8	1	4	1	6	–	1	6	7	9	1
Hernia	2	–	1	1	1	1	–	3	1	–	–	–	1	–	1	1
Ileus	2	–	3	2	3	6	–	3	–	2	2	1	2	6	4	2
Intussusception	–	1	1	1	1	–	–	–	–	–	1	–	2	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	5	2	11	8	8	11	–	4	1	–	3	1	5	7	6	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	3	1	5	2	–	4	1	1	–	–	–	3	–	1
Jaundice	3	1	1	–	4	6	–	4	–	4	2	–	2	2	–	–
Liver Disease	13	2	18	9	10	20	3	16	4	6	–	–	4	18	6	3
Spleen Disease	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	2	–	2	3	–	2	–	–	–	–	–	2	3	–
Nephria	4	1	2	2	8	2	2	6	2	1	–	–	6	3	6	3
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	1	–	1	–	–	1	–	–	–	–	1	–	–	1
Diabetes	1	–	1	–	1	1	–	–	–	–	–	–	1	3	1	2
Stone	–	1	3	–	–	1	–	–	–	–	–	–	–	1	1	2
Cystitis	3	1	2	2	5	3	–	2	3	1	1	–	2	9	3	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	1	5	4	1	7	1	4	1	2	1	–	1	4	1	2
Paramenia	–	–	–	1	1	2	–	1	–	1	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	2	1	–	1	–	–	–	–	1	1	1	–
Childbirth	2	–	3	2	7	11	1	3	2	1	4	–	2	1	4	2
Organs of Generation	–	–	3	–	–	2	–	3	1	–	1	–	–	–	1	–
Bone Disease	3	–	–	2	1	4	1	3	–	1	1	–	–	3	1	–
Rheumatism	1	–	2	2	2	3	1	3	3	1	1	–	–	2	1	1
Joint Disease	–	–	1	–	1	2	–	5	1	2	1	–	–	4	1	–
Carbuncle	–	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	–	–	1	3	2	1	2	–	1	–	–	–	–	–	1
Intemperance	4	–	2	3	1	1	1	2	1	1	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	4	1	3	3	–	3	–	1	1	–	2	–	4	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	2	1	–	–	1	–	–
Suffocation	–	–	2	1	1	4	–	7	1	1	1	–	–	–	1	1
Drowning	4	11	10	8	7	3	2	2	1	9	1	2	2	2	4	7
Fracture and Contusion	6	4	7	9	23	37	6	14	2	5	–	–	4	16	4	6
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Other Violent Causes	2	1	2	1	–	1	–	–	–	1	–	–	–	2	–	–
Not Specified	25	24	55	24	39	47	21	31	12	4	8	–	15	37	18	28

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	8876	136	157	428	202	27	199	291	925	212	297	651	610	67	58
SPECIFIED CAUSES	8425	129	140	390	183	24	186	275	898	200	282	632	581	67	55
I. Zymotic Class	1412	15	10	44	18	6	23	49	167	41	51	84	98	11	8
II. Uncertain Seat	285	5	6	12	12	–	6	14	38	7	15	22	15	1	3
III. Tubercular Class	1251	24	15	74	27	2	30	30	136	23	28	70	97	8	10
IV. Brain, etc.	823	10	19	25	13	1	26	32	81	18	31	54	62	11	4
V. Heart, etc.	553	14	5	14	9	1	11	18	56	9	15	57	37	9	3
VI. Respiratory Organs	1183	16	18	44	20	2	18	47	123	28	34	110	85	4	13
VII. Digestive Organs	683	12	17	23	10	3	26	24	73	16	13	72	25	4	3
VIII. Urinary Organs	228	8	2	9	2	–	7	10	36	8	5	12	14	4	–
IX. Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs	62	1	2	5	1	–	1	5	5	1	1	2	3	–	–
XI. Skin, etc.	14	1	–	1	–	–	1	–	–	–	–	–	1	–	–
XII. Malformation	38	1	1	2	–	–	–	–	4	4	3	1	1	–	3
XIII. Premature Debility	421	5	2	11	3	1	7	11	51	7	26	32	19	4	1
XIV. Atrophy	46	–	–	4	2	–	–	–	7	1	1	3	3	–	1
XV. Age	963	13	38	104	53	8	27	27	86	21	32	81	70	8	4
XVI. Sudden Deaths	9	–	–	1	–	–	–	1	–	–	2	–	1	–	–
XVII. Violent Deaths	454	4	5	17	13	–	3	7	35	16	25	32	50	3	2
I. Small Pox	201	–	–	4	1	1	–	–	13	7	15	8	10	3	1
Measles	83	–	–	–	–	–	–	6	36	4	1	2	–	–	–
Scarlatina	204	3	4	5	4	–	5	2	16	11	5	6	20	–	–
Diphtheria	119	–	–	4	–	–	2	11	18	1	4	7	6	2	–
Hooping Cough	148	1	–	2	–	–	2	6	16	1	5	9	12	2	2
Croup	127	3	3	3	–	5	3	2	9	2	4	7	14	–	1
Thrush	8	–	–	–	–	–	–	1	1	–	–	1	–	–	–
Diarrhœa	126	1	3	4	1	–	3	9	16	1	5	11	12	2	2
Dysentery	31	1	–	2	1	–	1	3	2	1	2	3	–	–	–
Cholera	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Influenza	16	–	–	–	–	–	–	–	4	–	–	1	1	–	–
Purpura	7	1	–	1	–	–	–	–	–	1	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	4	3	–	–	2	4	3	2	3	5	–	1
Enteric Fever	163	5	–	5	2	–	3	4	24	8	2	12	5	1	–
Relapsing Fever	8	–	–	2	–	–	–	–	–	–	–	–	1	–	–
Simple Continued Fever	19	–	–	1	4	–	–	1	–	–	1	2	1	–	–
Infantile Remittent	6	–	–	–	–	–	–	1	–	–	–	2	2	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	22	–	–	2	1	–	1	1	–	–	1	6	1	–	–
Erysipelas	43	–	–	3	1	–	3	–	6	–	1	2	3	1	1
Pyæmia	10	–	–	–	–	–	–	–	–	–	2	2	2	–	–
Syphilis	7	–	–	1	–	–	–	–	1	1	–	–	1	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Dropsy	66	–	2	5	5	–	–	1	2	–	3	7	5	–	2
Abscess	13	1	–	1	–	–	1	–	4	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Mortification	13	–	–	1	1	–	–	–	2	1	1	1	–	–	–
Cancer	180	4	3	5	3	–	5	12	27	6	10	14	9	1	1
Gout	6	–	–	–	3	–	–	–	–	–	–	–	1	–	–
III. Scrofula	111	1	2	5	–	–	2	1	21	1	–	8	6	1	–
Tabes Mesenterica	82	1	–	–	1	–	1	2	7	2	1	2	5	–	1
Phthisis	890	17	12	66	25	2	22	21	93	12	17	53	72	7	7
Hydrocephalus	168	5	1	3	1	–	5	6	15	8	10	7	14	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	403	152	384	246	522	681	158	510	149	225	78	26	185	430	225	242
SPECIFIED CAUSES	386	136	357	234	498	658	142	489	145	222	73	26	176	407	212	222
Zymotic Class	103	28	51	33	80	110	32	121	34	48	11	4	23	52	27	30
Uncertain Seat	8	3	9	3	14	21	4	10	6	9	5	2	11	10	4	10
Tubercular Class	51	19	68	39	92	112	16	57	14	22	13	3	20	70	47	34
Brain, etc.	34	14	38	24	53	43	12	58	26	23	4	1	27	39	20	20
Heart, etc.	16	7	14	20	26	37	14	35	12	20	7	3	16	36	18	14
Respiratory Organs	70	23	35	35	64	119	24	68	10	23	9	4	16	64	25	32
Digestive Organs	40	5	29	22	38	62	7	42	4	16	8	2	16	40	17	14
Urinary Organs	8	4	15	4	10	11	1	5	4	3	1	–	8	15	13	9
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	1	1	2	7	1	9	1	3	2	–	–	5	1	–
Skin	–	1	–	2	2	1	1	1	–	1	–	–	1	–	–	–
Malformation	1	–	–	–	6	2	–	4	–	1	–	–	1	2	–	1
Premature Debility	22	6	6	12	36	40	10	22	6	18	4	1	17	16	15	10
Atrophy	2	–	4	–	4	6	–	4	2	–	–	–	–	2	–	–
Age	16	11	64	17	37	44	12	36	22	19	5	2	14	37	18	37
Sudden Deaths	–	–	–	1	–	1	–	–	–	–	1	–	–	1	–	–
Violent Deaths	13	15	23	21	34	42	8	17	4	16	3	4	6	18	7	11
Small Pox	33	3	–	5	1	6	4	47	17	7	3	1	–	7	2	2
Measles	7	–	–	–	11	13	–	–	–	–	–	–	–	1	2	–
Scarlatina	10	14	17	3	1	23	10	21	2	10	1	–	2	3	–	6
Diphtheria	5	1	4	4	5	4	5	15	–	9	1	–	8	2	–	1
Hooping Cough	18	2	10	4	15	13	4	10	1	1	2	–	–	7	1	2
Croup	6	4	4	3	8	8	1	8	3	11	–	–	2	8	5	–
Thrush	–	–	1	–	–	3	–	–	–	1	–	–	–	–	–	–
Diarrhœa	3	1	–	5	11	10	3	4	1	3	–	–	2	4	4	5
Dysentery	2	–	2	1	1	4	1	–	1	–	–	–	–	1	1	1
Cholera	–	–	–	2	1	–	–	2	–	1	–	–	–	–	–	–
Influenza	3	–	3	–	1	–	–	–	–	–	–	–	1	2	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	3	1	3	5	–	3	2	–	2	–	–	1	1	2
Enteric Fever	5	2	3	3	16	18	1	6	6	3	2	1	2	11	8	5
Relapsing Fever	1	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	2	–	–	–	–	–	–	2	1	–	1	2
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	1	1	1	1	–	–	–	–	1	1	2
Erysipelas	2	1	2	2	2	–	2	1	–	1	–	–	3	4	1	1
Pyæmia	1	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
Syphilis	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	3	2	3	10	–	2	3	1	2	1	1	1	1	2
Abscess	–	–	–	–	2	1	–	–	–	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	1	–	–	1	–	–	–	1	–	1	–	–	–	1	–	1
Cancer	6	1	6	–	9	9	4	7	3	7	3	1	9	7	2	6
Gout	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	6	1	2	2	17	10	–	5	1	3	2	1	–	5	6	2
Tabes Mesenterica	3	1	3	5	11	14	2	10	1	–	2	–	2	3	1	1
Phthisis	29	15	57	25	46	76	12	41	12	16	7	2	14	50	36	26
Hydrocephalus	13	2	6	7	18	12	2	1	–	3	2	–	4	12	4	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	86	–	2	5	1	–	1	4	12	2	–	3	5	–	1
Apoplexy	213	3	3	2	1	–	11	4	16	4	11	15	18	4	2
Paralysis	264	4	7	6	8	1	7	11	22	6	11	24	18	2	1
Delirium Tremens	7	–	1	–	–	–	–	–	1	1	1	–	1	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	40	–	2	2	1	–	–	1	7	–	1	3	3	2	–
Tetanus	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	1	1	–	–	–	–	–	–	–	1	–	–
Convulsions	96	3	3	5	–	–	3	4	14	3	4	5	4	3	–
Brain Disease	105	–	1	3	1	–	4	8	9	2	3	4	12	–	–
V. Pericarditis	11	1	–	–	–	–	–	1	–	–	–	2	–	1	1
Aneurism	14	–	–	–	–	–	–	1	4	–	–	–	1	–	–
Heart Disease	528	13	5	14	9	1	11	16	52	9	15	55	36	8	2
VI. Laryngitis	24	1	1	–	–	–	–	1	5	–	–	–	1	–	–
Bronchitis	690	6	8	25	14	–	10	23	80	22	19	62	47	1	10
Pleurisy	39	–	–	1	–	–	–	2	7	1	1	–	3	2	–
Pneumonia	325	6	4	12	5	2	6	17	27	5	12	40	24	1	2
Asthma	74	3	5	6	–	–	2	4	4	–	1	6	7	–	1
Lung Disease	31	–	–	–	1	–	–	–	–	–	1	2	3	–	–
VII. Teething	72	–	2	–	–	1	5	6	11	2	1	3	5	–	1
Quinsey	9	1	–	–	1	–	–	–	2	–	–	–	–	–	–
Gastritis	39	–	1	3	–	1	1	–	6	–	–	8	1	1	–
Enteritis	130	2	1	7	1	–	3	1	6	2	2	12	4	1	–
Peritonitis	33	–	1	1	1	–	1	2	5	1	2	4	1	–	–
Ascites	8	–	2	1	–	–	–	–	–	–	–	2	–	–	–
Ulceration of Intestines	46	1	1	–	–	1	4	1	8	2	–	3	1	–	–
Hernia	14	–	–	–	–	–	–	–	4	1	–	1	–	–	–
Ileus	61	–	4	2	1	–	3	4	12	1	2	6	2	–	–
Intussusception	7	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Stricture of Intestines	3	1	–	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	85	2	2	3	4	–	1	5	8	2	–	15	6	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	–	1	–	–	3	1	1	–	–	1	–	–	–
Jaundice	31	1	–	–	–	–	2	2	3	1	2	4	–	–	1
Liver Disease	120	4	3	5	1	–	3	1	7	4	3	12	5	1	1
Spleen Disease	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	11	–	–	1	–	–	–	–	1	–	–	1	1	–	–
Nephria	51	5	1	2	–	–	1	2	5	–	2	1	3	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	12	2	1	–	–	–	–	–	4	–	–	1	–	–	–
Diabetes	22	–	–	1	1	–	1	–	5	1	1	1	1	–	–
Stone	18	–	–	3	–	–	–	1	1	2	–	1	1	–	–
Cystitis	64	–	–	2	–	–	2	2	10	4	2	4	7	1	–
Stricture of Urethra	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	47	1	–	–	1	–	2	4	10	1	–	3	1	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	26	1	1	1	–	–	–	2	3	1	–	1	3	–	–
Rheumatism	17	–	1	3	1	–	–	1	2	–	–	1	–	–	–
Joint Disease	19	–	–	1	–	–	1	2	–	–	1	–	–	–	–
XI. Carbuncle	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	7	–	–	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	19	1	–	1	1	–	–	–	2	–	1	–	1	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	1	–	–	–	–	–	–	–	–	–	2	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	24	–	–	1	1	–	–	1	1	1	1	4	–	–	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	–	2	–	–
Suffocation	16	–	–	–	–	–	–	1	–	2	2	1	1	1	–
Drowning	153	2	2	11	8	–	1	1	17	8	10	9	18	–	–
Fracture and Contusion	196	–	3	3	2	–	2	3	12	4	8	11	24	2	2
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	2	2	3	–	–
Cuts and Stabs	9	–	–	–	–	–	–	1	1	–	1	1	–	–	–
Other Violent Causes	12	–	–	1	1	–	–	–	2	1	–	–	1	–	–
Not Specified	451	7	17	38	19	3	13	16	27	12	15	19	29	–	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—MALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	4	1	6	2	12	7	1	7	1	–	–	–	2	3	2	2
Apoplexy	4	4	6	5	16	9	3	16	7	9	1	–	8	16	8	7
Paralysis	17	4	11	5	10	14	1	17	13	5	3	–	10	15	5	6
Delirium Tremens	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	2	1	1	–	3	–	2	4	–	2	–	1	1	–	1	–
Tetanus	–	1	–	1	–	–	–	1	–	1	–	–	–	1	–	–
Insanity	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	–	6	4	5	5	3	6	2	1	–	–	3	2	1	3
Brain Disease	3	3	6	7	7	8	2	5	3	5	–	–	2	2	3	2
Pericarditis	–	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	2	–	–	–	3	–	–	–	2	–	–
Heart Disease	16	6	14	20	24	33	14	34	12	17	7	3	16	34	18	14
Laryngitis	1	–	–	1	3	3	–	1	–	–	–	–	–	3	–	3
Bronchitis	39	15	16	22	36	75	16	45	3	12	6	3	12	39	11	13
Pleurisy	1	1	–	–	–	5	–	2	–	2	1	1	2	3	3	1
Pneumonia	13	5	15	10	18	22	7	14	6	7	2	–	2	17	10	14
Asthma	10	1	4	1	2	9	–	2	–	2	–	–	–	2	1	1
Lung Disease	6	1	–	1	5	5	1	4	1	–	–	–	–	–	–	–
Teething	8	–	–	4	3	4	–	5	–	1	4	–	–	2	–	4
Quinsey	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	3	–	1	3	–	4	–	–	–	1	–	4	–	–
Enteritis	9	2	–	6	9	24	4	10	1	2	–	–	4	10	5	2
Peritonitis	2	–	1	1	–	2	–	1	–	1	1	1	1	2	1	–
Ascites	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–
Ulceration of Intestines	–	–	3	–	1	3	1	3	–	4	–	–	2	3	3	1
Hernia	2	–	1	–	1	1	–	2	–	–	–	–	–	–	–	1
Ileus	1	–	1	–	2	6	–	2	–	2	2	–	2	2	2	2
Intussusception	–	–	1	1	–	–	–	–	–	–	1	–	2	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	8	6	5	6	–	1	1	–	–	–	3	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	4	–	–	4	–	1	–	–	–	3	–	1
Jaundice	3	–	1	–	3	3	–	3	–	2	–	–	–	–	–	–
Liver Disease	8	1	8	1	6	10	2	7	2	2	–	–	2	14	4	3
Spleen Disease	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	2	–	1	–	–	–	–	–	–	3	–
Nephria	3	–	2	1	4	–	1	2	1	–	–	–	3	3	5	3
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	1
Diabetes	1	–	1	–	1	1	–	–	–	–	–	–	1	3	1	1
Stone	–	1	3	–	–	1	–	–	–	–	–	–	–	1	1	2
Cystitis	2	1	2	2	3	3	–	1	3	1	1	–	2	7	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	5	1	1	4	–	1	–	2	–	–	1	1	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	2	–	–	–	1	3	1	3	–	1	–	–	–	1	1	–
Rheumatism	–	–	–	1	1	2	–	2	–	–	1	–	–	1	–	–
Joint Disease	–	–	1	–	–	2	–	4	1	2	1	–	–	3	–	–
Carbuncle	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–	–
Intemperance	2	–	1	3	1	–	1	2	1	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	3	1	3	3	–	–	–	1	1	–	1	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	2	1	–	–	1	–	–
Suffocation	–	–	1	1	1	2	–	1	–	1	1	–	–	–	–	–
Drowning	3	11	9	7	6	3	2	2	1	8	–	2	2	1	3	6
Fracture and Contusion	3	4	7	7	22	32	5	11	2	3	–	–	3	12	4	5
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–
Other Violent Causes	2	–	1	1	–	1	–	–	–	–	–	–	–	1	–	–
Not Specified	17	16	27	12	24	23	16	21	4	3	5	–	9	23	13	20

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—FEMALES.

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	9217	141	214	403	262	27	210	299	900	249	285	746	718	70	68
SPECIFIED CAUSES	8845	129	197	361	233	26	201	293	874	241	281	716	690	68	65
I. Zymotic Class	1572	18	30	41	36	3	21	47	153	51	70	111	122	10	15
II. Uncertain Seat	498	11	11	29	13	–	18	20	60	18	16	38	45	3	7
III. Tubercular Class	1264	13	16	46	18	3	21	44	121	34	24	86	95	6	11
IV. Brain, etc.	793	10	15	27	19	–	21	25	80	23	23	70	60	9	5
V. Heart, etc.	534	10	4	10	8	–	14	15	42	5	22	55	57	9	–
VI. Respiratory Organs	1062	15	14	28	18	1	29	44	128	34	37	81	70	8	13
VII. Digestive Organs	641	9	9	15	18	4	18	16	62	18	15	60	49	5	7
VIII. Locomotive Organs	120	–	3	5	1	–	3	6	18	3	2	13	8	1	2
IX. Urinary Organs	152	3	5	6	8	1	4	4	13	5	6	10	16	–	–
X. Generative Organs	45	–	–	–	1	–	2	3	5	–	–	4	4	–	–
XI. Skin, etc.	14	1	–	1	1	–	–	1	2	–	–	–	–	–	–
XII. Malformation	25	–	–	–	–	–	1	–	4	2	1	–	2	1	1
XIII. Premature Debility	324	–	4	5	4	2	7	7	40	9	14	12	25	4	–
XIV. Atrophy	72	–	2	2	3	–	–	3	7	1	4	8	8	–	–
XV. Age	1582	37	81	143	83	12	40	52	124	35	43	149	116	11	3
XVI. Sudden Deaths	11	–	–	–	–	–	–	–	–	–	–	2	3	–	–
XVII. Violent Deaths	136	2	3	3	2	–	2	6	15	3	4	17	10	1	1
I. Small Pox	192	–	–	3	3	–	–	1	9	3	17	10	21	2	1
Measles	87	–	–	2	–	–	1	3	23	9	2	1	2	–	–
Scarlatina	210	4	1	8	5	–	2	1	10	15	9	8	21	–	–
Diphtheria	140	–	–	4	1	–	4	11	21	4	3	11	6	–	3
Hooping Cough	202	–	1	1	–	–	3	6	15	1	9	14	25	2	2
Croup	87	3	3	3	3	2	1	–	4	2	5	10	6	–	3
Thrush	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	171	5	2	6	3	–	3	8	22	5	5	17	13	2	1
Dysentery	39	–	2	1	–	–	1	–	7	1	1	4	2	–	–
Cholera	9	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Influenza	16	–	–	1	–	–	–	–	3	–	1	1	–	1	–
Purpura	5	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	2	1	5	–	–	2	5	1	1	4	2	–	2
Enteric Fever	183	5	8	6	1	–	1	7	25	5	6	17	6	2	3
Relapsing Fever	7	–	–	1	–	–	–	–	1	–	–	–	1	–	–
Simple Cont. Fever	24	–	–	1	7	–	–	–	1	2	–	4	1	–	–
Infantile Remitte	15	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Metria	44	1	7	2	–	–	2	1	1	–	5	2	9	–	–
Rheumatic Fever	22	–	2	1	3	–	–	1	1	1	–	1	2	–	–
Erysipelas	46	–	2	–	2	1	3	5	4	2	3	3	2	1	–
Pyæmia	6	–	–	–	2	–	–	–	–	–	1	1	–	–	–
Syphilis	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Dropsy	84	2	2	7	6	–	2	1	8	2	3	9	4	–	4
Abscess	19	–	1	–	1	–	–	–	1	1	–	1	2	–	–
Ulcer	9	–	–	1	–	–	–	1	–	–	–	2	2	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	–	–	1	–	–	1	–	1	–	–	1	2	–	–
Cancer	363	9	8	18	6	–	15	17	50	14	13	25	35	2	3
Gout	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	83	–	1	1	–	–	1	2	11	1	2	5	8	–	–
Tabes Mesenterica	80	–	1	1	–	–	2	–	10	–	–	6	4	1	1
Phthisis	958	13	14	39	17	3	14	33	86	25	17	70	74	5	9
Hydrocephalus	143	–	–	5	1	–	4	9	14	8	5	5	9	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	394	138	410	247	500	630	118	545	183	223	88	12	199	466	238	234
SPECIFIED CAUSES	386	130	382	235	485	606	113	535	175	222	85	12	193	452	233	226
Zymotic Class	104	31	48	27	79	159	31	147	25	37	14	–	25	63	22	32
Uncertain Seat	14	4	19	9	14	16	6	26	13	9	2	1	18	23	19	16
Tubercular Class	65	27	61	52	103	104	10	68	17	21	17	3	25	81	38	34
Brain, etc.	31	7	45	15	38	52	15	44	22	35	3	1	21	37	30	10
Heart, etc.	18	10	19	17	28	22	10	35	14	21	6	1	18	32	21	11
Respiratory Organs	52	17	33	30	62	72	14	67	18	17	8	2	23	58	29	40
Digestive Organs	28	7	29	31	24	57	4	28	12	15	12	4	19	37	19	10
Locomotive Organs	4	2	1	4	8	6	2	10	2	1	1	–	4	7	2	
Urinary Organs	2	–	6	3	10	16	1	8	3	2	5	–	3	3	7	2
Generative Organs	2	–	2	3	2	2	1	2	3	1	1	–	–	4	2	1
Skin	–	–	1	–	3	1	–	1	–	–	–	–	1	–	–	1
Malformation	–	–	–	–	4	2	1	–	–	2	–	–	1	2	1	–
Premature Debility	12	10	9	8	31	30	8	25	12	8	6	–	10	11	9	2
Atrophy	3	–	3	1	3	6	–	4	3	5	–	–	1	3	1	1
Age	41	14	101	31	74	52	8	58	29	44	9	–	21	84	26	61
Sudden Deaths	1	–	–	1	–	1	–	–	1	–	–	–	1	–	1	–
Violent Deaths	9	1	5	3	2	8	2	12	1	4	1	–	2	7	6	4
Small-pox	30	1	1	1	1	7	1	51	6	2	3	–	4	7	5	2
Measles	6	1	1	2	5	24	–	–	1	2	–	–	–	–	–	2
Scarlatina	9	11	8	2	5	27	5	25	1	7	1	–	3	9	2	11
Diphtheria	2	1	5	3	9	9	4	14	4	10	–	–	8	2	1	–
Hooping-cough	23	4	7	3	19	31	4	21	2	1	–	–	1	7	–	–
Croup	2	1	5	3	6	8	1	5	1	6	1	–	–	2	–	1
Thrush	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	5	5	1	3	8	19	3	12	–	–	2	–	2	11	2	6
Dysentery	2	–	4	–	2	1	2	2	1	2	–	–	2	1	1	–
Cholera	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
Influenza	3	–	3	–	1	1	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–
Typhus	3	1	4	2	2	4	1	2	1	2	1	–	1	5	–	–
Enteric Fever	9	3	5	2	6	19	3	6	5	4	3	–	2	13	7	4
Relapsing Fever	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	3	–	1	–	–	–	1	–	–	–	1	–
Infantile Remittent	1	–	–	4	–	1	–	1	–	–	–	–	2	1	1	1
Metria	1	1	–	–	5	2	1	–	1	–	–	–	–	1	1	1
Rheumatic Fever	–	1	1	–	–	3	2	1	–	–	–	–	–	1	–	1
Erysipelas	4	1	1	–	2	2	1	1	1	1	1	–	–	–	1	2
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	1	–	1	–	2	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Dropsy	2	1	5	3	1	1	–	5	2	2	–	–	2	2	4	4
Abscess	1	–	–	–	–	1	–	5	–	–	–	1	1	1	–	2
Ulcer	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	–	1	–	1	–	1	–	–	–	–	–	2	–	–	–
Cancer	8	3	12	6	11	12	5	14	11	6	2	–	13	20	15	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	4	2	4	7	12	3	–	6	1	2	–	–	1	4	2	3
Tabes Mesenterica	4	2	2	–	9	10	2	7	1	1	3	1	2	8	2	–
Phthisis	48	20	48	35	66	80	7	53	12	16	12	2	20	60	29	31
Hydrocephalus	9	3	7	10	16	11	1	2	3	2	2	–	2	9	5	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—FEMALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	66	1	1	1	2	–	1	1	10	3	1	3	6	–	–
Apoplexy	195	2	3	5	4	–	6	7	20	2	8	13	14	3	2
Paralysis	307	4	7	12	7	–	10	10	29	8	8	32	25	4	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Epilepsy	39	–	2	–	1	–	1	1	–	–	1	8	3	–	–
Tetanus	4	–	–	–	–	–	–	–	–	–	1	1	–	–	–
Insanity	4	–	–	–	1	–	–	–	–	–	–	–	2	–	–
Convulsions	73	1	1	3	3	–	2	1	6	7	1	5	5	–	1
Brain	100	2	1	6	1	–	1	5	14	3	3	8	5	2	1
V. Pericarditis	8	–	1	–	–	–	–	–	–	–	–	1	1	1	–
Aneurism	9	–	–	–	–	–	–	–	–	–	1	1	4	–	–
Heart	517	10	3	10	8	–	14	15	42	5	21	53	52	8	–
VI. Laryngitis	14	–	–	–	–	–	–	–	3	1	2	1	–	–	–
Bronchitis	710	8	7	11	12	1	21	33	90	20	23	51	48	1	11
Pleurisy	33	–	–	2	1	–	1	2	2	1	1	3	5	1	1
Pneumonia	229	1	1	6	2	–	5	7	30	10	10	18	15	6	–
Asthma	60	6	6	8	3	–	1	1	3	2	1	2	2	–	1
Lungs	16	–	–	1	–	–	1	–	–	–	–	6	–	–	–
VII. Teething	60	–	1	–	1	–	2	3	5	2	–	4	9	1	2
Quinsey	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	41	–	1	2	1	–	–	–	7	–	1	4	3	–	–
Enteritis	106	2	1	7	4	–	2	2	5	3	6	8	5	–	–
Peritonitis	62	–	–	–	1	–	–	1	9	4	2	2	3	2	–
Ascites	16	–	1	1	–	1	1	–	2	–	–	1	1	–	1
Ulcer. of Intestines	41	1	1	–	–	–	1	–	3	1	–	2	2	–	–
Hernia	16	–	–	–	–	–	–	–	3	1	–	2	3	–	2
Ileus	38	1	–	3	2	–	2	1	8	2	1	2	2	–	–
Intussusception	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Strict. of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	102	5	2	–	4	2	6	6	7	1	1	22	9	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	18	–	–	–	2	–	1	–	–	–	–	2	4	2	–
Jaundice	29	–	–	1	1	–	1	–	5	–	2	–	5	–	–
Liver Disease	99	–	2	1	2	1	2	3	8	4	–	11	2	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	–	–	–	–	–	–	–	2	–	1	2	–	–	–
Nephria	38	–	–	1	1	–	1	5	3	–	–	3	2	–	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	12	–	1	1	–	–	–	–	4	–	–	1	4	–	–
Stone	5	–	1	1	–	–	–	–	2	1	–	–	–	–	–
Cystitis	11	–	–	1	–	–	–	–	2	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	38	–	–	1	–	–	2	1	5	2	1	7	1	1	–
IX. Paramenia	13	–	–	–	1	–	1	–	1	1	–	1	–	–	–
Ovarian Dropsy	21	–	–	–	–	–	1	1	4	1	1	–	6	–	–
Childbirth	99	2	5	6	5	1	2	3	7	3	4	8	8	–	–
Organs of Generation	19	1	–	–	2	–	–	–	1	–	1	1	2	–	–
X. Bone Diseases	13	–	–	–	–	–	1	1	2	–	–	1	1	–	–
Rheumatism	25	–	–	–	–	–	1	1	2	–	–	3	3	–	–
Joint Disease	7	–	–	–	1	–	–	1	1	–	–	–	–	–	–
XI. Carbuncle	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	4	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	8	1	–	–	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Milk	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	2	1	1	2	–	–	–	7	2	1	2	2	–	–
Hanging, etc.	6	–	–	2	–	–	–	1	–	–	–	1	2	–	–
Suffocation	19	–	–	–	–	–	1	1	1	–	1	1	2	–	–
Drowning	25	–	–	–	–	–	–	2	2	–	–	8	3	–	1
Fracture and Contusion	37	–	1	–	–	–	1	1	4	1	2	3	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Not Specified	372	12	17	42	29	1	9	6	26	8	4	30	28	2	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.—FEMALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	–	8	2	3	4	2	3	–	1	–	–	2	3	5	–
Apoplexy	5	3	10	7	13	9	2	11	4	12	–	1	11	9	7	2
Paralysis	10	2	8	4	13	27	7	20	11	11	1	–	2	16	14	4
Delirium Tremens	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	2	3	–	1	–	–	2	1	1	–	–	1	3	2	2
Tetanus	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	–	5	2	–	5	1	4	1	5	1	–	3	1	1	1
Brain Disease	2	–	10	–	7	6	2	3	4	4	1	–	2	5	1	1
Pericarditis	–	–	1	–	1	–	–	1	–	–	–	–	–	1	–	–
Aneurism	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Heart Disease	18	9	18	17	27	22	9	34	14	21	6	1	18	31	21	10
Laryngitis	–	–	–	–	1	1	–	–	1	–	–	–	–	–	1	2
Bronchitis	31	13	18	15	46	52	10	55	12	10	8	2	14	42	17	28
Pleurisy	3	1	–	3	–	–	–	1	1	–	–	–	–	1	3	–
Pneumonia	13	2	8	11	14	12	4	11	3	6	–	–	7	11	8	8
Asthma	4	1	6	1	1	2	–	–	1	1	–	–	2	4	–	1
Lung Disease	1	–	1	–	–	5	–	–	–	–	–	–	–	–	–	1
Teething	2	1	2	3	1	4	1	3	3	3	2	1	–	1	–	3
Quinsey	–	–	–	1	–	3	–	1	–	–	–	–	–	–	1	–
Gastritis	2	–	5	–	1	4	–	3	2	–	1	–	–	3	–	1
Enteritis	9	1	3	9	4	14	1	1	–	3	3	–	2	6	1	4
Peritonitis	3	–	–	3	6	6	1	4	1	–	1	–	6	5	1	1
Ascites	–	1	2	–	–	1	–	–	1	–	–	–	–	1	–	1
Ulceration of Intest.	5	–	–	–	1	5	–	1	1	2	–	1	4	4	6	–
Hernia	–	–	–	1	–	–	–	1	1	–	–	–	1	–	1	–
Ileus	1	–	2	2	1	–	–	1	–	–	–	1	–	4	2	–
Intussusception	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intest.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	1	1	3	2	3	5	–	3	–	–	3	1	2	7	5	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	1	1	2	–	–	1	–	–	–	–	–	–	–
Jaundice	–	1	–	–	1	3	–	1	–	2	2	–	2	2	–	–
Liver Disease	5	1	10	8	4	10	1	9	2	4	–	–	2	4	2	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	1	–	2	1	–	1	–	–	–	–	–	2	–	–
Nephria	1	1	–	1	4	2	1	4	1	1	–	–	3	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	2	–	–	1	–	–	–	–	–	2	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	3	–	3	1	3	1	–	1	–	–	3	–	–
Paramenia	–	–	–	1	1	2	–	1	–	1	–	–	–	1	1	–
Ovarian Dropsy	–	–	–	–	2	1	–	1	–	–	–	–	1	1	1	–
Childbirth	2	–	3	2	7	11	1	3	2	1	4	–	2	1	4	2
Organs of Generation	–	–	3	–	–	2	–	3	1	–	1	–	–	–	1	–
Bone Disease	1	–	–	2	–	1	–	–	–	–	1	–	–	2	–	–
Rheumatism	1	–	2	1	1	1	1	1	3	1	–	–	–	1	1	1
Joint Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	1
Intemperance	2	–	1	–	–	1	–	–	–	–	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	–	–	–	–	3	–	–	–	–	1	–	4	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	2	–	6	1	–	–	–	–	–	1	1
Drowning	1	–	1	1	1	–	–	–	–	1	1	–	–	1	1	1
Fracture and Contusion	3	–	–	2	1	5	1	3	–	2	–	–	1	4	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–
Not Specified	8	8	28	12	15	24	5	10	8	1	3	–	6	14	5	

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
All Causes	2084	403	369	198	600	341	173	1008	172	167	104	295	176	94	1076	231	202	94	305	165	79
Specified Causes	1746	350	346	157	444	293	156	850	149	160	81	220	158	82	896	201	186	76	224	135	74
Zymotic Class	247	37	37	41	77	30	25	122	20	15	16	42	18	11	125	17	22	25	35	12	14
Uncertain Seat	90	17	23	5	18	17	10	38	8	7	2	6	9	6	52	9	16	3	12	8	4
Tubercular Class	224	55	39	15	65	30	20	126	26	23	9	38	19	11	98	29	16	6	27	11	9
Brain, etc.	97	16	18	14	14	26	9	57	7	11	12	10	15	2	40	9	7	2	4	11	7
Heart, etc.	57	6	16	3	8	13	11	37	2	11	3	5	7	9	20	4	5	–	3	6	2
Respiratory Organs	184	19	39	6	53	51	16	88	10	17	4	25	28	4	96	9	22	2	28	23	12
Digestive Organs	102	20	15	8	27	24	8	53	10	6	6	15	12	4	49	10	9	2	12	12	4
Urinary Organs	29	5	9	–	8	6	1	18	2	8	–	5	2	1	11	3	1	–	3	4	–
Generative Organs	35	6	8	3	15	1	2	–	–	–	–	–	–	–	35	6	8	3	15	1	2
Locomotive Organs	34	7	4	4	11	6	2	18	4	1	2	6	3	2	16	3	3	2	5	3	–
Skin, etc.	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	58	12	8	4	24	6	4	28	6	4	2	13	2	1	30	6	4	2	11	4	3
Atrophy	8	2	2	–	2	2	–	3	–	2	–	1	–	–	5	2	–	–	1	2	–
Age	507	131	114	52	105	71	34	207	45	44	23	40	36	19	300	86	70	29	65	35	15
Sudden Deaths	9	6	–	–	3	–	–	4	2	–	–	2	–	–	5	4	–	–	1	–	–
Violent Deaths	63	10	14	2	13	10	14	49	6	11	2	11	7	12	14	4	3	–	2	3	2
Small Pox	19	2	2	2	12	1	–	11	2	–	1	8	–	–	8	–	2	1	4	1	–
Measles	17	2	–	–	14	1	–	9	1	–	–	7	1	–	8	1	–	–	7	–	–
Scarlatina	34	3	9	6	8	4	4	22	3	6	2	7	3	1	12	–	3	4	1	1	3
Diphtheria	10	1	1	2	3	–	3	7	1	–	2	3	–	1	3	–	1	–	–	–	2
Hooping Cough	34	21	1	–	8	2	2	14	7	–	–	5	1	1	20	14	1	–	3	1	1
Croup	26	–	2	16	5	2	1	12	–	2	6	3	1	–	14	–	–	10	2	1	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	–	6	2	5	4	3	7	–	3	1	–	3	–	13	–	3	1	5	1	3
Dysentery	4	–	–	–	1	–	3	3	–	–	–	1	–	2	1	–	–	–	–	–	1
Cholera	2	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	1
Influenza	8	1	3	2	–	2	–	3	1	1	–	–	1	–	5	–	2	2	–	1	–
Purpura	4	1	–	–	–	–	3	3	–	–	–	–	–	3	1	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	26	1	3	9	9	3	1	13	1	1	3	5	2	1	13	–	2	6	4	1	–
Enteric Fever	18	–	3	–	8	6	1	6	–	–	–	2	4	–	12	–	3	–	6	2	1
Relapsing Fever	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	3	2	–	–	1	–	–	2	2	–	–	–	–	–	1	–	–	–	1	–	–
Infantile Remittent	2	–	2	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–	–	–
Metria	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Rheumatic Fever	5	–	3	–	1	1	–	1	–	1	–	–	–	–	4	–	2	–	1	1	–
Erysipelas	11	3	2	2	1	2	1	6	2	–	1	1	1	1	5	1	2	1	–	1	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	38	5	15	2	8	6	2	13	1	5	–	2	3	2	25	4	10	2	6	3	–
Abscess	2	1	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	1	–	–	–	–	–	–	–	–	2	1	–	–	–	1	–
Cancer	42	5	8	2	10	10	7	20	3	2	1	4	6	4	22	2	6	1	6	4	3
Gout	5	5	–	–	–	–	–	3	3	–	–	–	–	–	2	2	–	–	–	–	–
Scrofula	13	3	5	–	1	2	2	7	1	2	–	1	2	1	6	2	3	–	–	–	1
Tabes Mesenterica	8	–	1	–	6	–	1	2	–	–	–	2	–	–	6	–	1	–	4	–	1
Phthisis	195	52	30	15	57	27	14	112	25	19	9	34	16	9	83	27	11	6	23	11	5
Hydrocephalus	8	–	3	–	1	1	3	5	–	2	–	1	1	1	3	–	1	–	–	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1872.

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	6	2	1	–	3	–	–	1	–	–	–	1	–	–	5	2	1	–	2	–	–
Apoplexy	10	2	–	1	–	4	3	6	1	–	1	–	3	1	4	1	–	–	–	1	2
Paralysis	46	10	8	7	8	11	2	30	5	8	7	6	4	–	16	5	–	–	2	7	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	1	5	2	1	1	1	5	–	2	2	1	–	–	6	1	3	–	–	1	1
Tetanus	6	–	–	4	1	1	–	4	–	–	2	1	1	–	2	–	–	2	–	–	–
Insanity	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	6	–	2	–	–	3	1	3	–	1	–	–	2	–	3	–	1	–	–	1	1
Brain Disease	11	1	2	–	1	6	1	7	1	–	–	1	5	–	4	–	2	–	–	1	1
Pericarditis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Aneurism	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	55	6	15	3	8	12	11	36	2	11	3	5	6	9	19	4	4	–	3	6	2
Laryngitis	5	1	–	–	3	1	–	2	–	–	–	1	1	–	3	1	–	–	2	–	–
Bronchitis	90	9	24	3	14	32	8	38	6	8	1	7	15	1	52	3	16	2	7	17	7
Pleurisy	9	–	–	–	6	3	–	5	–	–	–	2	3	–	4	–	–	–	4	–	–
Pneumonia	37	3	6	–	12	10	6	22	2	5	–	6	7	2	15	1	1	–	6	3	4
Asthma	37	6	4	3	17	5	2	20	2	3	3	9	2	1	17	4	1	–	8	3	1
Lung Disease	6	–	5	–	1	–	–	1	–	1	–	–	–	–	5	–	4	–	1	–	–
Teething	7	1	–	–	4	2	–	3	–	–	–	3	–	–	4	1	–	–	1	2	–
Quinsey	5	1	–	1	3	–	–	4	–	–	1	3	–	–	1	1	–	–	–	–	–
Gastritis	7	–	1	–	3	–	3	5	–	1	–	2	–	2	2	–	–	–	1	–	1
Enteritis	7	1	–	1	5	–	–	5	1	–	–	4	–	–	2	–	–	1	1	–	–
Peritonitis	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Ulcer. of Intestines	7	1	1	1	–	3	1	2	–	–	1	–	1	–	5	1	1	–	–	2	1
Hernia	2	–	–	1	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–	1	–
Ileus	6	2	–	1	2	1	–	4	2	–	1	–	1	–	2	–	–	–	2	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Strict. of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Stomach Disease	29	9	10	2	3	4	1	13	5	3	1	–	4	–	16	4	7	1	3	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	1	–	–	7	1	2	–	–	–	–	1	1	8	1	1	–	–	6	–
Jaundice	6	2	1	–	2	1	–	2	–	1	–	–	1	–	4	2	–	–	2	–	–
Liver Disease	13	2	1	1	2	5	2	11	2	1	1	2	4	1	2	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	3	1	–	–	2	–	–	2	1	–	–	1	–	–	1	–	–	–	1	–	–
Nephria	8	1	2	–	2	3	–	4	–	2	–	2	–	–	4	1	–	–	–	3	–
Addison's Disease	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	1	–	1	1	–	2	–	1	–	–	1	–	1	–	–	–	1	–	–
Diabetes	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stone	5	2	2	–	1	–	–	4	1	2	–	1	–	–	1	1	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	6	1	3	–	1	1	–	2	–	2	–	–	–	–	4	1	1	–	1	1	–
Paramenia	2	–	1	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–
Ovarian Dropsy	2	1	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–
Childbirth	29	5	6	2	14	1	1	–	–	–	–	–	–	–	29	5	6	2	14	1	1
Organs of Generation	2	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	1	–	–	–	1
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	32	7	4	4	11	5	1	17	4	1	2	6	3	1	15	3	3	2	5	2	–
Joint Disease	2	–	–	–	–	1	1	1	–	–	–	–	–	1	1	–	–	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	1	–	2	–	–	2	–	–	–	2	–	–	1	–	1	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	3	2	–	3	1	–	4	1	1	–	2	–	–	5	2	1	–	1	1	–
Hanging, etc.	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	29	1	5	1	6	3	13	26	1	5	1	5	3	11	3	–	–	–	1	–	2
Fracture & Contusion	18	6	5	1	1	4	1	13	4	4	1	1	2	1	5	2	1	–	–	2	–
Gunshot Wounds	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	75794	7284	2688	4748	5997	2885	1916	1444	3772	2141	2629	3075	2775
Specified Causes	73681	6643	2535	4601	5866	2809	1867	1416	3672	2090	2565	3007	2715
I. Zymotic Class	15861	898	769	1544	2452	1423	1044	800	1818	710	593	656	506
II. Diseases of Uncertain Seat	2548	43	10	18	29	20	10	12	32	35	26	28	44
III. Tubercular Class	12596	172	309	760	1003	472	311	258	827	707	1205	1489	1216
IV. Brain and Nervous System	6630	477	204	305	333	155	107	77	271	128	122	115	126
V. Organs of Circulation	3933	10	5	4	7	3	2	8	41	64	93	83	125
VI. Respiratory Organs	11535	830	658	1284	1279	492	257	158	303	115	143	163	204
VII. Organs of Digestion	4822	517	273	494	512	98	41	25	101	87	80	97	104
VIII. Urinary Organs	1244	7	5	6	14	19	13	16	42	39	47	55	59
IX. Organs of Generation	563	–	–	–	1	–	–	–	–	2	21	68	112
X. Organs of Locomotion	469	–	–	3	6	3	5	3	47	57	39	34	22
XI. Skin, etc.	101	15	10	8	10	2	2	1	2	–	–	3	4
XII. Malformation	268	231	14	8	7	3	1	1	1	1	1	–	–
XIII. Premature Debility	3619	3271	217	131	–	–	–	–	–	–	–	–	–
XIV. Atrophy	542	–	–	–	122	57	21	15	30	23	16	13	12
XV. Age	6208	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	171	20	13	4	6	1	1	–	7	2	2	1	5
XVII. Violent Deaths	2571	152	48	32	85	61	52	42	150	120	177	202	176
I. Small Pox	2448	173	125	80	52	34	42	46	228	231	229	317	226
Measles	925	14	23	178	325	145	92	54	72	9	3	2	3
Scarlatina	2101	12	23	105	288	305	250	227	625	185	36	24	30
Diphtheria	1045	20	16	62	174	141	149	114	247	44	24	15	9
Hooping Cough	2850	167	232	637	923	382	222	132	150	5	–	–	–
Croup	1145	46	29	111	306	248	157	113	132	3	–	–	–
Thrush	40	29	4	4	2	1	–	–	–	–	–	–	–
Diarrhœa	1566	251	218	248	241	68	20	13	27	11	9	8	13
Dysentery	209	4	10	14	23	6	4	5	4	–	3	1	5
Cholera	83	7	8	18	13	–	1	–	6	1	4	2	1
Influenza	93	3	4	2	3	4	2	3	2	2	–	–	2
Purpura	52	2	2	2	3	2	2	1	7	8	4	3	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	10	–	–	–	–	1	1	4	3	1	–	–	–
Typhus	795	3	5	14	10	14	21	11	58	66	80	73	59
Enteric Fever	1223	7	5	18	40	36	49	47	186	141	151	128	60
Relapsing Fever	115	1	1	2	2	2	2	4	10	13	14	8	5
Simple Continued Fever	103	1	–	1	4	5	5	5	11	8	6	7	2
Infantile Remittent	118	5	5	9	19	21	20	16	23	–	–	–	–
Metria	219	–	–	–	–	–	–	–	–	–	5	42	59
Rheumatic Fever	153	–	–	1	–	–	1	1	16	24	19	15	9
Erysipelas	308	63	22	17	6	3	1	3	6	2	3	4	10
Pyæmia	56	4	1	2	1	1	1	1	3	6	3	3	7
Syphilis	193	85	36	18	17	2	–	–	1	–	–	4	4
Noma	11	1	–	1	–	2	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	66	8	–	2	2	–	–	1	1	–	–	2	2
Dropsy	573	6	–	1	8	10	6	7	18	19	8	4	14
Abscess	161	17	9	13	10	7	1	2	5	7	8	7	6
Ulcer	38	3	–	2	2	–	–	–	1	1	–	–	1
Fistula	14	–	–	–	–	–	–	–	–	–	–	–	3
Mortification	115	7	1	–	5	1	–	1	2	2	1	1	1
Cancer	1559	2	–	–	2	2	3	1	5	6	9	14	16
Gout	22	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	810	18	24	41	90	46	32	28	98	91	83	59	33
Tabes Mesenterica	1044	54	78	135	261	108	73	46	137	51	30	16	12
Phthisis	8715	29	48	104	180	106	75	76	308	497	1073	1405	1169
Hydrocephalus	2027	71	167	480	472	212	131	108	284	68	19	9	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2488	2421	2415	2415	2770	2780	3426	3384	4081	3348	2658	1456	554	164	27	53
Specified Causes	2434	2375	2335	2355	2693	2693	3310	3374	4080	3348	2658	1456	554	164	27	39
Zymotic Class	429	366	288	226	241	197	218	200	208	133	91	39	8	–	1	3
Uncertain Seat	64	90	125	168	275	261	330	285	278	189	116	47	11	1	–	1
Tubercular Class	942	797	603	449	376	263	222	114	56	25	10	4	1	–	–	5
Brain, etc.	161	162	210	260	316	368	515	573	691	505	302	111	24	8	–	4
Heart, etc.	164	183	200	238	362	348	481	439	509	326	175	53	7	1	–	2
Respiratory Organs	224	268	360	467	529	586	730	716	755	538	300	133	32	7	–	4
Digestive Organs	135	147	183	224	242	296	317	296	276	166	81	19	8	–	–	3
Urinary Organs	56	66	61	52	91	91	105	107	123	83	49	29	8	1	–	–
Generative Organs	72	106	80	28	23	12	12	11	8	5	2	–	–	–	–	–
Locomotive Organs	22	16	17	17	20	36	32	21	26	24	14	4	–	–	–	1
Skin	3	2	4	–	5	6	3	5	7	5	3	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	8	22	28	27	54	93	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	214	511	1071	1299	1491	1003	448	144	26	1
Sudden Deaths	8	6	9	16	14	11	17	13	10	5	–	–	–	–	–	–
Violent Deaths	146	144	167	183	145	125	113	83	62	45	24	13	7	2	–	15
Small Pox	196	149	94	72	59	42	26	16	7	2	1	–	–	–	–	1
Measles	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	11	9	7	4	1	3	2	1	3	–	–	–	–	–	–	–
Diphtheria	4	4	4	2	4	3	4	2	–	1	2	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	14	15	12	18	26	29	50	64	82	48	47	27	6	–	1	–
Dysentery	8	4	6	2	11	6	10	24	22	20	12	4	1	–	–	–
Cholera	2	2	2	3	3	2	3	2	–	2	1	–	–	–	–	–
Influenza	2	3	–	2	3	4	12	6	14	13	4	3	–	–	–	–
Purpura	3	4	–	1	2	1	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	45	55	62	52	49	26	36	25	21	8	1	1	–	–	–	–
Enteric Fever	48	34	45	40	35	43	38	25	24	17	3	1	–	–	–	2
Relapsing Fever	8	5	8	7	9	7	4	1	1	1	–	–	–	–	–	–
Simple Cont. Fever	3	1	5	3	9	9	2	3	6	4	2	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	58	43	12	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	11	15	8	6	7	6	5	5	–	4	–	–	–	–	–	–
Erysipelas	12	13	9	10	15	13	18	21	24	12	18	2	1	–	–	–
Pyæmia	3	5	8	1	2	1	2	–	1	–	–	–	–	–	–	–
Syphilis	1	4	5	2	3	1	5	4	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	7	6	4	2	5	3	6	5	5	2	2	–	1	–	–	–
Dropsy	14	14	13	23	42	53	71	56	80	54	38	12	1	–	–	1
Abscess	7	6	7	8	7	7	7	5	6	5	2	2	–	–	–	–
Ulcer	–	2	–	1	3	5	1	6	5	4	1	–	–	–	–	–
Fistula	2	2	1	–	2	–	3	1	–	–	–	–	–	–	–	–
Mortification	1	4	1	–	7	4	6	17	11	17	17	6	1	1	–	–
Cancer	33	56	99	133	208	189	232	190	166	103	55	27	8	–	–	–
Gout	–	–	–	1	1	–	4	5	5	4	1	–	–	–	–	–
Scrofula	21	30	25	18	18	12	14	8	13	4	3	–	–	–	–	1
Tabes Mesenterica	8	9	11	1	3	4	4	1	1	–	1	–	–	–	–	–
Phthisis	912	756	567	430	354	247	204	105	42	21	6	4	1	–	–	4
Hydrocephalus	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	680	18	42	78	89	47	33	28	122	41	36	31	18
Apoplexy	1555	18	16	36	33	15	12	7	34	11	20	14	26
Paralysis	2031	2	–	2	1	2	5	2	4	4	14	13	12
Delirium Tremens	60	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	10	–	–	–	1	–	–	–	3	4	–	–	–
Epilepsy	263	–	–	–	–	–	–	–	2	16	20	21	33
Tetanus	46	16	1	1	2	1	–	1	2	4	–	1	3
Insanity	26	–	–	–	–	–	–	–	–	–	2	–	1
Convulsions	1033	406	132	158	175	70	37	25	29	–	–	–	–
Brain Disease	926	17	13	30	32	20	20	14	75	48	30	34	32
V. Pericarditis	77	–	1	2	–	–	–	4	6	7	5	5	4
Aneurism	103	–	–	–	–	–	–	–	–	–	–	1	5
Heart Disease	3753	10	4	2	7	3	2	4	35	57	88	77	116
VI. Laryngitis	163	11	15	19	16	10	5	5	18	1	3	8	6
Bronchitis	7897	627	533	1021	1028	363	183	103	176	45	45	46	73
Pleurisy	231	6	1	5	3	4	1	1	8	12	14	11	12
Pneumonia	2570	174	107	235	220	108	65	45	95	51	72	79	93
Asthma	408	–	–	–	–	–	–	–	–	1	3	5	5
Lung Disease	266	12	2	4	12	7	3	4	6	5	6	14	15
VII. Teething	759	7	47	324	344	35	1	1	–	–	–	–	–
Quinsey	54	4	5	4	13	3	2	2	4	2	–	–	3
Gastritis	215	19	12	7	9	5	3	2	4	4	2	1	10
Enteritis	874	252	130	92	81	24	13	7	25	27	16	12	11
Peritonitis	319	27	7	8	14	3	1	–	11	14	28	25	20
Ascites	81	–	1	2	–	–	–	2	6	6	1	–	5
Ulceration of Intestines	227	2	1	4	1	1	1	2	3	3	4	13	11
Hernia	107	3	1	1	1	–	–	–	1	1	–	2	1
Ileus	281	35	8	1	3	3	2	–	10	4	6	10	3
Intussusception	38	2	4	6	–	–	1	–	2	1	4	–	–
Stricture of Intestines	31	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	702	68	48	37	31	14	7	6	17	5	8	15	13
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	140	2	2	1	2	–	1	1	2	3	3	4	4
Jaundice	217	77	3	3	7	3	3	1	2	2	1	4	1
Liver Disease	741	18	4	4	4	7	6	1	11	11	7	10	21
Spleen Disease	34	1	–	–	1	–	–	–	1	4	–	1	1
VIII. Nephritis	108	2	1	2	4	7	3	7	11	6	2	6	1
Nephria	353	1	–	2	3	4	3	6	15	15	23	19	21
Addison's Disease	9	–	–	–	–	–	–	–	–	–	–	–	2
Ischuria	62	1	–	–	2	–	1	–	2	–	1	2	2
Diabetes	95	1	–	–	2	3	–	–	2	6	3	11	9
Stone	58	–	–	–	–	–	–	–	3	–	1	2	2
Cystitis	192	–	1	1	–	–	–	–	–	6	4	2	8
Stricture of Urethra	14	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	353	2	3	1	3	5	6	3	9	5	13	12	12
IX. Paramenia	30	–	–	–	–	–	–	–	–	–	6	5	5
Ovarian Dropsy	76	–	–	–	–	–	–	–	–	1	–	2	3
Childbirth	391	–	–	–	–	–	–	–	–	–	14	59	99
Organs of Generation	66	–	–	–	1	–	–	–	–	1	1	2	5
X. Bone Disease	145	–	–	1	3	1	4	1	19	25	19	11	8
Rheumatism	168	–	–	–	–	–	–	–	2	4	2	6	2
Joint Disease	156	–	–	2	3	2	1	2	26	28	18	17	12
XI. Carbuncle	23	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	20	1	–	1	2	–	–	–	1	–	–	2	4
Skin Disease	58	14	10	7	8	2	2	1	1	–	–	1	–
XVII. Intemperance	151	–	–	–	–	–	–	–	–	2	5	4	16
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	78	48	22	8	–	–	–	–	–	–	–	–	–
Neglect	2	–	2	–	–	–	–	–	–	–	–	–	–
Cold	19	2	1	–	–	–	–	–	–	–	–	2	–
Poison	49	7	–	2	–	1	2	2	5	–	3	1	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	263	–	1	8	50	43	22	20	28	8	9	2	5
Hanging, etc.	38	–	–	–	–	–	–	–	–	–	1	2	1
Suffocation	137	65	20	9	5	1	–	2	3	1	1	2	3
Drowning	576	3	1	–	23	5	15	6	46	36	55	64	57
Fracture and Contusion	1078	3	1	3	6	11	13	8	63	67	87	102	81
Gunshot Wounds	19	–	–	–	1	–	–	1	1	–	2	2	3
Cuts and Stabs	32	–	–	–	–	–	–	–	1	–	2	2	–
Other Violent Causes	125	24	–	2	–	–	–	3	3	6	12	19	9
Not Specified	2113	641	153	147	131	76	49	28	100	51	64	68	60

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	16	12	14	9	6	10	10	10	4	–	3	2	1	–	–	–
Apoplexy	32	44	61	87	110	140	164	169	216	148	97	33	8	3	–	1
Paralysis	36	30	58	86	113	148	240	309	388	301	176	66	14	4	–	1
Delirium Tremens	12	11	8	7	8	3	4	3	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Epilepsy	23	25	23	21	20	11	9	14	12	7	2	3	–	–	–	1
Tetanus	4	2	1	2	3	–	1	–	1	–	–	–	–	–	–	–
Insanity	3	2	1	3	3	1	2	3	2	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	35	36	44	45	53	54	85	64	66	47	23	7	1	1	–	–
Pericarditis	11	5	1	3	6	4	4	2	4	–	3	–	–	–	–	–
Aneurism	11	7	7	13	14	9	17	11	3	2	1	1	1	–	–	–
Heart Disease	142	171	192	222	342	335	460	426	502	324	171	52	6	1	–	2
Laryngitis	4	4	5	10	5	5	4	2	3	2	1	1	–	–	–	–
Bronchitis	88	114	170	264	326	376	477	468	560	419	247	109	30	5	–	1
Pleurisy	12	12	15	22	17	16	11	16	14	7	8	3	–	–	–	–
Pneumonia	103	108	123	119	128	118	137	148	112	81	28	15	2	2	–	2
Asthma	10	12	25	27	35	42	75	64	56	27	15	5	–	–	–	1
Lung Disease	7	18	22	25	18	29	26	18	10	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	3	2	1	2	2	1	–	–	–	–	–	–	–
Gastritis	11	9	7	11	12	20	21	15	17	9	4	1	–	–	–	–
Enteritis	13	16	15	20	15	23	20	23	16	13	5	1	3	–	–	1
Peritonitis	27	27	20	9	11	9	15	11	12	13	4	3	–	–	–	–
Ascites	3	4	3	7	7	5	5	10	6	3	4	1	–	–	–	–
Ulceration of Intestines	9	13	16	18	21	27	19	17	28	8	4	–	–	–	–	1
Hernia	2	2	12	7	12	9	11	17	5	14	2	1	2	–	–	–
Ileus	4	9	7	13	26	19	25	34	22	22	11	2	2	–	–	–
Intussusception	1	1	2	–	4	2	4	–	4	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	5	2	7	2	6	2	1	1	1	–	–	–	–
Stomach Disease	28	18	21	36	38	51	69	57	63	31	16	4	1	–	–	–
Pancreas Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	9	11	9	7	13	24	10	16	7	1	–	–	–	–	–
Jaundice	3	–	7	13	7	9	12	13	23	10	11	1	–	–	–	1
Liver Disease	22	34	58	67	75	99	87	79	60	35	17	4	–	–	–	–
Spleen Disease	3	4	3	6	3	1	1	2	1	–	1	–	–	–	–	–
Nephritis	4	4	4	5	9	2	9	6	6	3	1	3	–	–	–	–
Nephria	35	29	23	17	31	22	28	17	19	12	4	3	1	–	–	–
Addison's Disease	–	1	–	–	–	3	2	–	–	1	–	–	–	–	–	–
Ischuria	–	3	–	2	4	5	3	9	11	5	6	3	–	–	–	–
Diabetes	5	5	2	7	9	5	6	9	5	2	2	1	–	–	–	–
Stone	–	1	1	2	2	6	4	9	4	12	4	3	2	–	–	–
Cystitis	3	2	5	2	9	14	20	22	40	24	22	5	2	–	–	–
Stricture of Urethra	–	–	2	2	1	1	–	2	1	1	–	–	–	–	–	–
Kidney Disease	9	21	24	15	26	33	33	33	37	23	10	11	3	1	–	–
Paramenia	–	4	3	6	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	11	10	6	12	10	7	5	2	1	2	–	–	–	–	–
Childbirth	66	86	61	6	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	5	6	10	10	2	5	6	6	4	–	–	–	–	–	–
Bone Disease	5	6	6	4	7	8	6	3	3	2	3	–	–	–	–	–
Rheumatism	9	7	6	8	9	21	21	15	22	21	9	4	–	–	–	–
Joint Disease	8	3	5	5	4	7	5	3	1	1	2	–	–	–	–	1
Carbuncle	–	–	2	–	4	2	1	4	4	3	2	1	–	–	–	–
Phlegmon	2	2	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	3	–	1	3	2	1	–	–	–	–	–
Intemperance	8	18	19	21	21	15	11	6	4	1	–	–	–	–	–	–
Privation	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	2	2	–	2	1	3	–	2	1	–	–	–	–	1
Poison	1	3	5	6	4	3	2	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	6	5	5	5	9	7	4	4	8	7	3	–	–	–	–
Hanging, etc.	–	4	2	6	7	5	4	2	3	1	–	–	–	–	–	–
Suffocation	1	–	2	5	2	5	1	3	1	1	2	1	1	–	–	–
Drowning	42	41	39	31	24	29	26	14	8	4	1	–	–	–	–	6
Fracture and Contusion	83	58	81	96	68	48	55	41	42	24	12	9	6	2	–	8
Gunshot Wounds	1	2	1	1	3	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	4	2	5	5	2	1	3	3	–	1	1	–	–	–	–	–
Other Violent Causes	2	10	5	5	8	7	3	4	–	3	–	–	–	–	–	–
Not Specified	54	46	80	60	77	87	116	10	1	–	–	–	–	–	–	14

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	37939	4164	1486	2530	3073	1468	975	677	1983	1081	1331	1652	1362
SPECIFIED CAUSES	36794	3794	1404	2458	3003	1433	948	665	1930	1061	1301	1610	1326
I. Zymotic Class	7764	471	392	790	1192	707	497	355	891	350	270	350	228
II. Diseases of Uncertain Seat	976	21	6	8	13	10	7	5	19	22	12	18	23
III. Tubercular Class	6171	98	161	397	541	252	176	136	454	315	557	732	561
IV. Brain and Nervous System	3515	288	122	181	201	69	62	42	154	77	70	73	64
V. Organs of Circulation	1977	7	2	3	3	1	2	6	18	32	47	37	64
VI. Respiratory Organs	6025	512	372	730	671	249	123	64	155	57	72	97	119
VII. Organs of Digestion	2425	300	161	249	255	57	20	14	50	40	49	54	48
VIII. Urinary Organs	812	3	2	5	7	12	10	10	34	25	24	34	31
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	246	–	–	1	3	3	3	2	26	29	29	19	16
XI. Skin, etc.	48	8	7	1	4	1	2	–	–	–	–	–	–
XII. Malformation	162	137	9	4	5	2	1	1	1	1	1	–	–
XIII. Premature Debility	2064	1855	136	73	–	–	–	–	–	–	–	–	–
XIV. Atrophy	234	–	–	–	54	31	10	9	18	12	7	5	5
XV. Age	2351	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	91	11	6	1	4	–	–	–	4	2	2	–	4
XVII. Violent Deaths	1933	83	28	15	50	39	35	21	106	99	161	191	163
I. Small Pox	1311	91	68	30	23	14	18	19	124	121	111	194	127
Measles	451	9	14	91	147	74	45	27	33	4	1	1	1
Scarlatina	1073	5	14	61	142	162	129	116	318	74	14	10	10
Diphtheria	505	12	8	37	93	68	79	38	114	17	13	5	3
Hooping Cough	1263	81	105	301	409	166	86	53	60	2	–	–	–
Croup	629	23	18	65	180	128	81	56	76	2	–	–	–
Thrush	21	13	3	3	2	–	–	–	–	–	–	–	–
Diarrhœa	784	134	114	139	125	41	5	8	12	5	5	3	5
Dysentery	96	3	5	11	11	2	3	2	2	–	1	1	5
Cholera	42	5	4	7	6	–	1	–	3	–	–	2	–
Influenza	49	2	3	1	2	1	1	1	1	–	–	–	1
Purpura	27	1	2	–	1	2	1	–	3	3	3	1	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	–	1	1	2	1	–	–	–
Typhus	399	3	2	7	6	8	13	3	23	31	34	43	25
Enteric Fever	590	6	1	11	19	20	24	20	88	62	70	73	36
Relapsing Fever	56	1	–	–	2	–	1	1	6	9	5	2	2
Simple Continued Fever	46	–	–	–	1	5	2	1	5	6	3	3	–
Infantile Remittent	56	3	3	5	12	15	6	7	5	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	72	–	–	1	–	–	–	1	8	8	6	9	5
Erysipelas	154	29	10	7	4	–	1	1	4	1	1	2	2
Pyæmia	32	3	1	1	1	1	–	–	3	4	3	1	3
Syphilis	98	47	17	11	6	–	–	–	1	–	–	–	2
Noma	5	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	37	2	–	–	2	–	–	1	1	–	–	1	2
Dropsy	239	5	–	–	4	4	3	2	13	12	3	3	8
Abscess	80	7	5	8	5	4	1	1	1	5	4	3	3
Ulcer	12	1	–	–	1	–	–	–	1	1	–	–	–
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	57	5	1	–	1	–	–	1	1	1	1	–	–
Cancer	526	1	–	–	–	2	3	–	2	3	4	11	8
Gout	18	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	467	10	15	25	54	29	22	14	61	57	54	31	22
Tabes Mesenterica	566	35	41	64	145	50	42	22	88	30	12	11	8
Phthisis	4035	19	18	56	88	52	40	36	145	188	482	686	529
Hydrocephalus	1103	34	87	252	254	121	72	64	160	40	9	4	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1207	1115	1243	1244	1380	1415	1688	1641	1842	1437	1110	558	189	49	10	29
SPECIFIED CAUSES	1173	1093	1190	1215	1335	1369	1630	1637	1842	1437	1110	558	189	49	10	24
Zymotic Class	214	163	145	129	112	98	115	95	91	57	34	15	2	–	1	–
Uncertain Seat	19	27	45	45	94	94	126	109	128	64	47	9	4	1	–	–
Tubercular Class	422	338	271	204	188	145	110	66	28	13	3	1	–	–	–	2
Brain, etc.	97	87	112	138	164	184	269	285	333	238	142	48	11	2	–	2
Heart, etc.	69	85	106	114	177	192	257	231	252	153	90	24	3	–	–	2
Respiratory Organs	118	144	217	275	288	304	351	376	310	218	134	49	14	5	–	1
Digestive Organs	61	72	92	106	109	155	150	136	137	71	27	5	4	–	–	3
Urinary Organs	27	35	39	32	55	59	60	76	87	73	40	25	6	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	12	8	10	6	13	10	21	9	10	8	6	2	–	–	–	–
Skin	1	–	3	–	3	4	2	3	4	3	2	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	8	9	11	19	32	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	86	192	416	513	576	374	144	40	9	1
Sudden Deaths	3	5	6	11	5	7	8	4	5	3	–	–	–	–	–	–
Violent Deaths	126	121	135	144	108	85	75	55	41	23	9	6	1	–	–	13
Small Pox	118	79	54	44	26	19	17	10	2	2	–	–	–	–	–	–
Measles	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	4	3	2	2	1	2	1	–	3	–	–	–	–	–	–	–
Diphtheria	1	1	3	2	1	3	2	2	–	1	2	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	4	7	7	10	13	23	32	35	19	16	9	2	–	1	–
Dysentery	6	1	2	1	3	3	4	7	8	8	4	3	–	–	–	–
Cholera	1	2	2	2	1	1	2	2	–	–	1	–	–	–	–	–
Influenza	1	2	–	–	3	2	7	3	7	7	3	1	–	–	–	–
Purpura	2	2	–	1	1	–	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	27	29	34	29	23	16	20	13	9	1	–	–	–	–	–	–
Enteric Fever	24	16	18	22	14	22	17	9	9	8	–	1	–	–	–	–
Relapsing Fever	4	2	7	5	5	1	2	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	4	2	3	4	1	1	2	1	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	9	4	3	4	2	2	2	–	2	–	–	–	–	–	–
Erysipelas	8	8	2	6	11	8	10	11	13	7	7	1	–	–	–	–
Pyæmia	2	1	2	1	2	–	2	–	1	–	–	–	–	–	–	–
Syphilis	–	2	3	1	2	1	4	1	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	3	2	–	3	2	5	3	4	1	–	–	1	–	–	–
Dropsy	1	4	8	6	14	26	32	25	31	17	16	2	–	–	–	–
Abscess	2	2	1	5	7	2	6	2	4	1	1	–	–	–	–	–
Ulcer	–	–	–	–	–	3	–	3	1	1	–	–	–	–	–	–
Fistula	–	1	–	–	2	–	2	1	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	5	2	4	8	7	6	8	2	1	1	–	–
Cancer	12	15	34	33	62	59	74	64	76	35	21	5	2	–	–	–
Gout	–	–	–	1	1	–	3	3	5	3	1	–	–	–	–	–
Scrofula	9	14	12	10	6	7	5	3	4	1	1	–	–	–	–	1
Tabes Mesenterica	1	5	5	–	2	2	2	1	–	–	–	–	–	–	–	–
Phthisis	411	317	254	194	179	136	103	62	24	12	2	1	–	–	–	1
Hydrocephalus	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	393	8	22	44	59	23	18	17	64	27	16	23	10
Apoplexy	797	12	8	20	16	6	8	5	18	5	12	9	13
Paralysis	968	2	–	–	1	1	4	1	4	2	9	8	7
Delirium Tremens	50	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	4	–	–	–	1	–	–	–	1	–	–	–	–
Epilepsy	140	–	–	–	–	–	–	–	1	12	14	9	11
Tetanus	27	9	1	–	–	–	–	1	2	2	–	1	3
Insanity	13	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	616	246	83	98	107	34	20	9	18	–	–	–	–
Brain Disease	507	11	8	19	17	5	12	9	46	29	18	22	19
V. Pericarditis	46	–	1	1	–	–	–	3	3	4	2	2	3
Aneurism	77	–	–	–	–	–	–	–	–	–	–	1	4
Heart Disease	1854	7	1	2	3	1	2	3	15	28	45	34	57
VI. Laryngitis	99	6	10	14	11	8	3	2	11	–	–	5	3
Bronchitis	3947	394	307	576	539	176	93	41	94	25	19	24	31
Pleurisy	134	3	1	2	2	3	–	1	4	8	7	9	6
Pneumonia	1468	102	53	136	112	57	26	19	43	23	42	50	67
Asthma	225	–	–	–	–	–	–	–	–	1	2	3	5
Lung Disease	152	7	1	2	7	5	1	1	3	–	2	6	7
VII. Teething	381	5	28	158	167	21	1	1	–	–	–	–	–
Quinsey	27	2	3	2	7	–	1	1	1	1	–	–	2
Gastritis	115	14	6	6	5	4	1	1	2	1	1	1	8
Enteritis	482	156	72	48	47	15	8	3	15	14	9	8	3
Peritonitis	134	16	5	3	3	3	–	–	7	5	16	10	7
Ascites	25	–	–	1	–	–	–	1	1	3	–	–	1
Ulceration of Intestines	122	1	–	2	–	1	–	1	–	–	4	6	7
Hernia	52	2	1	1	1	–	–	–	1	–	–	2	1
Ileus	147	23	5	1	3	2	1	–	5	2	4	9	1
Intussusception	17	1	2	4	–	–	–	–	–	–	3	–	–
Stricture of Intestines	19	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	326	36	32	20	13	5	3	5	11	1	5	5	4
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	65	–	1	1	2	–	–	–	1	–	2	3	3
Jaundice	105	38	3	1	3	2	1	1	–	1	–	2	1
Liver Disease	389	5	3	1	3	4	4	–	5	9	5	7	10
Spleen Disease	18	1	–	–	1	–	–	–	1	3	–	1	–
VIII. Nephritis	67	1	1	1	2	4	2	5	9	4	2	6	–
Nephria	197	1	–	2	1	3	3	4	11	11	11	8	7
Addison's Disease	6	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	51	1	–	–	2	–	1	–	2	–	1	2	–
Diabetes	60	–	–	–	–	3	–	–	2	5	1	7	6
Stone	51	–	–	–	–	–	–	–	3	–	1	2	1
Cystitis	165	–	–	1	–	–	–	–	–	3	2	1	6
Stricture of Urethra	14	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	201	–	1	1	2	2	4	1	7	1	6	7	8
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	86	–	–	–	1	1	3	–	11	12	15	6	7
Rheumatism	70	–	–	–	–	–	–	–	2	–	2	3	–
Joint Disease	90	–	–	1	2	2	–	2	13	17	12	10	9
XI. Carbuncle	16	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	7	1	–	–	2	–	–	–	–	–	–	–	–
Skin Disease	25	7	7	1	2	1	2	–	–	–	–	–	–
XVII. Intemperance	99	–	–	–	–	–	–	–	–	2	5	3	11
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	43	25	15	3	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	11	1	–	–	–	–	–	–	–	–	–	2	–
Poison	25	5	–	–	–	1	2	–	4	–	2	–	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	136	–	–	4	28	23	15	8	15	5	4	2	5
Hanging, etc.	24	–	–	–	–	–	–	–	–	–	1	2	1
Suffocation	72	36	10	6	3	–	–	–	–	–	1	2	3
Drowning	501	–	1	–	16	5	11	6	41	32	50	60	53
Fracture and Contusion	878	2	1	–	3	10	7	5	42	54	82	101	77
Gunshot Wounds	18	–	–	–	–	–	–	1	1	–	2	2	3
Cuts and Stabs	28	–	–	–	–	–	–	–	1	–	2	1	–
Other Violent Causes	95	14	–	2	–	–	–	1	2	6	12	16	9
Not Specified	1145	370	82	72	70	35	27	12	53	20	30	42	36

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	12	5	5	8	6	7	5	5	4	–	3	1	1	–	–	–
Apoplexy	16	20	31	43	61	67	97	90	99	76	46	14	4	1	–	–
Paralysis	22	19	31	47	51	71	109	143	189	134	80	27	5	1	–	–
Delirium Tremens	10	10	7	4	7	3	3	3	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Epilepsy	11	14	14	13	6	7	6	8	6	5	1	1	–	–	–	1
Tetanus	1	1	–	1	3	–	1	–	1	–	–	–	–	–	–	–
Insanity	1	1	1	–	2	–	2	2	–	2	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	24	17	23	22	28	28	46	33	33	21	11	5	1	–	–	–
Pericarditis	8	2	1	2	5	2	3	1	1	–	2	–	–	–	–	–
Aneurism	9	7	7	9	11	5	11	8	2	1	1	–	1	–	–	–
Heart Disease	52	76	98	103	161	185	243	222	249	152	87	24	2	–	–	2
Laryngitis	3	2	3	6	3	4	–	1	2	1	1	–	–	–	–	–
Bronchitis	39	51	87	146	166	170	203	240	204	159	108	39	12	4	–	–
Pleurisy	4	9	12	14	6	16	8	9	6	5	4	1	–	–	–	–
Pneumonia	59	67	85	74	84	79	84	81	63	40	13	6	2	1	–	–
Asthma	9	8	19	15	19	21	38	32	28	13	8	3	–	–	–	1
Lung Disease	4	7	11	20	10	20	18	13	7	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	1	1	2	2	–	–	–	–	–	–	–	–
Gastritis	4	4	5	5	5	14	8	3	9	5	3	–	–	–	–	–
Enteritis	6	8	8	8	7	9	6	14	6	9	1	–	1	–	–	1
Peritonitis	9	8	8	4	5	4	6	3	7	5	–	–	–	–	–	–
Ascites	1	1	–	3	1	1	1	4	4	–	1	1	–	–	–	–
Ulceration of Intestines	6	7	10	11	9	17	9	10	16	3	1	–	–	–	–	1
Hernia	2	1	8	3	3	2	5	9	4	4	–	1	1	–	–	–
Ileus	2	6	3	6	14	9	14	14	9	8	4	1	1	–	–	–
Intussusception	–	1	–	–	1	1	2	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	3	2	4	2	5	1	1	1	–	–	–	–	–
Stomach Disease	14	6	5	16	15	27	35	20	28	13	5	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	6	6	3	3	7	9	4	8	1	1	–	–	–	–	–
Jaundice	1	–	3	9	2	4	5	6	12	5	4	–	–	–	–	1
Liver Disease	11	22	35	32	40	54	45	41	30	17	5	1	–	–	–	–
Spleen Disease	1	2	1	2	1	–	1	1	1	–	1	–	–	–	–	–
Nephritis	1	1	3	2	3	–	5	5	4	2	1	3	–	–	–	–
Nephria	17	18	13	13	19	12	14	8	7	9	2	2	1	–	–	–
Addison's Disease	–	–	–	–	–	3	1	–	–	1	–	–	–	–	–	–
Ischuria	–	1	–	–	3	5	2	9	9	4	6	3	–	–	–	–
Diabetes	3	4	2	3	6	1	3	8	2	2	1	1	–	–	–	–
Stone	–	–	1	2	1	6	3	6	4	12	4	3	2	–	–	–
Cystitis	1	1	3	2	7	12	19	20	36	24	20	5	2	–	–	–
Stricture of Urethra	–	–	2	2	1	1	–	2	1	1	–	–	–	–	–	–
Kidney Disease	5	10	15	8	15	19	13	18	24	18	6	8	1	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	4	4	3	2	6	2	5	1	1	1	1	–	–	–	–	–
Rheumatism	5	3	4	1	5	6	12	7	8	7	3	2	–	–	–	–
Joint Disease	3	1	3	3	2	2	4	1	1	–	2	–	–	–	–	–
Carbuncle	–	–	2	–	3	1	–	3	3	3	1	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	2	–	–	1	–	1	–	–	–	–	–
Intemperance	3	13	10	16	14	9	4	5	4	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	1	1	–	–	2	–	–	–	–	–	1
Poison	–	2	3	1	1	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	4	3	2	2	6	1	1	–	1	3	1	–	–	–	–
Hanging, etc.	–	2	1	3	5	2	3	1	2	1	–	–	–	–	–	–
Suffocation	1	–	1	3	1	2	1	–	1	–	1	–	–	–	–	–
Drowning	38	40	35	28	19	21	19	11	4	4	1	–	–	–	–	6
Fracture and Contusion	74	49	70	82	55	35	42	29	30	13	3	5	1	–	–	6
Gunshot Wounds	1	2	1	1	3	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	4	2	4	3	2	1	3	3	–	1	1	–	–	–	–	–
Other Violent Causes	2	7	5	3	6	5	1	3	–	1	–	–	–	–	–	–
Not Specified	34	22	53	29	45	46	58	4	–	–	–	–	–	–	–	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	37855	3120	1202	2218	2924	1417	941	767	1789	1060	1298	1423	1413
SPECIFIED CAUSES	36887	2849	1131	2143	2863	1376	919	751	1742	1029	1264	1397	1389
I. Zymotic Class	8097	427	377	754	1260	716	547	445	927	360	323	306	278
II. Diseases of Uncertain Seat	1572	22	4	10	16	10	3	7	13	13	14	10	21
III. Tubercular Class	6425	74	148	363	462	220	135	122	373	392	648	757	655
IV. Brain and Nervous System	3115	189	82	124	132	86	45	35	117	51	52	42	62
V. Organs of Circulation	1956	3	3	1	4	2	–	2	23	32	46	46	61
VI. Respiratory Organs	5510	318	286	554	608	243	134	94	148	58	71	66	85
VII. Organs of Digestion	2397	217	112	245	257	41	21	11	51	47	31	43	56
VIII. Urinary Organs	432	4	3	1	7	7	3	6	8	14	23	21	28
IX. Organs of Generation	563	–	–	–	1	–	–	–	–	2	21	68	112
X. Organs of Locomotion	223	–	–	2	3	–	2	1	21	28	10	15	6
XI. Skin, etc.	53	7	3	7	6	1	–	1	2	–	–	3	4
XII. Malformation	106	94	5	4	2	1	–	–	–	–	–	–	–
XIII. Premature Debility	1555	1416	81	58	–	–	–	–	–	–	–	–	–
XIV. Atrophy	308	–	–	–	68	26	11	6	12	11	9	8	7
XV. Age	3857	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	80	9	7	3	2	1	1	–	3	–	–	1	1
XVII. Violent Deaths	638	69	20	17	35	22	17	21	44	21	16	11	13
I. Small Pox	1137	82	57	50	29	20	24	27	104	110	118	123	99
Measles	474	5	9	87	178	71	47	27	39	5	2	1	2
Scarlatina	1028	7	9	44	146	143	121	111	307	61	22	14	20
Diphtheria	540	8	8	25	81	73	70	76	133	27	11	10	6
Hooping Cough	1587	86	127	336	514	216	136	79	90	3	–	–	–
Croup	516	23	11	46	126	120	76	57	56	1	–	–	–
Thrush	19	16	1	1	–	1	–	–	–	–	–	–	–
Diarrhœa	782	117	104	109	116	27	15	5	15	6	4	5	8
Dysentery	113	1	5	3	12	4	1	3	2	–	2	–	–
Cholera	41	2	4	11	7	–	–	–	3	1	4	–	1
Influenza	44	1	1	1	1	3	1	2	1	2	–	–	1
Purpura	25	1	–	2	2	–	1	1	4	5	1	2	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	1	–	3	1	–	–	–	–
Typhus	396	–	3	7	4	6	8	8	35	35	46	30	34
Enteric Fever	633	1	4	7	21	16	25	27	98	79	81	55	24
Relapsing Fever	59	–	1	2	–	2	1	3	4	4	9	6	3
Simple Continued Fever	57	1	–	1	3	–	3	4	6	2	3	4	2
Infantile Remittent	62	2	2	4	7	6	14	9	18	–	–	–	–
Metria	219	–	–	–	–	–	–	–	–	–	5	42	59
Rheumatic Fever	81	–	–	–	–	–	1	–	8	16	13	6	4
Erysipelas	154	34	12	10	2	3	–	2	2	1	2	2	8
Pyæmia	24	1	–	1	–	–	1	1	–	2	–	2	4
Syphilis	95	38	19	7	11	2	–	–	–	–	–	4	2
Noma	6	1	–	–	–	2	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	29	6	–	2	–	–	–	–	–	–	–	1	–
Dropsy	334	1	–	1	4	6	3	5	5	7	5	1	6
Abscess	81	10	4	5	5	3	–	1	4	2	4	4	3
Ulcer	26	2	–	2	1	–	–	–	–	–	–	–	1
Fistula	7	–	–	–	–	–	–	–	–	–	–	–	2
Mortification	58	2	–	–	4	1	–	–	1	1	–	1	1
Cancer	1033	1	–	–	2	–	–	1	3	3	5	3	8
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	343	8	9	16	36	17	10	14	37	34	29	28	11
Tabes Mesenterica	478	19	37	71	116	58	31	24	49	21	18	5	4
Phthisis	4680	10	22	48	92	54	35	40	163	309	591	719	640
Hydrocephalus	924	37	80	228	218	91	59	44	124	28	10	5	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1281	1306	1172	1171	1390	1365	1738	1743	2239	1911	1548	898	365	115	17	24
SPECIFIED CAUSES	1261	1282	1145	1140	1358	1324	1680	1737	2238	1911	1548	898	365	115	17	15
Zymotic Class	215	203	143	97	129	99	103	105	117	76	57	24	6	–	–	3
Uncertain Seat	45	63	80	123	181	167	204	176	150	125	69	38	7	–	–	1
Tubercular Class	520	459	332	245	188	118	112	48	28	12	7	3	1	–	–	3
Brain, etc.	64	75	98	122	152	184	246	288	358	267	160	63	13	6	–	2
Heart, etc.	95	98	94	124	185	156	224	208	257	173	85	29	4	1	–	–
Respiratory Organs	106	124	143	192	241	282	379	340	445	320	166	84	18	2	–	3
Digestive Organs	74	75	91	118	133	141	167	160	139	95	54	14	4	–	–	–
Urinary Organs	29	31	22	20	36	32	45	31	36	10	9	4	2	–	–	–
Generative Organs	72	106	80	28	23	12	12	11	8	5	2	–	–	–	–	–
Locomotive Organs	10	8	7	11	7	26	11	12	16	16	8	2	–	–	–	1
Skin	2	2	1	–	2	2	1	2	3	2	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	14	19	16	35	61	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	128	319	655	786	915	629	304	104	17	–
Sudden Deaths	5	1	3	5	9	4	9	9	5	2	–	–	–	–	–	–
Violent Deaths	20	23	32	39	37	40	38	28	21	22	15	7	6	2	–	2
Small Pox	78	70	40	28	33	23	9	6	5	–	1	–	–	–	–	1
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	6	5	2	–	1	1	1	–	–	–	–	–	–	–	–
Diphtheria	3	3	1	–	3	–	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	11	5	11	16	16	27	32	47	29	31	18	4	–	–	–
Dysentery	2	3	4	1	8	3	6	17	14	12	8	1	1	–	–	–
Cholera	1	–	–	1	2	1	1	–	–	2	–	–	–	–	–	–
Influenza	1	1	–	2	–	2	5	3	7	6	1	2	–	–	–	–
Purpura	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	26	28	23	26	10	16	12	12	7	1	1	–	–	–	–
Enteric Fever	24	18	27	18	21	21	21	16	15	9	3	–	–	–	–	2
Relapsing Fever	4	3	1	2	4	6	2	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	3	–	1	1	6	5	1	2	4	3	1	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	58	43	12	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	6	4	3	3	4	3	3	–	2	–	–	–	–	–	–
Erysipelas	4	5	7	4	4	5	8	10	11	5	11	1	1	–	–	–
Pyæmia	1	4	6	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	2	2	1	1	–	1	3	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	2	2	2	1	1	2	1	1	2	–	–	–	–	–
Dropsy	13	10	5	17	28	27	39	31	49	37	22	10	1	–	–	1
Abscess	5	4	6	3	–	5	1	3	2	4	1	2	–	–	–	–
Ulcer	–	2	–	1	3	2	1	3	4	3	1	–	–	–	–	–
Fistula	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	2	1	–	2	2	2	9	4	11	9	4	–	–	–	–
Cancer	21	41	65	100	146	130	158	126	90	68	34	22	6	–	–	–
Gout	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–
Scrofula	12	16	13	8	12	5	9	5	9	3	2	–	–	–	–	–
Tabes Mesenterica	7	4	6	1	1	2	2	–	1	–	1	–	–	–	–	–
Phthisis	501	439	313	236	175	111	101	43	18	9	4	3	1	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	287	10	20	34	30	24	15	11	58	14	20	8	8
Apoplexy	758	6	8	16	17	9	4	2	16	6	8	5	13
Paralysis	1063	–	–	2	–	1	1	1	–	2	5	5	5
Delirium Tremens	10	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	6	–	–	–	–	–	–	–	2	4	–	–	–
Epilepsy	123	–	–	–	–	–	–	–	1	4	6	12	22
Tetanus	19	7	–	1	2	1	–	–	–	2	–	–	–
Insanity	13	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	417	160	49	60	68	36	17	16	11	–	–	–	–
Brain Disease	419	6	5	11	15	15	8	5	29	19	12	12	13
V. Pericarditis	31	–	–	1	–	–	–	1	3	3	3	3	1
Aneurism	26	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1899	3	3	–	4	2	–	1	20	29	43	43	59
VI. Laryngitis	64	5	5	5	5	2	2	3	7	1	3	3	3
Bronchitis	3950	233	226	445	489	187	90	62	82	20	26	22	42
Pleurisy	97	3	–	3	1	1	1	–	4	4	7	2	6
Pneumonia	1102	72	54	99	108	51	39	26	52	28	30	29	26
Asthma	183	–	–	–	–	–	–	–	–	–	1	2	–
Lung Disease	114	5	1	2	5	2	2	3	3	5	4	8	8
VII. Teething	378	2	19	166	177	14	–	–	–	–	–	–	–
Quinsey	27	2	2	2	6	3	1	1	3	1	–	–	1
Gastritis	100	5	6	1	4	1	2	1	2	3	1	–	2
Enteritis	392	96	58	44	34	9	5	4	10	13	7	4	8
Peritonitis	185	11	2	5	11	–	1	–	4	9	12	15	13
Ascites	56	–	1	1	–	–	–	1	5	3	1	–	4
Ulceration of Intestines	105	1	1	2	1	–	1	1	3	3	–	7	4
Hernia	55	1	–	–	–	–	–	–	–	1	–	–	–
Ileus	134	12	3	–	–	1	1	–	5	2	2	1	2
Intussusception	21	1	2	2	–	–	1	–	2	1	1	–	–
Stricture of Intestines	12	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	376	32	16	17	18	9	4	1	6	4	3	10	9
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	75	2	1	–	–	–	1	1	1	3	1	1	1
Jaundice	112	39	–	2	4	1	2	–	2	1	1	2	–
Liver Disease	352	13	1	3	1	3	2	1	6	2	2	3	11
Spleen Disease	16	–	–	–	–	–	–	–	–	1	–	–	1
VIII. Nephritis	41	1	–	1	2	3	1	2	2	2	–	–	1
Nephria	156	–	–	–	2	1	–	2	4	4	12	11	14
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	11	–	–	–	–	–	–	–	–	–	–	–	2
Diabetes	35	1	–	–	2	–	–	–	–	1	2	4	3
Stone	7	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	27	–	1	–	–	–	–	–	–	3	2	1	2
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	152	2	2	–	1	3	2	2	2	4	7	5	4
IX. Paramenia	30	–	–	–	–	–	–	–	–	–	6	5	5
Ovarian Dropsy	76	–	–	–	–	–	–	–	–	1	–	2	3
Childbirth	391	–	–	–	–	–	–	–	–	–	14	59	99
Organs of Generation	66	–	–	–	1	–	–	–	–	1	1	2	5
X. Bone Disease	59	–	–	1	2	–	1	1	8	13	4	5	1
Rheumatism	98	–	–	–	–	–	–	–	–	4	–	3	2
Joint Disease	66	–	–	1	1	–	1	–	13	11	6	7	3
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	13	–	–	1	–	–	–	–	1	–	–	2	4
Skin Disease	33	7	3	6	6	1	–	1	1	–	–	1	–
XVII. Intemperance	52	–	–	–	–	–	–	–	–	–	–	1	5
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	35	23	7	5	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	8	1	1	–	–	–	–	–	–	–	–	–	–
Poison	24	2	–	2	–	–	–	2	1	–	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	127	–	1	4	22	20	7	12	13	3	5	–	–
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	65	29	10	3	2	1	–	2	3	1	–	–	–
Drowning	75	3	–	–	7	–	4	–	5	4	5	4	4
Fracture and Contusion	200	1	–	3	3	1	6	3	21	13	5	1	4
Gunshot Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	30	10	–	–	–	–	–	2	1	–	–	3	–
Not Specified	968	271	71	75	61	41	22	16	47	31	34	26	24

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	7	9	1	–	3	5	5	–	–	–	1	–	–	–	–
Apoplexy	16	24	30	44	49	73	67	79	117	72	51	19	4	2	–	1
Paralysis	14	11	27	39	62	77	131	166	199	167	96	39	9	3	–	1
Delirium Tremens	2	1	1	3	1	–	1	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	11	9	8	14	4	3	6	6	2	1	2	–	–	–	–
Tetanus	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	1	–	3	1	1	–	1	2	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	11	19	21	23	25	26	39	31	33	26	12	2	–	1	–	–
Pericarditis	3	3	–	1	1	2	1	1	3	–	1	–	–	–	–	–
Aneurism	2	–	–	4	3	4	6	3	1	1	–	1	–	–	–	–
Heart Disease	90	95	94	119	181	150	217	204	253	172	84	28	4	1	–	–
Laryngitis	1	2	2	4	2	1	4	1	1	1	–	1	–	–	–	–
Bronchitis	49	63	83	118	160	206	274	228	356	260	139	70	18	1	–	1
Pleurisy	8	3	3	8	11	6	3	7	8	2	4	2	–	–	–	–
Pneumonia	41	41	38	45	44	39	53	67	49	41	15	9	–	1	–	2
Asthma	1	4	6	12	16	21	37	32	28	14	7	2	–	–	–	–
Lung Disease	3	11	11	5	8	9	8	5	3	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	7	5	2	6	7	6	13	12	8	4	1	1	–	–	–	–
Enteritis	7	8	7	12	8	14	14	9	10	4	4	1	2	–	–	–
Peritonitis	18	19	12	5	6	5	9	8	5	8	4	3	–	–	–	–
Ascites	2	3	3	4	6	4	4	6	2	3	3	–	–	–	–	–
Ulceration of Intestines	3	6	6	7	12	10	10	7	12	5	3	–	–	–	–	–
Hernia	–	1	4	4	9	7	6	8	1	10	2	–	1	–	–	–
Ileus	2	3	4	7	12	10	11	20	13	14	7	1	1	–	–	–
Intussusception	1	–	2	–	3	1	2	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	2	–	3	–	1	1	–	–	1	–	–	–	–
Stomach Disease	14	12	16	20	23	24	34	37	35	18	11	3	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	3	5	6	4	6	15	6	8	6	–	–	–	–	–	–
Jaundice	2	–	4	4	5	5	7	7	11	5	7	1	–	–	–	–
Liver Disease	11	12	23	35	35	45	42	38	30	18	12	3	–	–	–	–
Spleen Disease	2	2	2	4	2	1	–	1	–	–	–	–	–	–	–	–
Nephritis	3	3	1	3	6	2	4	1	2	1	–	–	–	–	–	–
Nephria	18	11	10	4	12	10	14	9	12	3	2	1	–	–	–	–
Addison's Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	2	–	2	1	–	1	–	2	1	–	–	–	–	–	–
Diabetes	2	1	–	4	3	4	3	1	3	–	1	–	–	–	–	–
Stone	–	1	–	–	1	–	1	3	–	–	–	–	–	–	–	–
Cystitis	2	1	2	–	2	2	1	2	4	–	2	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	11	9	7	11	14	20	15	13	5	4	3	2	–	–	–
Paramenia	–	4	3	6	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	11	10	6	12	10	7	5	2	1	2	–	–	–	–	–
Childbirth	66	86	61	6	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	5	6	10	10	2	5	6	6	4	–	–	–	–	–	–
Bone Disease	1	2	3	2	1	6	1	2	2	1	2	–	–	–	–	–
Rheumatism	4	4	2	7	4	15	9	8	14	14	6	2	–	–	–	–
Joint Disease	5	2	2	2	2	5	1	2	–	1	–	–	–	–	–	1
Carbuncle	–	–	–	–	1	1	1	1	1	–	1	1	–	–	–	–
Phlegmon	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	1	2	2	–	–	–	–	–	–
Intemperance	5	5	9	5	7	6	7	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	1	–	3	–	–	1	–	–	–	–	–
Poison	1	1	2	5	3	1	2	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	2	3	3	3	6	3	4	7	4	2	–	–	–	–
Hanging, etc.	–	2	1	3	2	3	1	1	1	–	–	–	–	–	–	–
Suffocation	–	–	1	2	1	3	–	3	–	1	1	1	1	–	–	–
Drowning	4	1	4	3	5	8	7	3	4	–	–	–	–	–	–	–
Fracture and Contusion	9	9	11	14	13	13	13	12	12	11	9	4	5	2	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	3	–	2	2	2	2	1	–	2	–	–	–	–	–	–
Not Specified	20	24	27	31	32	41	58	6	1	–	–	–	–	–	–	9

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	30199	2941	1249	2292	2893	1415	904	707	1620	861	1058	1325	1194
Specified Causes	29927	2838	1224	2271	2873	1403	898	706	1610	859	1052	1318	1189
I. Zymotic Class	7431	432	375	795	1185	669	465	397	794	304	257	358	267
II. Diseases of Uncertain Seat	852	16	5	7	14	14	5	5	14	18	14	14	25
III. Tubercular Class	5315	77	149	339	479	258	156	125	367	273	484	599	466
IV. Brain and Nervous System	2580	238	109	170	170	89	60	43	100	52	40	42	52
V. Organs of Circulation	1433	4	2	3	2	2	2	4	16	27	38	36	60
VI. Respiratory Organs	5433	364	331	670	710	263	153	85	150	53	59	86	101
VII. Organs of Digestion	1781	194	118	214	221	45	17	9	43	30	37	40	44
VIII. Urinary Organs	507	1	2	2	8	10	8	11	17	19	23	22	26
IX. Organs of Generation	194	–	–	–	–	–	–	–	–	–	8	22	43
X. Organs of Locomotion	185	–	–	–	2	–	1	2	27	33	17	16	12
XI. Skin, etc.	33	6	4	5	2	1	1	–	1	–	–	–	–
XII. Malformation	105	88	8	4	3	1	–	–	1	–	–	–	–
XIII. Premature Debility	1454	1325	81	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	229	–	–	–	50	26	10	7	15	10	7	4	5
XV. Age	1218	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	90	9	8	2	3	–	1	–	3	1	1	–	3
XVII. Violent Deaths	1087	84	32	12	24	25	19	18	62	39	67	79	85
I. Small Pox	1555	113	86	48	34	24	30	35	173	143	142	200	160
Measles	340	5	7	75	115	57	38	25	15	–	2	–	–
Scarlatina	928	4	7	46	117	116	115	115	296	64	7	13	13
Diphtheria	412	10	5	32	81	75	59	45	78	11	4	5	1
Hooping Cough	1568	66	109	368	531	219	117	78	77	3	–	–	–
Croup	451	12	11	51	125	103	59	48	42	–	–	–	–
Thrush	15	10	2	1	2	–	–	–	–	–	–	–	–
Diarrhœa	690	123	107	122	121	31	6	5	8	5	3	3	6
Dysentery	50	–	3	5	4	1	1	–	1	–	–	–	1
Cholera	34	3	4	6	7	–	1	–	2	–	1	2	1
Influenza	22	2	1	1	1	–	1	1	1	1	–	–	–
Purpura	21	–	1	1	2	1	–	–	4	2	–	3	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	1	1	1	–	–	–	–
Typhus	413	–	–	5	3	7	8	6	15	26	34	43	28
Enteric Fever	400	1	1	9	18	17	17	19	56	32	47	53	20
Relapsing Fever	65	1	–	–	2	2	–	3	5	9	9	3	1
Simple Continued Fever	24	–	–	–	2	3	2	3	2	1	–	3	–
Infantile Remittent	53	2	3	6	8	10	8	10	6	–	–	–	–
Metria	90	–	–	–	–	–	–	–	–	–	2	23	22
Rheumatic Fever	43	–	–	–	–	–	–	–	8	4	4	3	5
Erysipelas	121	22	12	7	1	1	–	2	1	1	–	1	6
Pyæmia	17	–	–	1	–	–	–	1	1	2	2	1	1
Syphilis	108	57	16	11	11	1	–	–	1	–	–	2	2
Noma	8	1	–	–	–	1	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	30	1	–	1	1	–	–	–	–	–	–	2	2
Dropsy	186	3	–	–	5	8	3	4	9	8	4	–	6
Abscess	80	7	5	5	5	5	–	1	3	4	5	3	4
Ulcer	13	2	–	1	1	–	–	–	–	1	–	–	1
Fistula	8	–	–	–	–	–	–	–	–	–	–	–	3
Mortification	47	2	–	–	2	–	–	–	–	2	1	1	–
Cancer	485	1	–	–	–	1	2	–	2	3	4	8	8
Gout	3	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	327	9	9	19	50	27	15	18	48	47	28	19	10
Tabes Mesenterica	480	31	32	63	111	55	29	21	80	23	14	5	4
Phthisis	3593	13	19	51	88	64	47	34	135	185	434	573	450
Hydrocephalus	915	24	89	206	230	112	65	52	104	18	8	2	2

CAUSES OF DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1122	1090	1115	1067	1182	1118	1302	1068	1126	777	463	228	57	17	2	6
Specified Causes	1118	1082	1109	1062	1172	1108	1293	1067	1125	777	463	228	57	17	2	6
Zymotic Class	229	187	139	101	115	75	87	71	77	30	17	5	–	–	–	–
Uncertain Seat	30	38	56	66	111	92	100	73	58	40	27	10	–	–	–	–
Tubercular Class	396	338	292	177	129	99	65	24	12	9	1	1	–	–	–	–
Brain, etc.	64	66	87	111	139	141	192	198	195	137	63	17	4	1	–	–
Heart, etc.	82	93	103	118	169	145	180	138	117	63	23	5	1	–	–	–
Respiratory Organs	120	140	186	245	265	302	352	274	269	154	65	28	7	1	–	–
Digestive Organs	55	59	78	94	91	92	109	79	59	35	16	1	–	–	–	1
Urinary Organs	26	39	37	28	50	40	43	39	36	12	3	3	2	–	–	–
Generative Organs	29	32	25	8	6	4	8	4	4	1	–	–	–	–	–	–
Locomotive Organs	11	7	8	7	7	9	9	3	6	3	2	2	–	–	–	1
Skin	2	2	1	–	1	3	1	1	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	10	13	11	23	36	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	94	128	266	277	240	154	43	14	2	–
Sudden Deaths	6	4	6	11	9	5	7	5	5	1	–	–	–	–	–	–
Violent Deaths	66	67	78	85	57	65	46	30	21	13	6	2	–	1	–	4
Small Pox	122	97	49	37	27	12	9	8	5	–	1	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	2	1	2	–	1	1	1	1	–	–	–	–	–	–	–
Diphtheria	1	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	7	7	6	13	12	18	23	25	16	10	5	–	–	–	–
Dysentery	5	2	2	–	5	2	2	5	7	2	2	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Influenza	–	2	–	–	1	1	3	1	5	–	–	–	–	–	–	–
Purpura	2	2	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	36	43	36	35	15	20	12	10	3	–	–	–	–	–	–
Enteric Fever	13	10	18	6	12	17	15	5	10	4	–	–	–	–	–	–
Relapsing Fever	6	1	5	3	5	3	4	1	1	1	–	–	–	–	–	–
Simple Cont. Fever	1	–	2	–	1	3	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	25	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	2	1	2	3	2	2	2	–	–	–	–	–	–	–	–
Erysipelas	7	6	3	5	6	6	9	10	10	2	3	–	–	–	–	–
Pyæmia	–	3	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	1	1	–	2	–	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	5	4	1	1	4	1	3	1	3	–	–	–	–	–	–	–
Dropsy	7	6	4	12	18	21	24	17	14	6	5	2	–	–	–	–
Abscess	4	2	3	4	4	2	3	4	4	1	1	1	–	–	–	–
Ulcer	–	–	–	1	–	1	–	2	3	–	–	–	–	–	–	–
Fistula	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	1	–	4	4	2	6	4	9	6	2	–	–	–	–
Cancer	13	23	47	48	79	63	66	43	30	24	15	5	–	–	–	–
Gout	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Scrofula	2	8	7	4	1	3	–	1	–	2	–	–	–	–	–	–
Tabes Mesenterica	1	2	6	–	–	1	2	–	–	–	–	–	–	–	–	–
Phthisis	392	327	279	173	127	95	63	23	12	7	1	1	–	–	–	–
Hydrocephalus	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	312	7	24	43	52	32	20	16	43	17	14	10	8
Apoplexy	560	10	9	21	24	11	8	4	12	3	6	8	11
Paralysis	682	–	–	2	–	2	2	1	1	2	4	2	6
Delirium Tremens	32	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	3	–	–	–	–	–	–	–	1	2	–	–	–
Epilepsy	90	–	–	–	–	–	–	–	–	7	6	8	12
Tetanus	12	3	1	1	1	1	–	–	–	2	–	1	–
Insanity	11	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	515	211	68	83	74	33	19	15	12	–	–	–	–
Brain Disease	363	7	7	20	19	10	11	7	31	19	9	12	14
V. Pericarditis	36	–	1	2	–	–	–	1	2	4	3	3	1
Aneurism	50	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	1347	4	1	1	2	2	2	3	14	23	35	33	57
VI. Laryngitis	82	3	8	14	10	6	3	3	8	1	–	4	5
Bronchitis	3874	280	268	530	561	191	112	56	87	17	21	25	40
Pleurisy	78	1	1	3	1	1	1	–	2	3	2	5	6
Pneumonia	1149	72	54	120	128	61	34	23	51	28	32	42	39
Asthma	112	–	–	–	–	–	–	–	–	1	–	2	1
Lung Disease	138	8	–	3	10	4	3	3	2	3	4	8	10
VII. Teething	366	–	17	160	167	22	–	–	–	–	–	–	–
Quinsey	20	–	3	2	1	1	1	–	3	1	–	–	1
Gastritis	66	7	5	3	4	3	1	–	2	1	1	1	3
Enteritis	305	92	53	27	21	9	5	3	12	10	7	4	2
Peritonitis	110	3	4	1	1	–	1	–	5	4	11	14	8
Ascites	30	–	–	1	–	–	–	1	1	2	1	–	1
Ulceration of Intestines	48	–	–	1	–	–	–	1	–	1	1	2	4
Hernia	42	–	–	1	1	–	–	–	–	1	–	1	1
Ileus	103	24	4	–	1	1	1	–	5	3	4	3	1
Intussusception	14	2	3	2	–	–	1	–	2	–	2	–	–
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	263	27	27	14	17	7	3	3	8	3	4	7	6
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	48	1	1	–	1	–	–	–	1	–	2	2	3
Jaundice	80	30	–	2	6	–	2	–	–	–	1	2	–
Liver Disease	261	8	1	–	1	2	2	1	3	2	3	3	13
Spleen Disease	15	–	–	–	–	–	–	–	1	2	–	1	1
VIII. Nephritis	46	–	1	–	2	4	2	7	4	4	1	2	–
Nephria	157	–	–	1	3	2	2	3	4	4	14	9	13
Addison's Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	22	–	–	–	1	–	1	–	2	–	1	1	–
Diabetes	25	–	–	–	1	–	–	–	–	2	–	1	1
Stone	16	–	–	–	–	–	–	–	2	–	–	–	1
Cystitis	52	–	–	–	–	–	–	–	–	5	–	2	3
Stricture of Urethra	9	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	176	1	1	1	1	4	3	1	5	3	7	6	6
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	3	–	1
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	133	–	–	–	–	–	–	–	–	–	4	22	39
Organs of Generation	22	–	–	–	–	–	–	–	–	–	1	–	2
X. Bone Disease	57	–	–	–	2	–	1	1	8	14	8	4	3
Rheumatism	47	–	–	–	–	–	–	–	2	1	–	3	2
Joint Disease	81	–	–	–	–	–	–	1	17	18	9	9	7
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	8	–	–	1	1	–	–	–	1	–	–	–	–
Skin Disease	20	6	4	4	1	1	1	–	–	–	–	–	–
XVII. Intemperance	84	–	–	–	–	–	–	–	–	–	5	3	13
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	44	23	17	4	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	3	1	1	–	–	–	–	–	–	–	–	–	–
Poison	23	2	–	–	–	1	1	–	3	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	112	–	–	3	19	17	10	9	16	4	4	–	2
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	1	1	1
Suffocation	71	39	13	2	1	1	–	1	1	–	–	–	2
Drowning	179	2	–	–	2	1	2	1	16	9	11	11	22
Fracture and Contusion	460	1	–	1	2	5	6	4	25	23	37	54	37
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	1	–	2
Cuts and Stabs	14	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	74	16	–	2	–	–	–	3	1	3	7	9	6
Not Specified	272	103	25	21	20	12	6	1	10	2	6	7	5

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	5	4	5	–	2	1	1	2	–	–	–	1	–	–	–
Apoplexy	13	17	26	29	53	51	58	61	59	44	14	5	2	1	–	–
Paralysis	17	13	26	40	50	62	98	113	115	80	37	8	1	–	–	–
Delirium Tremens	6	5	6	4	5	3	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	10	8	11	6	2	2	4	3	1	1	2	–	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	1	2	–	2	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	16	17	21	23	21	29	18	15	12	11	2	–	–	–	–
Pericarditis	4	2	1	2	5	3	1	1	–	–	–	–	–	–	–	–
Aneurism	8	5	5	8	6	3	6	5	–	1	–	1	–	–	–	–
Heart Disease	70	86	97	108	158	139	173	132	117	62	23	4	1	–	–	–
Laryngitis	3	4	3	2	1	2	1	1	–	–	–	–	–	–	–	–
Bronchitis	50	64	99	161	185	211	266	204	223	129	61	26	7	–	–	–
Pleurisy	5	5	6	10	4	8	3	6	3	–	1	1	–	–	–	–
Pneumonia	57	55	55	53	57	44	47	43	30	20	2	1	–	1	–	–
Asthma	2	4	13	9	11	18	22	15	9	4	1	–	–	–	–	–
Lung Disease	3	8	10	10	7	19	13	5	4	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	2	1	2	1	–	–	–	–	–	–	–	–
Gastritis	6	5	1	3	4	3	8	1	1	3	–	–	–	–	–	–
Enteritis	6	7	9	10	5	4	8	6	3	2	–	–	–	–	–	–
Peritonitis	11	11	10	4	5	2	6	2	2	3	1	1	–	–	–	–
Ascites	2	3	2	3	4	2	1	3	2	–	1	–	–	–	–	–
Ulceration of Intestines	2	1	7	7	4	2	6	3	3	2	1	–	–	–	–	–
Hernia	2	1	6	3	10	4	5	3	1	2	–	–	–	–	–	–
Ileus	3	4	4	5	6	7	9	6	6	4	2	–	–	–	–	–
Intussusception	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	1	1	–	3	1	–	–	–	–	–	–	–
Stomach Disease	12	9	6	17	11	17	27	18	9	9	2	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	4	1	2	5	5	6	5	5	2	–	–	–	–	–	–
Jaundice	1	–	4	5	5	2	5	4	8	–	2	–	–	–	–	1
Liver Disease	7	12	24	30	29	40	24	24	18	8	6	–	–	–	–	–
Spleen Disease	1	2	2	2	–	1	1	–	–	–	1	–	–	–	–	–
Nephritis	2	3	–	3	3	–	3	2	2	1	–	–	–	–	–	–
Nephria	17	17	13	11	16	5	11	5	6	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Ischuria	–	2	–	–	3	3	–	1	6	–	1	–	–	–	–	–
Diabetes	3	2	–	3	3	2	2	1	3	–	–	1	–	–	–	–
Stone	–	–	1	1	1	3	1	3	2	1	–	–	–	–	–	–
Cystitis	–	2	2	1	7	5	7	4	9	3	1	–	1	–	–	–
Stricture of Urethra	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	13	19	9	16	19	17	22	8	6	1	2	1	–	–	–
Paramenia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	6	7	2	5	4	4	1	1	–	–	–	–	–	–	–
Childbirth	26	23	16	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	2	2	1	–	4	3	3	1	–	–	–	–	–	–
Bone Disease	1	3	2	1	2	1	4	1	1	–	–	–	–	–	–	–
Rheumatism	6	3	2	3	3	6	4	2	4	2	2	2	–	–	–	–
Joint Disease	4	1	4	3	2	2	1	–	1	1	–	–	–	–	–	1
Carbuncle	–	–	1	–	1	1	–	–	–	2	–	–	–	–	–	–
Phlegmon	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Intemperance	3	12	11	10	11	5	6	2	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	4	4	2	3	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	2	3	7	2	1	1	4	2	–	–	–	–	–
Hanging, etc.	–	2	1	2	1	2	2	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	3	1	4	1	2	–	–	–	–	–	–	–	–
Drowning	12	22	16	17	7	13	9	4	1	1	–	–	–	–	–	–
Fracture and Contusion	44	23	37	38	26	26	21	18	16	6	3	2	–	1	–	4
Gunshot Wounds	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	2	4	1	–	1	–	–	–	1	–	–	–	–	–
Other Violent Causes	1	4	3	5	4	4	3	1	–	2	–	–	–	–	–	–
Not specified	4	8	6	5	10	10	9	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15192	1651	681	1194	1490	719	461	335	822	458	531	703	593
SPECIFIED CAUSES	15043	1589	668	1186	1481	713	457	334	817	457	529	700	589
I. Zymotic Class	3704	228	199	408	595	332	219	169	388	157	122	202	126
II. Diseases of Uncertain Seat	333	6	4	2	5	7	4	2	8	12	6	10	15
III. Tubercular Class	2573	45	72	173	253	136	90	72	189	131	226	272	205
IV. Brain and Nervous System	1377	141	66	89	109	39	36	21	51	31	23	27	28
V. Organs of Circulation	714	2	1	2	–	1	2	4	4	14	15	14	27
VI. Respiratory Organs	2780	218	184	369	363	134	76	36	76	25	29	55	62
VII. Organs of Digestion	879	116	57	104	108	26	7	6	21	12	21	22	23
VIII. Urinary Organs	318	–	1	2	4	8	6	9	14	13	10	11	13
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	104	–	–	–	–	–	–	1	15	20	13	8	9
XI. Skin, etc.	14	2	3	–	1	1	1	–	–	–	–	–	–
XII. Malformation	60	48	6	2	2	1	–	–	1	–	–	–	–
XIII. Premature Debility	811	735	49	27	–	–	–	–	–	–	–	–	–
XIV. Atrophy	102	–	–	–	25	14	5	4	8	7	2	2	2
XV. Age	417	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	49	5	5	–	2	–	–	–	2	1	1	–	2
XVII. Violent Deaths	808	43	21	8	14	14	11	10	40	34	61	77	77
I. Small Pox	828	59	49	15	16	10	14	13	93	77	71	128	83
Measles	177	3	5	43	60	27	20	9	8	–	1	–	–
Scarlatina	468	1	3	23	63	54	58	57	151	37	1	6	7
Diphtheria	209	4	2	20	48	37	32	13	40	5	4	1	–
Hooping Cough	709	35	56	176	232	107	47	29	26	1	–	–	–
Croup	249	6	7	30	79	52	30	23	22	–	–	–	–
Thrush	7	3	1	1	2	–	–	–	–	–	–	–	–
Diarrhœa	360	66	59	71	64	19	1	4	3	2	1	1	2
Dysentery	20	–	1	4	2	–	1	–	1	–	–	–	1
Cholera	21	3	2	2	3	–	1	–	2	–	–	2	–
Influenza	11	2	1	1	–	–	–	1	–	–	–	–	–
Purpura	8	–	1	–	–	1	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	1	1	1	–	–	–	–
Typhus	216	–	–	3	3	4	5	2	4	11	14	26	16
Enteric Fever	203	1	–	7	9	11	7	9	26	15	25	33	12
Relapsing Fever	32	1	–	–	2	–	–	1	3	6	–	–	1
Simple Continued Fever	13	–	–	–	1	3	1	–	1	1	–	2	–
Infantile Remittent	25	1	2	3	4	7	1	6	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	–	–	–	–	–	3	1	3	2	2
Erysipelas	58	10	5	1	1	–	–	1	1	–	–	–	1
Pyæmia	8	–	–	1	–	–	–	–	1	1	2	–	–
Syphilis	55	33	5	7	6	–	–	–	1	–	–	–	1
Noma	3	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	–	–	–	1	–	–	–	–	–	–	1	2
Dropsy	73	3	–	–	1	3	2	1	6	6	1	–	3
Abscess	42	–	4	2	1	3	–	1	1	3	2	2	3
Ulcer	5	1	–	–	1	–	–	–	–	1	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	25	2	–	–	1	–	–	–	–	1	1	–	–
Cancer	165	–	–	–	–	1	2	–	1	1	2	7	5
Gout	3	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	182	6	5	8	26	14	9	10	27	30	17	7	7
Tabes Mesenterica	253	20	17	29	56	25	17	12	45	11	7	4	4
Phthisis	1641	9	8	26	45	31	31	17	63	78	198	259	192
Hydrocephalus	497	10	42	110	126	66	33	33	54	12	4	2	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	556	515	584	557	586	561	646	517	462	296	184	69	13	2	1	5
SPECIFIED CAUSES	553	513	580	554	577	557	641	516	462	296	184	69	13	2	1	5
Zymotic Class	123	93	71	60	58	30	47	33	29	8	5	2	–	–	–	–
Uncertain Seat	14	13	21	16	38	31	47	26	23	10	12	1	–	–	–	–
Tubercular Class	169	133	143	79	72	58	30	14	6	4	–	1	–	–	–	–
Brain, etc.	41	42	46	58	66	78	103	98	86	63	29	4	2	–	–	–
Heart, etc.	33	50	53	64	77	76	106	71	53	31	12	2	–	–	–	–
Respiratory Organs	67	70	108	130	136	150	151	142	100	54	29	12	4	–	–	–
Digestive Organs	27	28	40	49	37	40	53	41	25	11	4	–	–	–	–	1
Urinary Organs	14	19	22	17	35	28	28	25	25	9	2	2	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	7	3	6	2	4	2	6	–	5	1	1	1	–	–	–	–
Skin	1	–	1	–	–	1	1	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	5	4	4	7	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	36	46	95	100	87	44	6	2	1	–
Sudden Deaths	3	3	3	8	3	4	4	1	1	1	–	–	–	–	–	–
Violent Deaths	52	54	62	67	44	48	29	19	14	2	3	–	–	–	–	4
Small Pox	71	50	26	24	14	3	5	6	1	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	2	5	2	5	6	11	12	10	5	2	2	–	–	–	–
Dysentery	4	–	1	–	2	–	1	1	–	–	1	–	–	–	–	–
Cholera	–	1	–	1	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	2	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	19	25	19	17	7	12	5	4	–	–	–	–	–	–	–
Enteric Fever	6	7	6	4	5	8	6	1	4	1	–	–	–	–	–	–
Relapsing Fever	4	–	5	3	3	–	2	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	1	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	6	1	3	3	2	6	4	5	1	1	–	–	–	–	–
Pyæmia	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	1	–	2	–	3	–	2	–	–	–	–	–	–	–
Dropsy	1	1	2	1	3	10	11	8	6	2	2	–	–	–	–	–
Abscess	1	2	–	3	4	–	3	2	4	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	3	2	2	3	2	3	4	–	–	–	–	–
Cancer	10	6	18	12	24	19	26	12	8	5	5	1	–	–	–	–
Gout	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	3	5	3	1	2	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	3	–	–	–	2	–	–	–	–	–	–	–	–	–
Phthisis	167	128	135	76	70	56	28	13	6	4	–	1	–	–	–	–
Hydrocephalus	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	183	2	12	23	37	18	12	9	21	9	9	9	6
Apoplexy	283	6	5	9	11	3	5	2	5	1	4	5	6
Paralysis	318	–	–	–	–	1	1	1	1	1	1	1	3
Delirium Tremens	29	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	49	–	–	–	–	–	–	–	–	5	4	2	4
Tetanus	7	3	1	–	–	–	–	–	–	1	–	1	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	300	126	44	45	50	15	9	5	6	–	–	–	–
Brain Disease	203	4	4	12	11	2	9	4	18	14	5	8	9
V. Pericarditis	24	–	1	1	–	–	–	1	1	2	1	2	1
Aneurism	42	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	648	2	–	1	–	1	2	3	3	12	14	12	25
VI. Laryngitis	51	2	6	10	6	4	2	1	4	–	–	1	3
Bronchitis	1923	166	154	293	296	90	58	24	49	10	9	14	20
Pleurisy	43	1	1	–	1	1	–	–	–	2	–	5	3
Pneumonia	635	43	23	64	55	37	15	11	23	12	19	30	30
Asthma	57	–	–	–	–	–	–	–	–	1	–	2	1
Lung Disease	71	6	–	2	5	2	1	–	–	–	1	3	5
VII. Teething	179	–	7	77	81	14	–	–	–	–	–	–	–
Quinsey	11	–	1	1	–	–	–	–	1	1	–	–	1
Gastritis	38	6	1	2	4	2	1	–	–	–	–	1	3
Enteritis	159	55	26	10	10	6	3	2	6	4	5	3	–
Peritonitis	58	2	3	1	–	–	–	–	3	1	7	9	5
Ascites	8	–	–	–	–	–	–	1	–	1	–	–	1
Ulceration of Intestines	25	–	–	1	–	–	–	1	–	–	1	1	2
Hernia	17	–	–	1	1	–	–	–	–	–	–	1	1
Ileus	49	17	1	–	1	–	–	–	2	2	2	2	–
Intussusception	5	1	1	2	–	–	–	–	–	–	1	–	–
Stricture of Intestine	7	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	125	15	16	8	7	3	1	2	6	1	2	2	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	1	–	1	–	–	–	1	–	1	1	2
Jaundice	37	18	–	1	2	–	–	–	–	–	–	–	–
Liver Disease	131	2	–	–	1	1	2	–	1	1	2	1	7
Spleen Disease	7	–	–	–	–	–	–	–	1	1	–	1	–
VIII. Nephritis	34	–	1	–	1	4	1	5	3	3	1	2	–
Nephria	85	–	–	1	1	2	2	3	2	3	5	2	4
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	19	–	–	–	1	–	1	–	2	–	1	1	–
Diabetes	13	–	–	–	–	–	–	–	–	2	–	1	–
Stone	16	–	–	–	–	–	–	–	2	–	–	–	1
Cystitis	43	–	–	–	–	–	–	–	–	3	–	1	2
Stricture of Urethra	9	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	96	–	–	1	1	2	2	1	5	1	3	3	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	33	–	–	–	–	–	–	–	5	8	6	3	2
Rheumatism	22	–	–	–	–	–	–	–	2	–	–	1	–
Joint Disease	49	–	–	–	–	–	–	1	8	12	7	4	7
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	8	2	3	–	–	1	1	–	–	–	–	–	–
XVII. Intemperance	54	–	–	–	–	–	–	–	–	–	5	2	9
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	20	7	11	2	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	15	2	–	–	–	1	1	–	3	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	60	–	–	2	12	7	8	5	8	3	2	–	2
Hanging, etc.	10	–	–	–	–	–	–	–	–	–	1	1	1
Suffocation	41	23	9	2	1	–	–	–	–	–	–	–	2
Drowning	158	–	–	–	–	1	1	1	13	9	10	11	21
Fracture and Contusion	373	1	–	–	1	5	1	3	16	19	34	54	34
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	1	–	2
Cuts and Stabs	10	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	58	10	–	2	–	–	–	1	–	3	7	9	6
Not Specified	149	62	13	8	9	6	4	1	5	1	2	3	4

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	1	5	–	1	1	–	2	–	–	–	1	–	–	–
Apoplexy	7	8	11	14	26	27	35	34	26	24	7	1	1	–	–	–
Paralysis	11	10	14	19	18	34	48	54	47	33	18	2	–	–	–	–
Delirium Tremens	6	5	6	2	5	3	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	7	6	8	2	2	1	2	2	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	10	8	10	14	11	15	7	9	6	4	1	–	–	–	–
Pericarditis	3	1	1	1	4	2	1	1	–	–	–	–	–	–	–	–
Aneurism	7	5	5	7	6	3	5	3	–	–	–	–	–	–	–	–
Heart Disease	23	44	47	56	67	71	100	67	53	31	12	2	–	–	–	–
Laryngitis	3	2	2	2	1	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	22	26	48	81	92	95	105	107	76	45	27	12	4	–	–	–
Pleurisy	2	4	5	7	2	4	2	3	–	–	–	–	–	–	–	–
Pneumonia	36	33	40	32	34	29	25	21	15	7	1	–	–	–	–	–
Asthma	2	2	8	2	5	8	11	6	6	2	1	–	–	–	–	–
Lung Disease	2	3	5	6	2	13	8	4	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–
Gastritis	2	3	–	2	2	2	4	–	1	2	–	–	–	–	–	–
Enteritis	3	4	6	5	2	2	3	3	–	1	–	–	–	–	–	–
Peritonitis	4	4	5	2	4	1	3	2	2	–	–	–	–	–	–	–
Ascites	1	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	5	4	1	1	3	2	1	–	–	–	–	–	–	–
Hernia	2	–	4	–	3	–	2	2	–	–	–	–	–	–	–	–
Ileus	2	2	2	2	2	2	4	2	2	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	1	–	–	3	1	–	–	–	–	–	–	–
Stomach Disease	6	3	2	7	3	7	16	10	3	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	1	3	2	1	2	3	–	–	–	–	–	–	–
Jaundice	–	–	2	4	1	1	2	1	4	–	–	–	–	–	–	1
Liver Disease	4	8	14	18	14	20	12	12	6	3	2	–	–	–	–	–
Spleen Disease	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
Nephritis	1	1	–	1	2	–	3	2	2	1	–	–	–	–	–	–
Nephria	11	10	7	8	12	3	5	2	1	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	2	3	–	1	5	–	1	–	–	–	–	–
Diabetes	1	1	–	1	2	1	1	1	1	–	–	1	–	–	–	–
Stone	–	–	1	1	1	3	1	3	2	1	–	–	–	–	–	–
Cystitis	–	1	1	1	6	4	7	4	9	3	–	–	1	–	–	–
Stricture of Urethra	–	–	2	–	1	1	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	5	11	5	9	11	10	11	5	3	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	2	1	–	1	1	3	–	–	–	–	–	–	–	–	–
Rheumatism	4	1	2	1	2	–	2	–	4	1	1	1	–	–	–	–
Joint Disease	2	–	3	1	1	1	1	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	8	5	9	7	3	2	1	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	3	1	1	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	1	1	5	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	1	1	1	1	2	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Drowning	11	21	15	16	7	12	6	2	–	1	–	–	–	–	–	–
Fracture and Contusion	35	19	32	32	21	20	16	14	11	–	1	–	–	–	–	4
Gunshot Wounds	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	1	2	1	–	1	–	–	–	1	–	–	–	–	–
Other Violent Causes	1	3	3	3	4	3	1	1	–	1	–	–	–	–	–	–
Not Specified	3	2	4	3	9	4	5	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15007	1290	568	1098	1403	696	443	372	798	403	527	622	601
SPECIFIED CAUSES	14884	1249	556	1085	1392	690	441	372	793	402	523	618	600
I. Zymotic Class	3727	204	176	387	590	337	246	228	406	147	135	156	141
II. Diseases of Uncertain Seat	519	10	1	5	9	7	1	3	6	6	8	4	10
III. Tubercular Class	2742	32	77	166	226	122	66	53	178	142	258	327	261
IV. Brain and Nervous System	1203	97	43	81	61	50	24	22	49	21	17	15	24
V. Organs of Circulation	719	2	1	1	2	1	–	–	12	13	23	22	33
VI. Respiratory Organs	2653	146	147	301	347	129	77	49	74	28	30	31	39
VII. Organs of Digestion	902	78	61	110	113	19	10	3	22	18	16	18	21
VIII. Urinary Organs	189	1	1	–	4	2	2	2	3	6	13	11	13
IX. Organs of Generation	194	–	–	–	–	–	–	–	–	–	8	22	43
X. Organs of Locomotion	81	–	–	–	2	–	1	1	12	13	4	8	3
XI. Skin, etc.	19	4	1	5	1	–	–	–	1	–	–	–	–
XII. Malformation	45	40	2	2	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	643	590	32	21	–	–	–	–	–	–	–	–	–
XIV. Atrophy	127	–	–	–	25	12	5	3	7	3	5	2	3
XV. Age	801	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	4	3	2	1	–	1	–	1	–	–	–	1
XVII. Violent Deaths	279	41	11	4	10	11	8	8	22	5	6	2	8
I. Small Pox	727	54	37	33	18	14	16	22	80	66	71	72	77
Measles	163	2	2	32	55	30	18	16	7	–	1	–	–
Scarlatina	460	3	4	23	54	62	57	58	145	27	6	7	6
Diphtheria	203	6	3	12	33	38	27	32	38	6	–	4	1
Hooping Cough	859	31	53	192	299	112	70	49	51	2	–	–	–
Croup	202	6	4	21	46	51	29	25	20	–	–	–	–
Thrush	8	7	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	330	57	48	51	57	12	5	1	5	3	2	2	4
Dysentery	30	–	2	1	2	1	–	–	–	–	–	–	–
Cholera	13	–	2	4	4	–	–	–	–	–	1	–	1
Influenza	11	–	–	–	1	–	1	–	1	1	–	–	–
Purpura	13	–	–	1	2	–	–	–	4	2	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	197	–	–	2	–	3	3	4	11	15	20	17	12
Enteric Fever	197	–	1	2	9	6	10	10	30	17	22	20	8
Relapsing Fever	33	–	–	–	–	2	–	2	2	3	9	3	–
Simple Continued Fever	11	–	–	–	1	–	1	3	1	–	–	1	–
Infantile Remittent	28	1	1	3	4	3	7	4	5	–	–	–	–
Metria	90	–	–	–	–	–	–	–	–	–	2	23	22
Rheumatic Fever	22	–	–	–	–	–	–	–	5	3	1	1	3
Erysipelas	63	12	7	6	–	1	–	1	–	1	–	1	5
Pyæmia	9	–	–	–	–	–	–	1	–	1	–	1	1
Syphilis	53	24	11	4	5	1	–	–	–	–	–	2	1
Noma	5	1	–	–	–	1	2	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	1	–	1	–	–	–	–	–	–	–	1	–
Dropsy	113	–	–	–	4	5	1	3	3	2	3	–	3
Abscess	38	7	1	3	4	2	–	–	2	1	3	1	1
Ulcer	8	1	–	1	–	–	–	–	–	–	–	–	1
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	2
Mortification	22	–	–	–	1	–	–	–	–	1	–	1	–
Cancer	320	1	–	–	–	–	–	–	1	2	2	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	145	3	4	11	24	13	6	8	21	17	11	12	3
Tabes Mesenterica	227	11	15	34	55	30	12	9	35	12	7	1	–
Phthisis	1952	4	11	25	43	33	16	17	72	107	236	314	258
Hydrocephalus	418	14	47	96	104	46	32	19	50	6	4	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	566	575	531	510	596	557	656	551	664	481	279	159	44	15	1	1
SPECIFIED CAUSES	565	569	529	508	595	551	652	551	663	481	279	159	44	15	1	1
Zymotic Class	106	94	68	41	57	45	40	38	48	22	12	3	–	–	–	–
Uncertain Seat	16	25	35	50	73	61	53	47	35	30	15	9	–	–	–	–
Tubercular Class	227	205	149	98	57	41	35	10	6	5	1	–	–	–	–	–
Brain, etc.	23	24	41	53	73	63	89	100	109	74	34	13	2	1	–	–
Heart, etc.	49	43	50	54	92	69	74	67	64	32	11	3	1	–	–	–
Respiratory Organs	53	70	78	115	129	152	201	132	169	100	36	16	3	1	–	–
Digestive Organs	28	31	38	45	54	52	56	38	34	24	12	1	–	–	–	–
Urinary Organs	12	20	15	11	15	12	15	14	11	3	1	1	1	–	–	–
Generative Organs	29	32	25	8	6	4	8	4	4	1	–	–	–	–	–	–
Locomotive Organs	4	4	2	5	3	7	3	3	1	2	1	1	–	–	–	1
Skin	1	2	–	–	1	2	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	5	9	7	16	25	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	58	82	171	177	153	110	37	12	1	–
Sudden Deaths	3	1	3	3	6	1	3	4	4	–	–	–	–	–	–	–
Violent Deaths	14	13	16	18	13	17	17	11	7	11	3	2	–	1	–	–
Small Pox	51	47	23	13	13	9	4	2	4	–	1	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	5	2	4	8	6	7	11	15	11	8	3	–	–	–	–
Dysentery	1	2	1	–	3	2	1	4	7	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	17	18	17	18	8	8	7	6	3	–	–	–	–	–	–
Enteric Fever	7	3	12	2	7	9	9	4	6	3	–	–	–	–	–	–
Relapsing Fever	2	1	–	–	2	3	2	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	25	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	–	2	–	1	2	2	–	–	–	–	–	–	–	–
Erysipelas	1	–	2	2	3	4	3	6	5	1	2	–	–	–	–	–
Pyæmia	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	–	1	2	1	–	1	1	–	–	–	–	–	–	–
Dropsy	6	5	2	11	15	11	13	9	8	4	3	2	–	–	–	–
Abscess	3	–	3	1	–	2	–	2	–	1	–	1	–	–	–	–
Ulcer	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–
Fistula	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	2	–	3	2	6	2	2	–	–	–	–
Cancer	3	17	29	36	55	44	40	31	22	19	10	4	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	5	2	1	–	1	–	–	–	2	–	–	–	–	–	–
Tabes Mesenterica	1	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	225	199	144	97	57	39	35	10	6	3	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	129	5	12	20	15	14	8	7	22	8	5	1	2
Apoplexy	277	4	4	12	13	8	3	2	7	2	2	3	5
Paralysis	364	–	–	2	–	1	1	–	–	1	3	1	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	2	–	–	–
Epilepsy	41	–	–	–	–	–	–	–	–	2	2	6	8
Tetanus	5	–	–	1	1	1	–	–	–	1	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	215	85	24	38	24	18	10	10	6	–	–	–	–
Brain Disease	160	3	3	8	8	8	2	3	13	5	4	4	5
V. Pericarditis	12	–	–	1	–	–	–	–	1	2	2	1	–
Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	699	2	1	–	2	1	–	–	11	11	21	21	32
VI. Laryngitis	31	1	2	4	4	2	1	2	4	1	–	3	2
Bronchitis	1951	114	114	237	265	101	54	32	38	7	12	11	20
Pleurisy	35	–	–	3	–	–	1	–	2	1	2	–	3
Pneumonia	514	29	31	56	73	24	19	12	28	16	13	12	9
Asthma	55	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	67	2	–	1	5	2	2	3	2	3	3	5	5
Teething	187	–	10	83	86	8	–	–	–	–	–	–	–
VII. Quinsey	9	–	2	1	1	1	1	–	2	–	–	–	–
Gastritis	28	1	4	1	–	1	–	–	2	1	1	–	–
Enteritis	146	37	27	17	11	3	2	1	6	6	2	1	2
Peritonitis	52	1	1	–	1	–	1	–	2	3	4	5	3
Ascites	22	–	–	1	–	–	–	–	1	1	1	–	–
Ulceration of Intestines	23	–	–	–	–	–	–	–	–	1	–	1	2
Hernia	25	–	–	–	–	–	–	–	–	1	–	–	–
Ileus	54	7	3	–	–	1	1	–	3	1	2	1	1
Intussusception	9	1	2	–	–	–	1	–	2	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	138	12	11	6	10	4	2	1	2	2	2	5	5
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	1	–	–	–	–	–	–	–	–	1	1	1
Jaundice	43	12	–	1	4	–	2	–	–	–	1	2	–
Liver Disease	130	6	1	–	–	1	–	1	2	1	1	2	6
Spleen Disease	8	–	–	–	–	–	–	–	–	1	–	–	1
VIII. Nephritis	12	–	–	–	1	–	1	2	1	1	–	–	–
Nephria	72	–	–	–	2	–	–	–	2	1	9	7	9
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	12	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	2	–	1	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	80	1	1	–	–	2	1	–	–	2	4	3	2
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	3	–	1
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	133	–	–	–	–	–	–	–	–	–	4	22	39
Organs of Generation	22	–	–	–	–	–	–	–	–	–	1	–	2
X. Bone Disease	24	–	–	–	2	–	1	1	3	6	2	1	1
Rheumatism	25	–	–	–	–	–	–	–	–	1	–	2	2
Joint Disease	32	–	–	–	–	–	–	–	9	6	2	5	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	5	–	–	1	–	–	–	–	1	–	–	–	–
Skin Disease	12	4	1	4	1	–	–	–	–	–	–	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	1	4
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	16	6	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	1	–	–	–	–	–	–	–	–	–	–
Poison	8	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	52	–	–	1	7	10	2	4	8	1	2	–	–
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	30	16	4	–	–	1	–	1	1	–	–	–	–
Drowning	21	2	–	–	2	–	1	–	3	–	1	–	1
Fracture and Contusion	87	–	–	1	1	–	5	1	9	4	3	–	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	16	6	–	–	–	–	–	2	1	–	–	–	–
Not Specified	123	41	12	13	11	6	2	–	5	1	4	4	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	3	3	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	6	9	15	15	27	24	23	27	33	20	7	4	1	1	–	–
Paralysis	6	3	12	21	32	28	50	59	68	47	19	6	1	–	–	–
Delirium Tremens	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	3	2	3	4	–	1	2	1	1	1	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	6	9	11	9	10	14	11	6	6	7	1	–	–	–	–
Pericarditis	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	–	–	1	2	–	1	–	1	–	–	–	–
Heart Disease	47	42	50	52	91	68	73	65	64	31	11	2	1	–	–	–
Laryngitis	–	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	28	38	51	80	93	116	161	97	147	84	34	14	3	–	–	–
Pleurisy	3	1	1	3	2	4	1	3	3	–	1	1	–	–	–	–
Pneumonia	21	22	15	21	23	15	22	22	15	13	1	1	–	1	–	–
Asthma	–	2	5	7	6	10	11	9	3	2	–	–	–	–	–	–
Lung Disease	1	5	5	4	5	6	5	1	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	2	1	1	2	1	4	1	–	1	–	–	–	–	–	–
Enteritis	3	3	3	5	3	2	5	3	3	1	–	–	–	–	–	–
Peritonitis	7	7	5	2	1	1	3	–	–	3	1	1	–	–	–	–
Ascites	1	2	2	3	4	2	1	2	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	–	2	3	3	1	3	1	2	2	1	–	–	–	–	–
Hernia	–	1	2	3	7	4	3	1	1	2	–	–	–	–	–	–
Ileus	1	2	2	3	4	5	5	4	4	2	2	–	–	–	–	–
Intussusception	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	6	4	10	8	10	11	8	6	6	1	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	1	1	2	3	5	3	2	2	–	–	–	–	–	–
Jaundice	1	–	2	1	4	1	3	3	4	–	2	–	–	–	–	–
Liver Disease	3	4	10	12	15	20	12	12	12	5	4	–	–	–	–	–
Spleen Disease	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	7	6	3	4	2	6	3	5	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	2	1	–	2	1	1	1	–	2	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	1	1	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	8	8	4	7	8	7	11	3	3	–	1	1	–	–	–
Paramenia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	6	7	2	5	4	4	1	1	–	–	–	–	–	–	–
Childbirth	26	23	16	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	2	2	2	1	–	4	3	3	1	–	–	–	–	–	–
Bone Disease	–	1	1	1	1	–	1	1	1	–	–	–	–	–	–	–
Rheumatism	2	2	–	2	1	6	2	2	–	1	1	1	–	–	–	–
Joint Disease	2	1	1	2	1	1	–	–	–	1	–	–	–	–	–	1
Carbuncle	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Intemperance	3	4	6	1	4	2	4	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	3	1	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	1	1	2	2	2	1	1	4	1	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	3	–	2	–	–	–	–	–	–	–	–
Drowning	1	1	1	1	–	1	3	2	1	–	–	–	–	–	–	–
Fracture and Contusion	9	4	5	6	5	6	5	4	5	6	2	2	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	2	–	1	2	–	–	1	–	–	–	–	–	–
Not Specified	1	6	2	2	1	6	4	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	8603	888	335	620	783	359	228	161	452	222	280	289	324
Specified Causes	8399	826	308	599	773	349	223	159	445	217	276	287	318
I. Zymotic Class	1729	94	88	202	316	184	133	75	184	57	54	44	59
II. Diseases of Uncertain Seat	223	9	–	–	4	2	1	2	2	4	2	2	4
III. Tubercular Class	1551	24	48	112	159	59	39	46	123	88	127	160	141
IV. Brain and Nervous System	842	71	26	45	44	20	12	7	39	18	13	10	23
V. Organs of Circulation	437	1	1	–	1	–	–	–	9	10	10	6	16
VI. Respiratory Organs	1391	124	86	160	162	57	24	14	34	11	18	15	27
VII. Organs of Digestion	540	66	25	49	58	12	5	3	16	7	7	8	13
VIII. Urinary Organs	113	1	2	–	1	–	1	4	6	2	7	9	7
IX. Organs of Generation	53	–	–	–	1	–	–	–	–	–	1	5	10
X. Organs of Locomotion	51	–	–	1	1	1	–	–	3	8	5	–	2
XI. Skin, etc.	9	2	1	–	–	–	–	–	–	–	–	–	1
XII. Malformation	25	21	2	–	–	–	–	1	–	1	–	–	–
XIII. Premature Debility	440	393	24	23	–	–	–	–	–	–	–	–	–
XIV. Atrophy	75	–	–	–	17	6	2	4	4	1	3	1	1
XV. Age	605	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	20	5	1	2	1	1	–	–	2	–	–	1	1
XVII. Violent Deaths	295	15	4	5	8	7	6	3	23	10	29	26	13
I. Small Pox	116	8	6	6	4	5	1	4	5	16	10	12	14
Measles	128	2	1	24	53	24	6	6	9	1	–	1	1
Scarlatina	244	1	4	16	30	41	38	21	71	11	4	1	3
Diphtheria	105	2	1	7	21	18	13	11	24	–	3	2	1
Hooping Cough	362	16	33	81	117	49	39	14	13	–	–	–	–
Croup	136	3	8	7	46	31	20	9	12	–	–	–	–
Thrush	6	5	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	209	37	22	39	37	8	2	2	5	1	3	1	1
Dysentery	21	–	2	2	–	1	–	–	1	–	1	–	1
Cholera	6	1	–	4	–	–	–	–	1	–	–	–	–
Influenza	8	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	7	–	–	1	–	–	–	–	1	1	1	–	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	87	–	2	2	1	1	1	2	12	5	10	6	11
Enteric Fever	130	1	–	2	2	4	7	4	25	15	16	10	6
Relapsing Fever	20	–	–	2	–	–	1	–	2	1	1	2	1
Simple Continued Fever	4	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	11	1	–	1	3	1	3	1	1	–	–	–	–
Metria	31	–	–	–	–	–	–	–	–	–	1	3	13
Rheumatic Fever	21	–	–	–	–	–	–	–	–	5	3	2	–
Erysipelas	36	8	3	6	–	–	–	–	2	–	1	1	1
Pyæmia	12	–	–	–	1	–	1	–	–	1	–	1	2
Syphilis	28	8	6	2	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	2	–	–	1	–	–	–	–	–	–	–	–
Dropsy	60	1	–	–	–	2	1	2	1	3	1	1	3
Abscess	11	5	–	–	2	–	–	–	1	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	129	–	–	–	1	–	–	–	–	1	1	1	1
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	87	3	6	4	4	5	2	1	14	7	12	6	1
Tabes Mesenterica	150	3	13	19	47	9	10	10	17	7	1	4	3
Phthisis	982	3	5	11	28	9	8	14	44	65	113	149	137
Hydrocephalus	332	15	24	78	80	36	19	21	48	9	1	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	279	286	283	280	322	305	375	376	436	307	222	136	32	13	3	7
Specified Causes	277	282	276	273	318	297	368	376	436	307	222	136	32	13	3	3
Zymotic Class	41	29	32	23	14	13	16	21	19	16	12	1	2	–	–	–
Uncertain Seat	5	7	15	15	27	15	31	21	34	14	6	1	–	–	–	–
Tubercular Class	113	89	58	55	43	20	21	16	4	3	1	1	–	–	–	1
Brain, etc.	25	32	33	33	43	55	63	67	74	51	26	11	–	–	–	1
Heart, etc.	16	23	27	35	49	44	60	44	50	19	12	4	–	–	–	–
Respiratory Organs	23	38	46	55	69	79	86	76	90	54	24	16	2	–	–	1
Digestive Organs	21	16	28	28	37	24	42	32	24	13	5	1	–	–	–	–
Urinary Organs	9	4	4	4	5	9	9	12	6	5	2	4	–	–	–	–
Generative Organs	5	15	7	1	3	1	1	2	–	1	–	–	–	–	–	–
Locomotive Organs	3	–	2	1	4	9	4	1	2	3	1	–	–	–	–	–
Skin	1	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	6	3	6	7	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	19	70	124	123	132	94	27	13	3	–
Sudden Deaths	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	15	22	18	17	16	12	15	13	8	5	1	3	1	–	–	–
Small Pox	14	2	6	1	2	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	2	4	3	3	6	5	8	8	7	–	2	–	–	–
Dysentery	–	–	1	1	1	1	2	1	1	3	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	2	1	2	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	5	6	6	2	2	2	2	3	1	–	–	–	–	–	–
Enteric Fever	8	2	7	5	1	3	3	5	2	1	–	1	–	–	–	–
Relapsing Fever	–	3	1	3	2	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	5	1	–	–	–	1	2	–	2	–	–	–	–	–	–
Erysipelas	–	1	2	2	1	1	1	3	2	–	1	–	–	–	–	–
Pyæmia	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Dropsy	2	2	3	–	2	4	7	7	8	6	4	–	–	–	–	–
Abscess	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	3	–	–	2	2	1	–	–	–	–	–	–
Cancer	3	5	12	15	20	9	21	11	19	7	1	1	–	–	–	–
Gout	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Scrofula	4	2	3	5	1	2	3	–	1	–	–	–	–	–	–	1
Tabes Mesenterica	1	3	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis	108	84	55	49	41	18	18	15	3	3	1	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	78	4	5	14	10	2	6	3	15	3	3	–	2
Apoplexy	186	2	1	5	2	2	1	–	7	2	6	3	5
Paralysis	244	–	–	–	–	–	–	–	2	1	2	1	3
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	34	–	–	–	–	–	–	–	–	3	1	–	8
Tetanus	11	5	–	–	–	–	–	1	1	–	–	–	1
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	143	59	18	22	25	12	5	1	1	–	–	–	–
Brain Disease	139	1	2	4	7	4	–	2	13	8	1	6	4
V. Pericarditis	6	–	–	–	–	–	–	–	1	–	–	1	1
Aneurism	8	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	423	1	1	–	1	–	–	–	8	10	10	5	15
VI. Laryngitis	13	2	–	1	2	–	1	1	1	–	–	–	–
Bronchitis	974	94	74	117	138	47	15	8	19	4	5	5	11
Pleurisy	19	1	–	1	1	–	–	–	1	–	2	–	2
Pneumonia	307	25	12	41	21	7	8	4	13	6	10	8	14
Asthma	47	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	31	2	–	–	–	3	–	1	–	1	1	1	–
VII. Teething	76	–	6	33	36	1	–	–	–	–	–	–	–
Quinsey	4	–	–	1	2	–	–	–	–	–	–	–	–
Gastritis	31	3	2	–	2	1	1	1	2	1	–	–	4
Enteritis	89	27	11	7	10	5	–	–	3	–	–	2	2
Peritonitis	38	6	–	2	1	–	–	–	–	2	4	2	2
Ascites	11	–	–	–	–	–	–	–	2	1	–	–	1
Ulceration of Intestines	34	–	–	–	–	1	1	1	–	1	–	3	1
Hernia	11	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	3	1	–	–	–	–	–	1	–	–	–	–
Intussusception	2	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	6	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	90	12	4	4	5	3	1	1	4	–	2	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	17	11	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	93	2	1	1	1	–	2	–	2	2	1	–	3
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	–	–	–	1	–	1	–	2	1	1	1	1
Nephria	28	–	–	–	–	–	–	2	2	1	1	3	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	8	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	7	–	–	–	–	–	–	–	–	–	1	1	1
Stone	6	–	–	–	–	–	–	–	1	–	1	1	–
Cystitis	22	–	1	–	–	–	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	–	1	–	–	–	–	2	1	–	3	3	2
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	36	–	–	–	–	–	–	–	–	–	1	4	9
Organs of Generation	7	–	–	–	1	–	–	–	–	–	–	–	–
X. Bone Disease	17	–	–	1	–	–	–	–	2	3	2	–	1
Rheumatism	18	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	16	–	–	–	1	1	–	–	1	4	3	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	7	2	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	11	8	1	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	11	4	–	1	–	–	–	1	1	–	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	24	–	–	2	5	5	1	1	4	–	1	–	1
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	1	2	–	1	–	–	–	1	–	–	1	–
Drowning	67	1	1	–	1	–	3	1	8	3	9	8	3
Fracture and Contusion	152	1	–	–	1	2	2	–	9	7	16	11	6
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	13	–	–	–	–	–	–	–	–	–	1	4	2
Not Specified	204	62	27	21	10	10	5	2	7	5	4	2	6

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	1	–	1	2	1	3	–	–	–	–	–	–	–	–
Apoplexy	2	8	7	15	9	21	18	23	23	13	8	3	–	–	–	–
Paralysis	8	7	11	12	20	22	29	30	42	31	15	8	–	–	–	–
Delirium Tremens	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	4	4	3	2	2	1	1	–	–	–	–	–	–	–	1
Tetanus	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	10	9	2	10	8	14	10	8	7	3	–	–	–	–	–
Pericarditis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	2	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	12	23	26	34	48	43	58	43	50	19	12	4	–	–	–	–
Laryngitis	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	13	21	27	45	54	55	62	70	42	22	15	2	–	–	–
Pleurisy	1	3	2	2	–	–	–	1	1	1	–	–	–	–	–	–
Pneumonia	10	18	15	16	14	15	18	7	14	9	1	–	–	–	–	1
Asthma	2	1	4	5	3	8	10	5	4	2	1	1	–	–	–	–
Lung Disease	1	3	3	4	5	1	3	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	3	1	2	–	2	4	–	1	–	–	–	–	–	–
Enteritis	–	1	1	4	4	3	1	4	3	1	–	–	–	–	–	–
Peritonitis	4	4	1	1	3	1	–	3	–	2	–	–	–	–	–	–
Ascites	–	–	–	2	1	1	1	1	–	–	1	–	–	–	–	–
Ulceration of Intestines	3	6	–	1	3	1	4	3	5	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	1	2	3	1	–	–	–	–	–	–	–
Ileus	–	–	1	1	5	–	4	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Stomach Disease	5	1	7	1	6	7	8	3	8	4	4	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	4	–	1	1	4	–	–	1	–	–	–	–	–	–
Jaundice	–	–	1	2	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	6	4	9	10	10	8	15	8	5	2	–	1	–	–	–	–
Spleen Disease	–	–	–	2	2	–	–	–	1	–	–	–	–	–	–	–
Nephritis	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	2	1	1	1	4	3	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	1	–	3	1	1	–	–	–	–	–	–
Diabetes	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Cystitis	2	–	–	–	–	1	5	3	3	1	1	3	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	2	3	1	3	2	1	–	1	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	–	–	3	–	–	1	–	1	–	–	–	–	–	–
Childbirth	4	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	2	2	1	–	1	–	–	–	–	–	–	–
Rheumatism	2	–	1	–	1	6	2	–	1	3	1	–	–	–	–	–
Joint Disease	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Intemperance	–	1	2	3	2	2	1	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	2	1	1	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Drowning	6	6	3	1	2	3	5	2	1	–	–	–	–	–	–	–
Fracture and Contusion	9	10	9	10	8	3	7	8	6	4	–	2	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	4	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Not Specified	2	4	7	7	4	8	7	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4363	515	198	349	400	172	126	74	246	113	152	157	137
SPECIFIED CAUSES	4252	480	183	340	392	168	123	74	243	111	150	155	132
I. Zymotic Class	842	49	52	108	147	85	72	33	88	29	26	20	19
II. Diseases of Uncertain Seat	89	5	–	–	2	1	1	1	–	1	1	1	3
III. Tubercular Class	760	15	25	57	84	32	22	22	72	42	57	81	54
IV. Brain and Nervous System	473	44	14	34	28	9	7	4	25	12	8	10	11
V. Organs of Circulation	211	1	–	–	–	–	–	–	6	4	8	2	7
VI. Respiratory Organs	759	76	51	106	89	27	13	6	16	3	12	6	14
VII. Organs of Digestion	263	37	19	21	31	5	1	2	7	4	4	4	5
VIII. Urinary Organs	75	1	–	–	–	–	1	1	5	2	4	7	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	25	–	–	–	1	1	–	–	2	3	2	–	2
XI. Skin, etc.	4	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	17	14	1	–	–	–	–	1	–	1	–	–	–
XIII. Premature Debility	252	222	18	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	29	–	–	–	4	4	–	2	3	1	2	–	1
XV. Age	217	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	2	–	1	1	–	–	–	1	–	–	–	1
XVII. Violent Deaths	226	12	3	1	5	4	6	2	18	9	26	24	12
I. Small Pox	68	5	5	2	2	3	–	1	2	10	6	6	11
Measles	57	2	–	10	17	13	4	4	4	1	–	1	1
Scarlatina	138	–	3	10	17	22	27	15	35	6	1	–	–
Diphtheria	52	2	1	5	11	8	8	3	10	–	3	–	–
Hooping Cough	158	7	17	45	51	14	12	5	7	–	–	–	–
Croup	75	1	7	3	26	17	13	3	5	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	106	20	11	22	17	5	–	1	3	–	2	–	–
Dysentery	8	–	1	1	–	–	–	–	1	–	–	–	1
Cholera	3	1	–	2	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	1	1	–	1	–	4	5	3	4	2
Enteric Fever	66	1	–	1	2	2	5	1	12	4	9	7	3
Relapsing Fever	8	–	–	–	–	–	–	–	2	1	1	1	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	–	–	1	2	1	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	17	3	3	4	–	–	–	–	2	–	–	–	–
Pyæmia	5	–	–	–	1	–	–	–	–	1	–	–	–
Syphilis	17	6	4	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	–	1	–	–	–	–	–	–	–	–
Dropsy	22	–	–	–	–	1	1	1	–	1	1	–	2
Abscess	5	3	–	–	1	–	–	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	45	–	–	–	–	–	–	–	–	–	–	1	1
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	53	2	5	3	4	2	1	1	8	4	8	3	1
Tabes Mesenterica	87	2	5	11	25	5	7	5	13	6	–	2	2
Phthisis	451	2	1	7	19	4	–	7	26	29	48	75	51
Hydrocephalus	169	9	14	36	36	21	14	9	25	3	1	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	129	136	138	137	175	151	188	185	198	122	101	54	4	2	–	4
SPECIFIED CAUSES	128	135	134	133	172	147	184	185	198	122	101	54	4	2	–	2
Zymotic Class	18	12	13	10	7	8	9	11	9	9	6	1	1	–	–	–
Uncertain Seat	–	2	6	3	9	7	12	10	18	3	3	–	–	–	–	–
Tubercular Class	48	43	24	23	24	9	9	12	3	1	–	–	–	–	–	1
Brain, etc.	16	15	18	22	26	23	37	30	36	24	15	4	–	–	–	1
Heart, etc.	5	10	14	11	25	27	26	26	24	9	5	1	–	–	–	–
Respiratory Organs	14	23	28	35	39	42	48	42	35	19	11	4	–	–	–	–
Digestive Organs	8	6	11	9	21	13	18	16	12	8	1	–	–	–	–	–
Urinary Organs	3	3	3	3	3	4	6	10	5	5	2	4	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	2	1	3	1	1	1	1	2	1	–	–	–	–	–
Skin	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	4	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	19	50	39	57	39	3	2	–	–
Sudden Deaths	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	15	19	12	12	13	7	10	7	5	3	–	1	–	–	–	–
Small Pox	9	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	–	1	4	4	4	5	4	–	1	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	2	5	2	1	1	2	–	1	–	–	–	–	–	–
Enteric Fever	4	1	3	2	–	2	2	3	1	–	–	1	–	–	–	–
Relapsing Fever	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–		–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Pyæmia	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Dropsy	–	–	3	–	–	2	2	4	3	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–
Cancer	–	2	3	3	6	3	8	5	9	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Scrofula	2	–	1	3	1	1	2	–	–	–	–	–	–	–	–	1
Tabes Mesenterica	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Phthisis	46	41	23	20	22	8	7	11	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	48	2	4	11	7	–	2	2	9	3	–	–	–
Apoplexy	100	2	–	4	1	1	1	–	4	1	5	3	4
Paralysis	120	–	–	–	–	–	–	–	2	1	1	1	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	–	2	1	–	3
Tetanus	7	3	–	–	–	–	–	1	1	–	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	91	37	9	16	17	7	4	–	1	–	–	–	–
Brain Disease	86	–	1	3	3	1	–	1	8	5	1	6	2
V. Pericarditis	4	–	–	–	–	–	–	–	1	–	–	–	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	201	1	–	–	–	–	–	–	5	4	8	2	6
VI. Laryngitis	7	–	–	1	2	–	1	–	1	–	–	–	–
Bronchitis	515	61	45	77	75	22	9	3	9	1	4	2	3
Pleurisy	13	–	–	1	1	–	–	–	–	–	1	–	2
Pneumonia	181	15	6	27	11	2	3	2	6	2	7	4	9
Asthma	25	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	18	–	–	–	–	3	–	1	–	–	–	–	–
VII. Teething	36	–	4	17	16	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	19	3	2	–	1	1	–	1	2	–	–	–	2
Enteritis	50	15	8	4	9	1	–	–	2	–	–	1	–
Peritonitis	14	5	–	–	–	–	–	–	–	2	2	–	–
Ascites	3	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	21	–	–	–	–	1	–	–	–	–	–	2	1
Hernia	7	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	35	5	3	–	3	1	–	1	2	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	6	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	51	1	1	1	1	–	1	–	1	1	1	–	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	7	–	–	–	–	–	1	–	2	1	1	1	–
Nephria	16	–	–	–	–	–	–	1	2	1	1	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	1	–
Stone	6	–	–	–	–	–	–	–	1	–	1	1	–
Cystitis	18	–	–	–	–	–	–	–	–	–	–	–	2
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	–	–	–	–	–	–	–	1	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	11	–	–	–	–	–	–	–	1	1	2	–	1
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	8	–	–	–	1	1	–	–	1	2	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	7	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	3	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	1	3	3	1	1	2	–	–	–	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	1	1	–	1	–	–	–	–	–	–	1	–
Drowning	63	–	1	–	1	–	3	1	8	3	9	7	2
Fracture and Contusion	103	1	–	–	–	1	2	–	8	6	14	11	6
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	10	–	–	–	–	–	–	–	–	–	1	3	2
Not Specified	111	35	15	9	8	4	3	–	3	2	2	2	5

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the Year 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	1	1	1	2	–	–	–	–	–	–	–	–
Apoplexy	1	3	4	8	8	8	10	11	7	8	5	1	–	–	–	–
Paralysis	6	5	7	8	10	8	17	11	21	11	7	3	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	2	3	–	1	1	1	–	–	–	–	–	–	–	1
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	3	5	2	6	5	8	5	7	5	3	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	3	10	13	10	24	27	24	25	24	9	5	1	–	–	–	–
Laryngitis	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	9	10	15	23	28	29	32	26	14	10	4	–	–	–	–
Pleurisy	1	2	2	1	–	–	–	1	–	1	–	–	–	–	–	–
Pneumonia	7	9	11	11	11	9	13	5	8	3	–	–	–	–	–	–
Asthma	2	1	4	4	–	4	4	3	1	1	1	–	–	–	–	–
Lung Disease	–	2	1	4	4	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	3	–	1	–	1	1	–	1	–	–	–	–	–	–
Enteritis	–	1	–	–	2	1	–	4	1	1	–	–	–	–	–	–
Peritonitis	–	–	–	1	1	1	–	–	–	2	–	–	–	–	–	–
Ascites	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	2	–	1	2	1	2	2	4	–	–	–	–	–	–	–
Hernia	–	–	1	1	–	–	1	1	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	2	1	2	–	2	5	2	1	2	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	2	2	3	4	8	3	9	5	3	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	2	1	1	1	2	2	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	3	1	1	–	–	–	–	–	–
Diabetes	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	4	2	3	1	1	3	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	1	–	–	3	1	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	–	1	–	–	–	2	1	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	2	1	1	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	6	2	1	2	3	5	2	1	–	–	–	–	–	–	–
Fracture and Contusion	9	9	6	7	7	–	5	3	4	3	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	4	4	3	4	4	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4240	373	137	271	383	187	102	87	206	109	128	132	187
SPECIFIED CAUSES	4147	346	125	259	381	181	100	85	202	106	126	132	186
I. Zymotic Class	887	45	36	94	169	99	61	42	96	28	28	24	40
II. Diseases of Uncertain Seat	134	4	–	–	2	1	–	1	2	3	1	1	1
III. Tubercular Class	791	9	23	55	75	27	17	24	51	46	70	79	87
IV. Brain and Nervous System	369	27	12	11	16	11	5	3	14	6	5	–	12
V. Organs of Circulation	226	–	1	–	1	–	–	–	3	6	2	4	9
VI. Respiratory Organs	632	48	35	54	73	30	11	8	18	8	6	9	13
VII. Organs of Digestion	277	29	6	28	27	7	4	1	9	3	3	4	8
VIII. Urinary Organs	38	–	2	–	1	–	–	3	1	–	3	2	4
IX. Organs of Generation	53	–	–	–	1	–	–	–	–	–	1	5	10
X. Organs of Locomotion	26	–	–	1	–	–	–	–	1	5	3	–	–
XI. Skin, etc.	5	–	1	–	–	–	–	–	–	–	–	–	1
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	188	171	6	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	46	–	–	–	13	2	2	2	1	–	1	1	–
XV. Age	388	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	3	1	1	–	1	–	–	1	–	–	1	–
XVII. Violent Deaths	69	3	1	4	3	3	–	1	5	1	3	2	1
I. Small Pox	48	3	1	4	2	2	1	3	3	6	4	6	3
Measles	71	–	1	14	36	11	2	2	5	–	–	–	–
Scarlatina	106	1	1	6	13	19	11	6	36	5	3	1	3
Diphtheria	53	–	–	2	10	10	5	8	14	–	–	2	1
Hooping Cough	204	9	16	36	66	35	27	9	6	–	–	–	–
Croup	61	2	1	4	20	14	7	6	7	–	–	–	–
Thrush	5	4	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	103	17	11	17	20	3	2	1	2	1	1	1	1
Dysentery	13	–	1	1	–	1	–	–	–	–	1	–	–
Cholera	3	–	–	2	–	–	–	–	1	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	3	–	–	1	–	–	–	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	46	–	2	1	–	1	–	2	8	–	7	2	9
Enteric Fever	64	–	–	1	–	2	2	3	13	11	7	3	3
Relapsing Fever	12	–	–	2	–	–	1	–	–	–	–	1	1
Simple Continued Fever	3	1	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	5	1	–	–	1	–	1	1	1	–	–	–	–
Metria	31	–	–	–	–	–	–	–	–	–	1	3	13
Rheumatic Fever	14	–	–	–	–	–	–	–	–	4	3	1	–
Erysipelas	19	5	–	2	–	–	–	–	–	–	1	1	1
Pyæmia	7	–	–	–	–	–	1	–	–	–	–	1	2
Syphilis	11	2	2	1	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	38	1	–	–	–	1	–	1	1	2	–	1	1
Abscess	6	2	–	–	1	–	–	–	1	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	84	–	–	–	1	–	–	–	–	1	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	34	1	1	1	–	3	1	–	6	3	4	3	–
Tabes Mesenterica	63	1	8	8	22	4	3	5	4	1	1	2	1
Phthisis	531	1	4	4	9	5	8	7	18	36	65	74	86
Hydrocephalus	163	6	10	42	44	15	5	12	23	6	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	150	150	145	143	147	154	187	191	238	185	121	82	28	11	3	3
SPECIFIED CAUSES	149	147	142	140	146	150	184	191	238	185	121	82	28	11	3	1
Zymotic Class	23	17	19	13	7	5	7	10	10	7	6	–	1	–	–	–
Uncertain Seat	5	5	9	12	18	8	19	11	16	11	3	1	–	–	–	–
Tubercular Class	65	46	34	32	19	11	12	4	1	2	1	1	–	–	–	–
Brain, etc.	9	17	15	11	17	32	26	37	38	27	11	7	–	–	–	–
Heart, etc.	11	13	13	24	24	17	34	18	26	10	7	3	–	–	–	–
Respiratory Organs	9	15	18	20	30	37	38	34	55	35	13	12	2	–	–	1
Digestive Organs	13	10	17	19	16	11	24	16	12	5	4	1	–	–	–	–
Urinary Organs	6	1	1	1	2	5	3	2	1	–	–	–	–	–	–	–
Generative Organs	5	15	7	1	3	1	1	2	–	1	–	–	–	–	–	–
Locomotive Organs	2	–	–	–	1	8	3	–	1	1	–	–	–	–	–	–
Skin	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	5	2	2	5	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	51	74	84	75	55	24	11	3	–
Sudden Deaths	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	–	3	6	5	3	5	5	6	3	2	1	2	1	–	–	–
Small Pox	5	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	3	3	2	2	1	4	3	3	–	1	–	–	–
Dysentery	–	–	1	1	1	–	2	1	–	2	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	4	1	–	1	1	–	3	–	–	–	–	–	–	–
Enteric Fever	4	1	4	3	1	1	1	2	1	1	–	–	–	–	–	–
Relapsing Fever	–	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	10	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	1	–	–	–	1	1	–	1	–	–	–	–	–	–
Erysipelas	–	–	2	2	–	–	–	3	1	–	1	–	–	–	–	–
Pyæmia	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	2	2	–	–	2	2	5	3	5	6	3	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	3	3	9	12	14	6	13	6	10	4	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	2	2	–	1	1	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	62	43	32	29	19	10	11	4	–	2	1	1	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	30	2	1	3	3	2	4	1	6	–	3	–	2
Apoplexy	86	–	1	1	1	1	–	–	3	1	1	–	1
Paralysis	124	–	–	–	–	–	–	–	–	–	1	–	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	16	–	–	–	–	–	–	–	–	1	–	–	5
Tetanus	4	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	52	22	9	6	8	5	1	1	–	–	–	–	–
Brain Disease	53	1	1	1	4	3	–	1	5	3	–	–	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	222	–	1	–	1	–	–	–	3	6	2	3	9
VI. Laryngitis	6	2	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	459	33	29	40	63	25	6	5	10	3	1	3	8
Pleurisy	6	1	–	–	–	–	–	–	1	–	1	–	–
Pneumonia	126	10	6	14	10	5	5	2	7	4	3	4	5
Asthma	22	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	13	2	–	–	–	–	–	–	–	1	1	1	–
VII. Teething	40	–	2	17	20	1	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	12	–	–	–	1	–	1	–	–	1	–	–	2
Enteritis	39	12	3	3	1	4	–	–	1	–	–	1	2
Peritonitis	24	1	–	2	1	–	–	–	–	–	2	2	2
Ascites	8	–	–	–	–	–	–	–	2	–	–	–	1
Ulceration of Intestines	13	–	–	–	–	–	1	1	–	1	–	1	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	13	3	–	–	–	–	–	–	1	–	–	–	–
Intussusception	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	6	–	–	–	1	–	–	–	2	–	–	–	–
Stomach Disease	55	7	1	4	2	2	1	–	2	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	42	1	–	–	–	–	1	–	1	1	–	–	1
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	6	–	–	–	1	–	–	–	–	–	–	–	1
Nephria	12	–	–	–	–	–	–	1	–	–	–	2	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	1	–	..	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	1	–	–	–	–	2	1	–	2	–	1
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	36	–	–	–	–	–	–	–	–	–	1	4	9
Organs of Generation	7	–	–	–	1	–	–	–	–	–	–	–	–
X. Bone Disease	6	–	–	1	–	–	–	–	1	2	–	–	–
Rheumatism	12	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	8	–	–	–	–	–	–	–	–	2	3	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	3	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	–	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	1	–	1	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	11	–	–	1	2	2	–	–	2	–	1	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	–	1	–	–	–	–	–	1	–	–	–	–
Drowning	4	1	–	–	–	–	–	–	–	–	–	1	1
Fracture and Contusion	29	–	–	–	1	1	–	–	1	1	2	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	93	27	12	12	2	6	2	2	4	3	2	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	5	3	7	1	13	8	12	16	5	3	2	–	–	–	–
Paralysis	2	2	4	4	10	14	12	19	21	20	8	5	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	7	4	–	4	3	6	5	1	2	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	13	13	24	24	16	34	18	26	10	7	3	–	–	–	–
Laryngitis	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	4	11	12	22	26	26	30	44	28	12	11	2	–	–	–
Pleurisy	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	3	9	4	5	3	6	5	2	6	6	1	–	–	–	–	1
Asthma	–	–	–	1	3	4	6	2	3	1	–	1	–	–	–	–
Lung Disease	1	1	2	–	1	1	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	1	1	–	1	3	–	–	–	–	–	–	–	–
Enteritis	–	–	1	4	2	2	1	–	2	–	–	–	–	–	–	–
Peritonitis	4	4	1	–	2	–	–	3	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	1	–	1	1	–	–	1	–	–	–	–	–
Ulceration of Intestines	–	4	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	1	–	3	–	1	2	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	3	–	5	1	4	2	6	2	6	3	3	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	1	1	3	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	2	6	6	2	5	6	3	2	–	–	1	–	–	–	–
Spleen Disease	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	3	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	–	–	3	–	–	1	–	1	–	–	–	–	–	–
Childbirth	4	13	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	1	5	2	–	1	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	1	1	1	1	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	3	3	1	3	2	5	2	1	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	3	3	3	1	4	3	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	16815	1706	580	1034	1394	627	434	323	859	503	603	650	567
Specified Causes	16339	1561	546	1005	1365	609	419	315	836	488	591	638	552
I. Zymotic Class	3470	187	164	328	598	332	260	185	424	147	123	100	90
II. Diseases of Uncertain Seat	600	10	2	8	8	2	2	3	11	4	6	5	5
III. Tubercular Class	2991	50	67	193	228	95	60	56	193	197	314	357	285
IV. Brain and Nervous System	1495	88	36	50	71	26	24	15	64	22	32	27	20
V. Organs of Circulation	919	4	1	1	2	–	–	2	10	19	20	21	26
VI. Respiratory Organs	2282	164	132	252	247	103	45	33	54	23	23	26	30
VII. Organs of Digestion	1075	133	62	122	140	20	9	6	20	17	10	28	14
VIII. Urinary Organs	247	1	1	2	5	5	3	1	12	9	8	12	13
IX. Organs of Generation	129	–	–	–	–	–	–	–	–	–	4	13	28
X. Organs of Locomotion	92	–	–	2	1	–	3	–	7	6	11	7	3
XI. Skin, etc.	30	5	2	1	5	1	–	1	–	–	–	1	–
XII. Malformation	74	65	3	2	3	–	1	–	–	–	–	–	–
XIII. Premature Debility	922	819	65	38	–	–	–	–	–	–	–	–	–
XIV. Atrophy	112	–	–	–	28	12	6	2	8	4	2	3	2
XV. Age	1333	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	4	3	–	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	536	31	8	6	28	13	13	11	33	40	38	38	35
I. Small Pox	365	27	14	13	4	4	6	6	28	40	39	48	32
Measles	270	3	8	47	100	44	29	16	19	2	–	–	–
Scarlatina	481	2	4	26	90	77	50	53	136	20	5	4	7
Diphtheria	259	3	6	11	46	30	45	31	71	9	2	–	1
Hooping Cough	536	45	44	112	176	68	39	24	28	–	–	–	–
Croup	318	8	6	33	81	65	51	30	43	1	–	–	–
Thrush	9	5	2	2	–	–	–	–	–	–	–	–	–
Diarrhœa	350	54	52	59	55	17	5	4	7	5	2	–	1
Dysentery	64	2	3	5	9	–	1	5	1	–	2	–	2
Cholera	24	–	2	6	4	–	–	–	2	–	3	–	–
Influenza	23	–	–	–	1	3	–	–	–	–	–	–	–
Purpura	8	1	–	–	1	–	–	1	–	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	161	3	2	4	3	4	9	1	18	21	16	13	8
Enteric Fever	329	2	4	1	14	9	16	13	52	33	43	22	15
Relapsing Fever	14	–	–	–	–	–	1	–	3	1	2	2	1
Simple Continued Fever	29	–	–	–	–	–	1	–	5	4	1	2	–
Infantile Remittent	31	2	2	1	6	6	5	1	8	–	–	–	–
Metria	53	–	–	–	–	–	–	–	–	–	–	5	18
Rheumatic Fever	40	–	–	1	–	–	1	–	3	7	6	4	2
Erysipelas	51	14	3	2	3	2	1	–	–	1	–	–	–
Pyæmia	11	1	1	–	–	1	–	–	–	1	1	–	2
Syphilis	42	15	11	5	5	1	–	–	–	–	–	–	1
Noma	2	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	3	–	1	–	–	–	1	1	–	–	–	–
Dropsy	139	–	–	–	2	–	1	–	5	2	3	1	1
Abscess	36	4	1	6	3	1	–	–	1	2	2	1	1
Ulcer	13	1	–	1	1	–	–	–	1	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	32	2	1	–	2	–	–	1	2	–	–	–	1
Cancer	360	–	–	–	–	1	1	1	1	–	1	3	2
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	189	4	6	10	20	8	8	5	17	16	25	17	8
Tabes Mesenterica	244	11	18	33	70	24	19	9	27	12	7	2	2
Phthisis	2097	10	8	27	44	20	11	21	77	147	280	337	275
Hydrocephalus	461	25	35	123	94	43	22	21	72	22	2	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	495	504	484	525	565	558	741	777	972	827	605	316	133	28	3	2
Specified Causes	485	495	458	511	545	541	717	776	972	827	605	316	133	28	3	2
Zymotic Class	79	71	60	44	48	36	39	43	48	29	24	10	1	–	–	–
Uncertain Seat	14	27	24	37	61	60	77	72	68	55	27	9	3	–	–	–
Tubercular Class	206	176	125	111	92	73	53	31	17	6	4	1	1	–	–	–
Brain, etc.	32	25	48	61	55	82	135	134	190	147	72	27	10	2	–	–
Heart, etc.	38	39	36	41	75	68	103	108	139	101	47	14	3	–	–	1
Respiratory Organs	35	48	63	92	97	101	143	165	166	123	80	29	12	1	–	1
Digestive Organs	23	38	32	50	42	70	59	64	62	38	13	3	–	–	–	–
Urinary Organs	7	10	11	10	15	7	26	18	20	31	9	9	2	–	–	–
Generative Organs	15	29	17	9	6	2	1	–	2	3	–	–	–	–	–	–
Locomotive Organs	4	3	3	4	3	9	4	4	7	5	6	–	–	–	–	–
Skin	–	–	–	–	3	2	1	3	3	1	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	6	4	15	17	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	50	113	241	275	317	212	98	24	3	–
Sudden Deaths	2	1	2	3	3	1	5	1	2	3	–	–	–	–	–	–
Violent Deaths	28	27	31	45	30	13	21	20	13	10	5	2	3	1	–	–
Small Pox	25	21	22	16	6	6	4	3	1	–	–	–	–	–	–	–
Measles	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	5	1	4	5	1	9	14	18	8	13	8	–	–	–	–
Dysentery	2	1	1	1	1	–	3	8	8	5	3	1	–	–	–	–
Cholera	1	–	1	–	2	1	–	–	–	1	1	–	–	–	–	–
Influenza	1	–	–	1	1	1	4	1	5	4	1	–	–	–	–	–
Purpura	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	7	9	6	9	4	7	5	3	2	1	–	–	–	–	–
Enteric Fever	17	11	13	14	10	13	6	8	6	5	2	–	–	–	–	–
Relapsing Fever	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	1	1	–	4	2	1	1	3	1	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	15	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	5	2	–	4	2	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	2	–	4	3	3	2	2	3	2	–	1	–	–	–
Pyæmia	–	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	2	1	–	1	1	1	–	1	–	–	1	–	–	–
Dropsy	3	5	3	8	8	8	16	14	23	20	12	4	–	–	–	–
Abscess	1	2	3	1	–	4	–	–	1	1	1	–	–	–	–	–
Ulcer	–	–	–	–	1	1	1	3	1	2	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	3	–	–	–	–	4	5	2	3	4	2	–	–	–	–
Cancer	8	17	16	27	52	46	54	48	40	27	10	3	2	–	–	–
Gout	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Scrofula	6	10	5	2	6	3	3	3	6	–	1	–	–	–	–	–
Tabes Mesenterica	4	1	2	–	–	1	1	–	1	–	–	–	–	–	–	–
Phthisis	196	164	118	109	86	69	49	28	10	6	3	1	1	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	132	3	7	9	20	9	6	6	26	5	9	7	3
Apoplexy	391	4	4	7	5	2	2	2	6	4	4	1	8
Paralysis	488	2	–	–	1	–	3	1	1	–	3	4	1
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	4	–	–	–	1	–	–	–	2	–	–	–	–
Epilepsy	49	–	–	–	–	–	–	–	–	3	5	7	2
Tetanus	7	1	–	–	–	–	–	–	1	1	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	200	74	22	31	40	14	8	3	8	–	–	–	–
Brain Disease	208	4	3	3	4	1	5	3	20	9	10	8	5
V. Pericarditis	15	–	–	–	–	–	–	2	3	2	2	1	–
Aneurism	21	–	–	–	–	–	–	–	–	–	–	1	2
Heart Disease	883	4	1	1	2	–	–	–	7	17	18	19	24
VI. Laryngitis	25	2	2	3	2	2	–	–	3	–	1	1	–
Bronchitis	1559	129	105	204	200	72	34	23	33	11	8	6	13
Pleurisy	53	1	–	–	–	2	–	1	1	4	3	2	1
Pneumonia	523	31	24	45	45	27	11	9	14	8	11	14	13
Asthma	78	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	44	1	1	–	–	–	–	–	3	–	–	3	2
VII. Teething	178	4	8	72	86	7	–	1	–	–	–	–	–
Quinsey	9	–	–	–	5	–	–	1	1	–	–	–	–
Gastritis	31	5	–	2	2	–	–	–	–	–	–	–	–
Enteritis	237	70	39	32	33	5	4	2	6	6	2	4	2
Peritonitis	75	12	2	–	7	3	–	–	2	1	3	5	3
Ascites	15	–	–	1	–	–	–	–	3	1	–	–	–
Ulceration of Intestines	51	1	1	1	–	–	–	–	2	–	3	3	3
Hernia	22	–	–	–	–	–	–	–	1	–	–	1	–
Ileus	54	4	2	1	1	–	1	–	–	1	–	4	–
Intussusception	11	–	–	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	12	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	133	16	9	10	3	2	1	1	3	–	1	6	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	28	–	–	–	–	–	1	1	–	1	–	–	–
Jaundice	54	19	1	–	1	1	1	–	–	1	–	1	–
Liver Disease	155	2	–	2	1	2	1	–	2	4	1	4	1
Spleen Disease	10	–	–	–	1	–	–	–	–	1	–	–	–
VIII. Nephritis	22	–	–	1	1	2	–	–	2	1	–	2	–
Nephria	71	–	–	1	–	–	1	1	6	4	4	5	4
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	15	–	–	–	1	–	–	–	–	–	–	–	1
Diabetes	28	1	–	–	1	3	–	–	1	3	1	4	4
Stone	8	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	42	–	–	–	–	–	–	–	–	1	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	58	–	1	–	2	–	2	–	3	–	2	1	2
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	13	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	94	–	–	–	–	–	–	–	–	–	4	9	25
Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	2	2
X. Bone Disease	32	–	–	–	1	–	2	–	2	3	7	3	2
Rheumatism	29	–	–	–	–	–	–	–	–	–	–	1	–
Joint Disease	31	–	–	2	–	–	1	–	5	3	4	3	1
XI. Carbuncle	11	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	15	4	2	1	5	1	–	1	–	–	–	–	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	1	–	–	2
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	20	16	3	1	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	11	–	–	–	–	–	1	1	1	–	1	1	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	63	–	1	2	14	8	2	4	6	3	3	2	2
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	24	13	3	2	1	–	–	–	–	–	–	–	–
Drowning	123	–	–	–	10	3	1	3	9	9	14	9	11
Fracture and Contusion	235	–	–	1	2	2	2	3	14	24	16	23	19
Gunshot Wounds	4	–	–	–	1	–	–	–	1	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Causes	18	2	–	–	–	–	–	–	1	3	4	3	–
Not Specified	476	145	34	29	29	18	15	8	23	15	12	12	15

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	1	6	2	3	2	3	–	1	–	–	–	–	–	–	–
Apoplexy	7	9	16	23	24	34	48	36	61	47	22	9	5	1	–	–
Paralysis	6	4	12	18	16	29	60	78	101	82	45	16	5	–	–	–
Delirium Tremens	4	3	–	3	–	–	1	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	4	2	4	5	3	2	4	3	1	2	1	1	–	–	–	–
Tetanus	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	6	10	8	8	15	19	14	25	16	4	1	–	1	–	–
Pericarditis	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Aneurism	1	2	–	1	4	1	5	1	2	–	–	–	1	–	–	–
Heart Disease	35	36	36	40	71	67	97	107	137	101	46	14	2	–	–	1
Laryngitis	–	–	–	6	–	1	1	–	1	–	–	–	–	–	–	–
Bronchitis	12	22	31	49	51	58	85	95	115	100	69	22	11	1	–	–
Pleurisy	1	1	2	3	4	5	4	5	5	4	3	1	–	–	–	–
Pneumonia	19	18	24	24	30	23	29	48	29	15	6	5	1	–	–	–
Asthma	2	3	2	6	10	8	17	13	8	4	2	1	–	–	–	1
Lung Disease	1	4	4	4	2	6	7	4	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	2	3	1	4	2	4	3	1	–	–	–	–	–	–
Enteritis	2	4	1	–	3	5	6	1	1	5	4	–	–	–	–	–
Peritonitis	6	5	6	3	–	4	3	2	2	4	1	1	–	–	–	–
Ascites	–	–	1	–	1	1	1	3	2	1	–	–	–	–	–	–
Ulceration of Intestines	1	2	3	7	4	8	4	–	4	3	1	–	–	–	–	–
Hernia	–	1	2	1	1	2	2	6	2	3	–	–	–	–	–	–
Ileus	–	2	1	1	3	5	6	13	3	5	1	–	–	–	–	–
Intussusception	1	1	1	–	2	–	1	–	3	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	1	–	5	1	1	1	1	1	–	–	–	–	–
Stomach Disease	2	4	1	9	7	13	11	6	18	3	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	3	1	4	1	1	7	1	4	1	–	–	–	–	–	–
Jaundice	1	–	1	4	2	6	1	3	5	4	2	–	–	–	–	–
Liver Disease	5	12	11	15	16	16	14	22	14	7	1	2	–	–	–	–
Spleen Disease	1	2	1	1	1	–	–	2	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	2	–	2	1	2	–	1	3	–	–	–	–
Nephria	5	5	4	3	8	2	7	4	3	2	1	1	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	–	–	2	2	–	3	3	1	–	–	–	–
Diabetes	–	1	1	2	1	–	1	2	–	2	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	2	–	2	–	2	–	–	–	–
Cystitis	–	–	3	1	–	1	6	5	7	14	3	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	2	3	2	2	4	3	7	2	8	7	1	2	2	–	–	–
Paramenia	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	2	1	3	2	1	–	–	–	–	–	–	–	–	–
Childbirth	14	25	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	2	3	–	–	–	2	3	–	–	–	–	–	–
Bone Disease	1	1	–	1	1	4	–	1	1	1	1	–	–	–	–	–
Rheumatism	1	1	2	2	2	2	3	2	6	4	3	–	–	–	–	–
Joint Disease	2	1	1	1	–	3	1	1	–	–	2	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	1	3	3	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	1	3	5	4	3	6	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Poison	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	2	2	2	–	1	2	1	2	1	–	1	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	1	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–
Drowning	10	8	4	9	5	1	8	3	3	2	1	–	–	–	–	–
Fracture and Contusion	12	11	17	25	19	3	11	9	8	6	4	1	2	1	–	–
Gunshot Wounds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Not Specified	10	9	26	14	20	17	24	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8500	1012	319	576	707	323	217	153	476	254	305	332	269
SPECIFIED CAUSES	8224	929	302	561	696	315	209	150	463	244	297	323	256
I. Zymotic Class	1684	97	82	185	286	159	116	89	211	68	56	47	41
II. Diseases of Uncertain Seat	231	6	1	4	5	2	1	2	8	2	2	5	1
III. Tubercular Class	1461	28	43	101	127	52	36	25	117	86	144	166	126
IV. Brain and Nervous System	785	56	23	37	38	13	13	10	37	15	18	14	10
V. Organs of Circulation	462	4	–	1	2	–	–	1	4	9	13	11	15
VI. Respiratory Organs	1215	109	69	138	136	54	23	15	32	16	12	15	14
VII. Organs of Digestion	547	75	38	64	70	14	6	2	10	11	6	17	6
VIII. Urinary Organs	173	–	1	2	3	3	3	–	9	4	3	9	6
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	37	–	–	1	1	–	2	–	4	–	8	5	2
XI. Skin, etc.	15	3	2	–	1	–	–	–	–	–	–	–	–
XII. Malformation	46	41	1	1	2	–	1	–	–	–	–	–	–
XIII. Premature Debility	552	489	39	24	–	–	–	–	–	–	–	–	–
XIV. Atrophy	54	–	–	–	10	8	4	1	6	2	1	2	–
XV. Age	547	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	19	3	1	–	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	396	18	2	3	14	10	4	5	25	31	34	32	34
I. Small Pox	203	13	8	9	–	1	2	5	20	16	19	23	22
Measles	125	2	5	25	43	21	10	10	7	–	–	–	–
Scarlatina	241	–	2	17	39	42	25	26	70	10	4	2	1
Diphtheria	118	2	3	7	20	14	23	12	32	2	–	–	–
Hooping Cough	234	19	16	56	84	23	15	11	10	–	–	–	–
Croup	166	3	3	21	46	33	22	13	25	–	–	–	–
Thrush	5	2	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	185	31	29	32	31	11	2	2	2	3	1	–	1
Dysentery	34	2	3	5	5	–	1	2	–	–	1	–	2
Cholera	10	–	1	3	2	–	–	–	1	–	–	–	–
Influenza	15	–	–	–	1	1	–	–	–	–	–	–	–
Purpura	5	1	–	–	1	–	–	–	–	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	75	3	1	2	1	3	5	–	9	8	8	8	2
Enteric Fever	152	2	1	1	6	5	7	8	26	17	17	10	8
Relapsing Fever	7	–	–	–	–	–	1	–	1	1	2	1	–
Simple Continued Fever	11	–	–	–	–	–	–	–	2	3	1	1	–
Infantile Remittent	18	2	1	–	5	4	2	–	4	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	21	–	–	1	–	–	–	–	2	5	1	2	2
Erysipelas	30	8	–	2	2	–	1	–	–	1	–	–	–
Pyæmia	9	1	1	–	–	1	–	–	–	–	1	–	2
Syphilis	19	6	6	3	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	1	–	–	–	–	–	1	1	–	–	–	–
Dropsy	65	–	–	–	2	–	–	–	4	1	1	1	1
Abscess	19	3	–	4	3	1	–	–	–	1	1	1	–
Ulcer	5	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	2	1	–	–	–	–	1	1	–	–	–	–
Cancer	116	–	–	–	–	1	1	–	1	–	–	3	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	114	1	4	8	13	7	7	2	13	12	18	12	3
Tabes Mesenterica	142	10	12	15	44	11	11	2	21	8	2	2	1
Phthisis	941	6	4	14	17	10	5	10	33	53	123	152	122
Hydrocephalus	264	11	23	64	53	24	13	11	50	13	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	234	226	240	271	290	302	365	376	447	371	252	122	52	6	1	2
SPECIFIED CAUSES	225	218	221	263	280	290	353	376	447	371	252	122	52	6	1	2
Zymotic Class	36	25	32	23	21	20	20	24	23	13	8	2	–	–	–	–
Uncertain Seat	2	6	11	11	21	23	31	26	32	18	7	3	1	–	–	–
Tubercular Class	94	75	49	49	42	46	27	15	6	5	2	–	–	–	–	–
Brain, etc.	22	10	21	32	30	42	66	68	96	64	32	13	4	1	–	–
Heart, etc.	17	20	19	23	41	34	53	56	59	45	22	10	2	–	–	1
Respiratory Organs	16	27	40	61	60	59	70	84	60	55	34	10	4	1	–	1
Digestive Organs	9	22	15	20	21	37	30	22	34	14	3	1	–	–	–	–
Urinary Organs	2	5	7	6	9	6	14	14	17	31	9	9	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	2	1	2	1	1	2	2	–	–	–	–	–
Skin	–	–	–	–	2	2	–	2	2	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	–	2	7	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	51	110	116	130	72	40	4	1	–
Sudden Deaths	–	1	2	2	2	1	3	–	1	1	–	–	–	–	–	–
Violent Deaths	25	25	24	33	22	11	14	13	6	7	2	2	–	–	–	–
Small Pox	19	11	13	8	3	4	4	2	1	–	–	–	–	–	–	–
Measles	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	1	1	3	–	2	10	9	5	3	2	–	–	–	–
Dysentery	1	–	–	1	–	–	2	3	4	2	–	–	–	–	–	–
Cholera	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Influenza	1	–	–	–	1	1	4	1	2	2	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	4	3	3	3	3	3	2	–	–	–	–	–	–	–
Enteric Fever	9	3	6	8	5	6	2	2	1	2	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	3	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	3	3	1	2	1	2	2	–	–	–	–	–
Pyæmia	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	1	–	–	1	1	1	–	1	–	–	1	–	–	–
Dropsy	–	2	2	4	6	7	10	6	10	4	3	1	–	–	–	–
Abscess	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	2	1	1	1	1	1	–	–	–	–
Cancer	–	3	7	6	15	12	18	16	20	9	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Scrofula	1	6	–	–	1	2	–	1	3	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	92	68	48	49	41	43	27	14	3	5	2	–	–	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	75	2	3	6	10	4	3	3	14	4	5	4	2
Apoplexy	195	3	1	5	3	2	1	2	3	3	1	–	2
Paralysis	236	2	–	–	1	–	3	–	1	–	3	3	1
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	3	–	–	–	1	–	–	–	1	–	–	–	–
Epilepsy	28	–	–	–	–	–	–	–	–	3	2	3	1
Tetanus	3	–	–	–	–	–	–	–	1	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	126	46	16	25	20	7	4	2	6	–	–	–	–
Brain Disease	106	3	3	1	3	–	2	3	11	5	6	4	3
V. Pericarditis	7	–	–	–	–	–	–	1	1	1	1	–	–
Aneurism	14	–	–	–	–	–	–	–	–	–	–	1	2
Heart Disease	441	4	–	1	2	–	–	–	3	8	12	10	13
VI. Laryngitis	15	1	1	2	1	2	–	–	2	–	–	1	–
Bronchitis	781	90	56	112	105	39	17	9	18	8	2	1	4
Pleurisy	34	–	–	–	–	1	–	1	1	3	2	2	–
Pneumonia	305	17	11	24	30	12	6	5	9	5	8	9	8
Asthma	49	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	31	1	1	–	–	–	–	–	2	–	–	2	1
VII. Teething	91	3	5	34	43	5	–	1	–	–	–	–	–
Quinsey	2	–	–	–	2	–	–	–	–	–	–	–	–
Gastritis	14	3	–	2	–	–	–	–	–	–	–	–	–
Enteritis	138	45	22	18	20	4	3	–	4	4	1	3	1
Peritonitis	28	5	2	–	1	3	–	–	1	1	1	1	–
Ascites	6	–	–	1	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	28	1	–	–	–	–	–	–	–	–	3	1	2
Hernia	13	–	–	–	–	–	–	–	1	–	–	1	–
Ileus	27	4	2	1	1	–	1	–	–	–	–	4	–
Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	68	8	6	7	1	1	1	1	2	–	1	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	25	6	1	–	1	–	1	–	–	1	–	1	–
Liver Disease	76	–	–	–	–	1	–	–	1	4	–	4	–
Spleen Disease	6	–	–	–	1	–	–	–	–	1	–	–	–
VIII. Nephritis	13	–	–	1	1	–	–	–	1	–	–	2	–
Nephria	41	–	–	1	–	–	1	–	5	2	2	3	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	19	–	–	–	–	3	–	–	1	2	–	3	3
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	39	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	41	–	1	–	1	–	2	–	2	–	1	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	16	–	–	–	1	–	2	–	1	–	5	2	2
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	1	–
Joint Disease	13	–	–	1	–	–	–	–	3	–	3	2	–
XI. Carbuncle	8	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	2	2	–	1	–	–	–	–	–	–	–	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	1	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	10	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	1	–	1	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	35	–	–	–	7	5	1	1	4	2	2	2	2
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	7	–	2	–	–	–	–	–	–	–	–	–
Drowning	101	–	–	–	6	3	1	3	7	8	12	7	11
Fracture and Contusion	193	–	–	–	1	2	1	1	10	17	16	22	19
Gunshot Wounds	3	–	–	–	–	–	–	–	1	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Causes	13	1	–	–	–	–	–	–	1	3	4	1	–
Not Specified	276	83	17	15	11	8	8	3	13	10	8	9	13

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	–	2	2	3	2	1	–	1	–	–	–	–	–	–	–
Apoplexy	2	3	8	11	15	17	28	18	28	20	10	5	3	1	–	–
Paralysis	4	1	6	11	7	15	24	36	55	37	19	6	1	–	–	–
Delirium Tremens	4	2	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Epilepsy	3	2	2	2	1	1	2	2	1	1	1	1	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	2	3	4	3	7	10	9	10	6	2	1	–	–	–	–
Pericarditis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	2	–	–	2	–	3	1	1	–	–	–	1	–	–	–
Heart Disease	14	17	19	23	39	34	50	55	58	45	22	10	1	–	–	1
Laryngitis	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	10	18	32	28	27	32	48	39	39	30	7	3	1	–	–
Pleurisy	–	1	2	2	1	4	3	3	3	3	2	–	–	–	–	–
Pneumonia	8	12	17	14	21	16	16	26	16	11	1	2	1	–	–	–
Asthma	2	2	1	5	8	6	12	6	1	2	1	1	–	–	–	1
Lung Disease	–	2	2	4	2	5	7	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	1	1	2	–	–	3	–	–	–	–	–	–	–
Enteritis	1	2	–	–	1	2	2	1	–	3	1	–	–	–	–	–
Peritonitis	1	3	2	1	–	1	2	–	1	2	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	4	2	7	1	–	2	2	–	–	–	–	–	–
Hernia	–	1	1	1	–	1	1	3	2	1	–	–	–	–	–	–
Ileus	–	1	–	–	2	3	3	3	1	1	–	–	–	–	–	–
Intussusception	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	3	1	1	–	1	1	–	–	–	–	–
Stomach Disease	1	1	–	4	5	7	6	1	9	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	2	1	1	–	–	5	1	1	–	–	–	–	–	–	–
Jaundice	1	–	1	2	1	3	–	–	3	2	1	–	–	–	–	–
Liver Disease	2	7	7	5	8	8	7	11	9	1	–	1	–	–	–	–
Spleen Disease	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	1	–	–	–	1	–	1	3	–	–	–	–
Nephria	1	3	2	2	4	1	4	2	2	2	1	1	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	2	–	3	3	1	–	–	–	–
Diabetes	–	1	1	–	1	–	–	2	–	2	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	2	–	2	–	2	–	–	–	–
Cystitis	–	–	2	1	–	1	6	5	7	14	3	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Kidney Disease	1	1	1	2	3	3	2	1	7	7	1	2	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Rheumatism	–	1	1	–	1	–	1	1	1	1	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–
Carbuncle	–	–	–	–	2	1	–	2	2	–	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	3	2	1	2	5	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	2	2	1	–	–	1	–	–	1	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	9	8	2	8	3	1	5	3	1	2	1	–	–	–	–	–
Fracture and Contusion	12	11	15	22	16	3	8	7	5	3	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	9	8	19	8	10	12	12	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8315	694	261	458	687	304	217	170	383	249	298	318	298
SPECIFIED CAUSES	8115	632	244	444	669	294	210	165	373	244	294	315	296
I. Zymotic Class	1786	90	82	143	312	173	144	96	213	79	67	53	49
II. Diseases of Uncertain Seat	369	4	1	4	3	–	1	1	3	2	4	–	4
III. Tubercular Class	1530	22	24	92	101	43	24	31	76	111	170	191	159
IV. Brain and Nervous System	710	32	13	13	33	13	11	5	27	7	14	13	10
V. Organs of Circulation	457	–	1	–	–	–	–	1	6	10	7	10	11
VI. Respiratory Organs	1067	55	63	114	111	49	22	18	22	7	11	11	16
VII. Organs of Digestion	528	58	24	58	70	6	3	4	10	6	4	11	8
VIII. Urinary Organs	74	1	–	–	2	2	–	1	3	5	5	3	7
IX. Organs of Generation	129	–	–	–	–	–	–	–	–	–	4	13	28
X. Organs of Locomotion	55	–	–	1	–	–	1	–	3	6	3	2	1
XI. Skin, etc.	15	2	–	1	4	1	–	1	–	–	–	1	–
XII. Malformation	28	24	2	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	370	330	26	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	58	–	–	–	18	4	2	1	2	2	1	1	2
XV. Age	786	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	13	1	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	140	13	6	3	14	3	2	6	8	9	4	6	1
I. Small Pox	162	14	6	4	4	3	4	1	8	24	20	25	10
Measles	145	1	3	22	57	23	19	6	12	2	–	–	–
Scarlatina	240	2	2	9	51	35	25	27	66	10	1	2	6
Diphtheria	141	1	3	4	26	16	22	19	39	7	2	–	1
Hooping Cough	302	26	28	56	92	45	24	13	18	–	–	–	–
Croup	152	5	3	12	35	32	29	17	18	1	–	–	–
Thrush	4	3	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	165	23	23	27	24	6	3	2	5	2	1	–	–
Dysentery	30	–	–	–	4	–	–	3	1	–	1	–	–
Cholera	14	–	1	3	2	–	–	–	1	–	3	–	–
Influenza	8	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	86	–	1	2	2	1	4	1	9	13	8	5	6
Enteric Fever	177	–	3	–	8	4	9	5	26	16	26	12	7
Relapsing Fever	7	–	–	–	–	–	–	–	2	–	–	1	1
Simple Continued Fever	18	–	–	–	–	–	1	–	3	1	–	1	–
Infantile Remittent	13	–	1	1	1	2	3	1	4	–	–	–	–
Metria	53	–	–	–	–	–	–	–	–	–	–	5	18
Rheumatic Fever	19	–	–	–	–	–	1	–	1	2	5	2	–
Erysipelas	21	6	3	–	1	2	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	23	9	5	2	5	1	–	–	–	–	–	–	–
Noma	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	2	–	1	–	–	–	–	–	–	–	–	–
Dropsy	74	–	–	–	–	–	1	–	1	1	2	–	–
Abscess	17	1	1	2	–	–	–	–	1	1	1	–	1
Ulcer	8	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	19	–	–	–	2	–	–	–	1	–	–	–	1
Cancer	244	–	–	–	–	–	–	1	–	–	1	–	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	75	3	2	2	7	1	1	3	4	4	7	5	5
Tabes Mesenterica	102	1	6	18	26	13	8	7	6	4	5	–	1
Phthisis	1156	4	4	13	27	10	6	11	44	94	157	185	153
Hydrocephalus	197	14	12	59	41	19	9	10	22	9	1	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	261	278	244	254	275	256	376	401	525	456	353	194	81	22	2	–
SPECIFIED CAUSES	260	277	237	248	265	251	364	400	525	456	353	194	81	22	2	–
Zymotic Class	43	46	28	21	27	16	19	19	25	16	16	8	1	–	–	–
Uncertain Seat	12	21	13	26	40	37	46	46	36	37	20	6	2	–	–	–
Tubercular Class	112	101	76	62	50	27	26	16	11	1	2	1	1	–	–	–
Brain, etc.	10	15	27	29	25	40	69	66	94	83	40	14	6	1	–	–
Heart, etc.	21	19	17	18	34	34	50	52	80	56	25	4	1	–	–	–
Respiratory Organs	19	21	23	31	37	42	73	81	100	68	46	19	8	–	–	–
Digestive Organs	14	16	17	30	21	33	29	42	28	24	10	2	–	–	–	–
Urinary Organs	5	5	4	4	6	1	12	4	3	–	–	–	1	–	–	–
Generative Organs	15	29	17	9	6	2	1	–	2	3	–	–	–	–	–	–
Locomotive Organs	4	2	2	3	1	8	2	3	6	3	4	–	–	–	–	–
Skin	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	6	2	8	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	62	131	159	187	140	58	20	2	–
Sudden Deaths	2	–	–	1	1	–	2	1	1	2	–	–	–	–	–	–
Violent Deaths	3	2	7	12	8	2	7	7	7	3	3	–	3	1	–	–
Small Pox	6	10	9	8	3	2	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	–	3	2	1	7	4	9	3	10	6	–	–	–	–
Dysentery	1	1	1	–	1	–	1	5	4	3	3	1	–	–	–	–
Cholera	–	–	–	–	2	1	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	–	3	2	–	–	–	–	–	–
Purpura	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	5	3	6	1	4	2	1	2	1	–	–	–	–	–
Enteric Fever	8	8	7	6	5	7	4	6	5	3	2	–	–	–	–	–
Relapsing Fever	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	3	2	1	1	2	1	–	1	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	15	14	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	3	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	–	1	–	2	–	1	1	–	–	1	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	3	1	4	2	1	6	8	13	16	9	3	–	–	–	–
Abscess	1	2	2	–	–	2	–	–	1	–	1	–	–	–	–	–
Ulcer	–	–	–	–	1	–	1	1	1	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	–	–	2	4	1	2	3	1	–	–	–	–
Cancer	8	14	9	21	37	34	36	32	20	18	7	2	2	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	5	4	5	2	5	1	3	2	3	–	1	–	–	–	–	–
Tabes Mesenterica	3	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Phthisis	104	96	70	60	45	26	22	14	7	1	1	1	1	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	57	1	4	3	10	5	3	3	12	1	4	3	1
Apoplexy	196	1	3	2	2	–	1	–	3	1	3	1	6
Paralysis	252	–	–	–	–	–	–	1	–	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	21	–	–	–	–	–	–	–	–	–	3	4	1
Tetanus	4	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	74	28	6	6	20	7	4	1	2	–	–	–	–
Brain Disease	102	1	–	2	1	1	3	–	9	4	4	4	2
V. Pericarditis	8	–	–	–	–	–	–	1	2	1	1	1	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	442	–	1	–	–	–	–	–	4	9	6	9	11
VI. Laryngitis	10	1	1	1	1	–	–	–	1	–	1	–	–
Bronchitis	778	39	49	92	95	33	17	14	15	3	6	5	9
Pleurisy	19	1	–	–	–	1	–	–	–	1	1	–	1
Pneumonia	218	14	13	21	15	15	5	4	5	3	3	5	5
Asthma	29	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	13	–	–	–	–	–	–	–	1	–	–	1	1
VII. Teething	87	1	3	38	43	2	–	–	–	–	–	–	–
Quinsey	7	–	–	–	3	–	–	1	1	–	–	–	–
Gastritis	17	2	–	–	2	–	–	–	–	–	–	–	–
Enteritis	99	25	17	14	13	1	1	2	2	2	1	1	1
Peritonitis	47	7	–	–	6	–	–	–	1	–	2	4	3
Ascites	9	–	–	–	–	–	–	–	2	1	–	–	–
Ulceration of Intestines	23	–	1	1	–	–	–	–	2	–	–	2	1
Hernia	9	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	27	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	7	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	65	8	3	3	2	1	–	–	1	–	–	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	–	–	–	1	1	–	1	–	–	–
Jaundice	29	13	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	79	2	–	2	1	1	1	–	1	–	1	–	1
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	9	–	–	–	–	2	–	–	1	1	–	–	–
Nephria	30	–	–	–	–	–	–	1	1	2	2	2	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	9	1	–	–	1	–	–	–	–	1	1	1	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	3	–	–	–	–	–	–	–	–	1	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	–	–	–	1	–	–	–	1	–	1	–	1
IX. Paramenia	6	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	13	–	–	–	–	–	–	–	–	–	–	1	–
Childbirth	94	–	–	–	–	–	–	–	–	–	4	9	25
Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	2	2
X. Bone Disease	16	–	–	–	–	–	–	–	1	3	2	1	–
Rheumatism	21	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	18	–	–	1	–	–	1	–	2	3	1	1	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	10	2	–	1	4	1	–	1	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	6	1	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	–	–	–	1	–	–	1	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	28	–	1	2	7	3	1	3	2	1	1	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	13	6	3	–	1	–	–	–	–	–	–	–	–
Drowning	22	–	–	–	4	–	–	–	2	1	2	2	–
Fracture and Contusion	42	–	–	1	1	–	1	2	4	7	–	1	–
Gunshot Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	–	–	–	2	–
Not Specified	200	62	17	14	18	10	7	5	10	5	4	3	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	4	–	–	–	2	–	–	–	–	–	–	–	–	–
Apoplexy	5	6	8	12	9	17	20	18	33	27	12	4	2	–	–	–
Paralysis	2	3	6	7	9	14	36	42	46	45	26	10	4	–	–	–
Delirium Tremens	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	3	2	1	2	1	–	1	–	–	–	–	–	–
Tetanus	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	4	7	4	5	8	9	5	15	10	2	–	–	1	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Aneurism	–	–	–	1	2	1	2	–	1	–	–	–	–	–	–	–
Heart Disease	21	19	17	17	32	33	47	52	79	56	24	4	1	–	–	–
Laryngitis	–	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	6	12	13	17	23	31	53	47	76	61	39	15	8	–	–	–
Pleurisy	1	–	–	1	3	1	1	2	2	1	1	1	–	–	–	–
Pneumonia	11	6	7	10	9	7	13	22	13	4	5	3	–	–	–	–
Asthma	–	1	1	1	2	2	5	7	7	2	1	–	–	–	–	–
Lung Disease	1	2	2	–	–	1	–	3	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	2	–	2	2	4	–	1	–	–	–	–	–	–
Enteritis	1	2	1	–	2	3	4	–	1	2	3	–	–	–	–	–
Peritonitis	5	2	4	2	–	3	1	2	1	2	1	1	–	–	–	–
Ascites	–	–	1	–	–	1	–	3	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	1	2	3	2	1	3	–	2	1	1	–	–	–	–	–
Hernia	–	–	1	–	1	1	1	3	–	2	–	–	–	–	–	–
Ileus	–	1	1	1	1	2	3	10	2	4	1	–	–	–	–	–
Intussusception	1	–	1	–	2	–	–	–	2	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	3	1	5	2	6	5	5	9	2	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	3	1	1	2	–	3	1	–	–	–	–	–	–
Jaundice	–	–	–	2	1	3	1	3	2	2	1	–	–	–	–	–
Liver Disease	3	5	4	10	8	8	7	11	5	6	1	1	–	–	–	–
Spleen Disease	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	2	1	1	–	–	–	–	–	–	–
Nephria	4	2	2	1	4	1	3	2	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	1	–	1	–	5	1	1	–	–	–	1	–	–	–
Paramenia	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	2	2	1	3	2	1	–	–	–	–	–	–	–	–	–
Childbirth	14	25	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	1	2	3	–	–	–	2	3	–	–	–	–	–	–
Bone Disease	1	1	–	1	–	3	–	1	1	–	1	–	–	–	–	–
Rheumatism	1	–	1	2	1	2	2	1	5	3	3	–	–	–	–	–
Joint Disease	2	1	1	–	–	3	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	1	–	3	3	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
Drowning	1	–	2	1	2	–	3	–	2	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	3	3	–	3	2	3	3	3	–	2	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Not Specified	1	1	7	6	10	5	12	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	18093	1565	497	731	869	435	325	235	773	514	618	711	614
Specified Causes	17270	1325	441	689	820	413	308	221	725	493	590	686	591
I. Zymotic Class	2984	172	138	201	333	215	176	134	383	185	145	147	80
II. Diseases of Uncertain Seat	783	8	3	3	3	2	2	2	4	9	4	6	10
III. Tubercular Class	2515	21	42	112	132	57	54	29	138	143	257	339	293
IV. Brain and Nervous System	1616	69	33	40	47	20	11	11	67	33	33	29	27
V. Organs of Circulation	1087	1	1	–	2	1	–	2	6	8	24	20	20
VI. Respiratory Organs	2245	170	104	194	153	65	32	25	61	26	38	31	44
VII. Organs of Digestion	1324	120	67	103	92	17	10	6	20	32	26	20	29
VIII. Urinary Organs	348	4	–	1	–	4	1	–	6	9	9	9	13
IX. Organs of Generation	152	–	–	–	–	–	–	–	–	2	7	24	22
X. Organs of Locomotion	107	–	–	–	2	2	1	1	10	9	5	8	5
XI. Skin, etc.	28	2	2	2	3	–	1	–	1	–	–	2	3
XII. Malformation	63	56	1	2	1	2	–	–	–	–	1	–	–
XIII. Premature Debility	745	678	45	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	118	–	–	–	27	13	3	2	2	8	4	5	4
XV. Age	2545	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	20	2	1	–	1	–	–	–	1	–	1	–	–
XVII. Violent Deaths	590	22	4	9	24	15	17	9	26	29	36	46	41
I. Small Pox	393	25	18	12	10	1	5	1	19	29	37	54	18
Measles	170	4	7	31	55	19	19	7	21	4	1	1	–
Scarlatina	414	4	8	14	47	62	46	35	115	37	17	6	7
Diphtheria	259	5	3	11	26	15	31	26	74	23	13	8	6
Hooping Cough	350	36	45	69	91	43	22	15	27	2	–	–	–
Croup	214	16	4	15	49	46	26	23	33	2	–	–	–
Thrush	10	9	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	297	37	37	28	27	12	7	2	6	–	–	4	5
Dysentery	70	2	2	2	10	4	2	–	1	–	–	1	1
Cholera	17	3	2	2	2	–	–	–	–	1	–	–	–
Influenza	32	1	3	1	1	1	–	1	1	1	–	–	–
Purpura	12	1	1	–	–	1	2	–	2	2	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	–	1	–	2	2	–	–	–	–
Typhus	108	–	1	3	3	1	2	2	10	12	17	10	8
Enteric Fever	346	3	–	6	6	6	9	11	52	58	42	40	19
Relapsing Fever	15	–	1	–	–	–	–	1	–	1	2	1	2
Simple Continued Fever	43	–	–	1	2	1	1	2	4	3	4	2	2
Infantile Remittent	21	–	–	1	2	2	4	4	8	–	–	–	–
Metria	44	–	–	–	–	–	–	–	–	–	2	11	6
Rheumatic Fever	44	–	–	–	–	–	–	1	5	8	6	6	1
Erysipelas	89	18	3	2	2	–	–	1	1	–	2	2	3
Pyæmia	16	3	–	1	–	–	–	–	2	2	–	1	2
Syphilis	14	5	3	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	12	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	150	2	–	1	1	–	1	1	2	6	–	1	4
Abscess	32	1	3	2	–	1	1	1	–	1	1	3	1
Ulcer	9	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	25	2	–	–	1	1	–	–	–	–	–	–	–
Cancer	543	1	–	–	1	–	–	–	2	2	3	2	5
Gout	7	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	194	2	3	8	14	6	6	4	17	20	17	17	14
Tabes Mesenterica	162	9	14	18	32	18	14	6	13	9	7	5	3
Phthisis	1848	3	7	15	19	12	9	5	51	96	225	312	276
Hydrocephalus	311	7	18	71	67	21	25	14	57	18	8	5	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	526	486	484	494	639	725	903	1031	1376	1257	1183	678	292	83	16	33
Specified Causes	500	465	447	467	607	688	859	1025	1376	1257	1183	678	292	83	16	25
Zymotic Class	76	74	53	49	59	66	69	58	55	49	36	22	5	–	1	3
Uncertain Seat	12	14	29	43	72	85	108	105	107	72	47	23	8	1	–	1
Tubercular Class	202	174	115	96	99	65	76	39	18	6	4	1	–	–	–	3
Brain, etc.	37	36	40	52	76	89	119	164	224	163	129	50	9	5	–	3
Heart, etc.	25	28	31	43	67	84	131	143	194	139	85	28	3	1	–	–
Respiratory Organs	43	41	58	69	88	92	134	178	216	188	120	58	11	4	–	2
Digestive Organs	34	32	41	48	65	101	103	107	117	69	43	13	7	–	–	2
Urinary Organs	13	11	8	10	20	34	23	37	58	30	31	13	3	1	–	–
Generative Organs	16	21	26	10	8	5	2	5	2	–	2	–	–	–	–	–
Locomotive Organs	4	5	4	4	4	7	10	7	6	9	3	1	–	–	–	–
Skin	–	–	1	–	1	–	1	1	3	2	2	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	3	5	6	9	22	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	49	163	355	514	670	463	244	71	15	1
Sudden Deaths	–	–	–	2	1	3	3	2	3	–	–	–	–	–	–	–
Violent Deaths	34	26	36	35	38	35	30	16	18	16	11	5	2	–	–	10
Small Pox	35	27	17	17	23	23	13	5	1	2	–	–	–	–	–	1
Measles	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	1	5	4	2	–	2	1	–	1	–	–	–	–	–	–	–
Diphtheria	3	2	2	1	2	2	3	1	–	1	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	2	3	5	12	16	18	28	13	15	13	4	–	1	–
Dysentery	1	1	2	–	4	2	3	10	5	8	5	3	1	–	–	–
Cholera	1	1	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	1	2	4	3	1	5	1	3	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	6	3	4	3	3	4	6	3	2	–	1	–	–	–	–
Enteric Fever	10	11	6	11	10	10	13	7	6	7	1	–	–	–	–	2
Relapsing Fever	–	1	2	–	2	2	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	2	3	3	3	1	2	2	3	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	11	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	3	3	3	–	1	1	–	–	2	–	–	–	–	–	–
Erysipelas	4	3	1	3	4	3	4	5	8	6	12	2	–	–	–	–
Pyæmia	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Syphilis	–	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	1	–	–	–	2	2	–	1	2	–	–	–	–	–
Dropsy	–	1	2	3	13	15	16	13	29	19	13	5	1	–	–	1
Abscess	1	1	1	3	3	1	2	1	–	3	–	1	–	–	–	–
Ulcer	–	2	–	–	1	1	–	1	1	2	1	–	–	–	–	–
Fistula	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	4	3	4	6	1	1	1	–	–
Cancer	9	8	24	37	54	68	85	80	73	42	25	16	6	–	–	–
Gout	–	–	–	–	–	–	2	3	1	1	–	–	–	–	–	–
Scrofula	7	9	10	7	9	4	8	4	4	2	2	–	–	–	–	–
Tabes Mesenterica	2	3	3	–	2	2	1	–	–	–	1	–	–	–	–	–
Phthisis	193	162	102	89	88	59	67	35	14	4	1	1	–	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	152	3	6	12	6	4	1	3	37	15	10	13	5
Apoplexy	408	2	2	3	2	–	1	1	9	2	4	2	2
Paralysis	571	–	–	–	–	–	–	–	–	1	2	3	1
Delirium Tremens	11	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	79	–	–	–	–	–	–	–	2	2	7	4	11
Tetanus	10	3	–	–	1	–	–	–	–	–	–	–	1
Insanity	9	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	169	57	24	22	36	11	5	5	8	–	–	–	–
Brain Disease	205	4	1	3	2	5	4	2	11	12	10	7	7
V. Pericarditis	19	–	–	–	–	–	–	1	–	1	–	–	2
Aneurism	23	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1045	1	1	–	2	1	–	1	6	7	24	20	17
VI. Laryngitis	38	2	4	1	2	2	1	1	5	–	2	3	–
Bronchitis	1400	120	84	164	124	52	19	16	35	12	11	8	9
Pleurisy	72	1	–	1	1	1	–	–	4	4	6	3	3
Pneumonia	554	46	15	27	24	10	12	8	16	9	17	14	26
Asthma	134	–	–	–	–	–	–	–	–	–	1	2	3
Lung Disease	47	1	1	1	2	–	–	–	1	1	1	1	3
VII. Teething	132	2	16	55	55	3	1	–	–	–	–	–	–
Quinsey	16	4	2	–	4	2	1	–	–	1	–	–	–
Gastritis	80	4	4	2	1	–	1	1	–	2	1	–	3
Enteritis	236	61	27	26	17	5	4	2	4	11	7	2	4
Peritonitis	95	6	1	5	5	–	–	–	4	7	10	4	7
Ascites	24	–	1	–	–	–	–	1	–	2	–	–	2
Ulceration of Intestines	87	1	–	2	1	–	–	–	1	1	–	4	3
Hernia	30	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	99	4	1	–	1	2	–	–	4	–	2	3	2
Intussusception	11	–	1	2	–	–	–	–	–	–	2	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	187	12	8	8	6	2	2	1	2	2	1	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	40	1	1	1	1	–	–	–	–	1	1	1	1
Jaundice	60	17	2	1	–	1	–	1	1	1	–	1	1
Liver Disease	219	6	2	1	1	2	1	–	4	3	2	3	4
Spleen Disease	4	1	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	24	2	–	–	–	1	–	–	3	–	–	–	–
Nephria	89	1	–	–	–	2	–	–	2	6	4	2	3
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	14	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	34	–	–	–	–	–	–	–	1	1	1	5	3
Stone	23	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	75	–	–	1	–	–	–	–	–	–	3	–	3
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	85	1	–	–	–	1	1	–	–	2	1	1	2
IX. Paramenia	13	–	–	–	–	–	–	–	–	–	2	3	1
Ovarian Dropsy	21	–	–	–	–	–	–	–	–	1	–	1	1
Childbirth	99	–	–	–	–	–	–	–	–	–	5	20	19
Organs of Generation	19	–	–	–	–	–	–	–	–	1	–	–	1
X. Bone Disease	39	–	–	–	–	1	1	–	7	5	2	4	2
Rheumatism	42	–	–	–	–	–	–	–	–	1	1	–	–
Joint Disease	26	–	–	–	2	1	–	1	3	3	2	4	3
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	6	–	–	–	1	–	–	–	–	–	–	1	3
Skin Disease	15	2	2	2	2	–	1	–	1	–	–	1	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	1	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	1	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	1	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	55	–	–	1	11	12	6	5	1	1	1	–	–
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	35	12	2	5	2	–	–	1	1	1	1	1	1
Drowning	178	–	–	–	10	1	8	1	12	14	16	29	19
Fracture and Contusion	233	1	1	1	1	2	3	1	11	12	16	12	19
Gunshot Wounds	7	–	–	–	–	–	–	1	–	–	1	1	1
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	18	6	–	–	–	–	–	–	1	–	–	2	1
Not Specified	823	240	56	42	49	22	17	14	48	21	28	25	23

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	5	3	2	2	4	5	5	1	–	3	2	–	–	–	–
Apoplexy	10	9	11	20	23	34	38	49	72	44	49	16	1	1	–	1
Paralysis	5	6	8	13	26	34	51	82	125	102	72	28	7	4	–	1
Delirium Tremens	1	2	2	–	3	–	1	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	9	7	2	9	5	1	4	6	3	–	–	–	–	–	–
Tetanus	–	2	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	1	–	1	–	2	1	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	9	2	8	14	11	10	22	21	18	12	5	4	1	–	–	–
Pericarditis	3	2	–	1	1	1	1	1	3	–	2	–	–	–	–	–
Aneurism	–	–	1	3	3	4	5	4	1	1	–	–	–	–	–	–
Heart Disease	22	26	30	39	63	79	125	138	190	138	83	28	3	1	–	–
Laryngitis	1	–	1	1	2	1	2	1	2	2	1	1	–	–	–	–
Bronchitis	15	14	18	24	42	49	64	94	141	139	88	44	10	3	–	1
Pleurisy	5	3	4	7	7	2	4	4	5	2	4	1	–	–	–	–
Pneumonia	16	17	28	25	25	31	40	47	38	33	18	9	1	1	–	1
Asthma	4	4	3	6	8	6	22	26	27	11	8	3	–	–	–	–
Lung Disease	2	3	4	6	4	3	2	6	3	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	2	2	1	4	5	12	9	6	11	4	4	1	–	–	–	–
Enteritis	5	4	2	6	2	11	5	11	9	5	1	1	3	–	–	1
Peritonitis	6	7	3	1	3	1	6	4	8	4	2	1	–	–	–	–
Ascites	1	1	–	2	1	1	2	3	2	2	2	1	–	–	–	–
Ulceration of Intestines	3	4	6	3	8	15	5	10	14	3	2	–	–	–	–	1
Hernia	–	–	3	2	1	2	2	4	1	9	1	1	2	–	–	–
Ileus	1	3	1	5	11	6	6	15	11	10	8	2	1	–	–	–
Intussusception	–	–	–	–	2	1	2	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	9	4	7	8	11	10	22	21	26	10	6	4	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	4	1	–	6	6	4	5	2	1	–	–	–	–	–
Jaundice	1	–	1	2	–	1	5	5	7	4	7	1	–	–	–	–
Liver Disease	4	5	13	12	20	34	32	23	21	16	9	1	–	–	–	–
Spleen Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	3	2	3	3	2	2	–	–	–	–	–	–
Nephria	7	5	5	2	6	10	7	6	9	7	2	2	1	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	3	3	1	2	2	–	–	–	–
Diabetes	2	1	1	1	4	3	3	5	2	–	1	–	–	–	–	–
Stone	–	–	–	1	1	3	2	3	2	6	2	1	1	–	–	–
Cystitis	1	–	–	–	2	7	2	10	21	5	17	2	1	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	4	1	4	4	8	5	6	19	9	7	6	–	1	–	–
Paramenia	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	3	1	4	2	3	1	–	2	–	–	–	–	–
Childbirth	15	18	22	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	5	6	1	–	2	1	–	–	–	–	–	–	–
Bone Disease	3	2	3	1	2	1	1	1	–	1	2	–	–	–	–	–
Rheumatism	–	2	1	2	2	5	7	5	6	8	1	1	–	–	–	–
Joint Disease	1	1	–	1	–	1	2	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	1	–	–	1	1	1	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–
Intemperance	4	2	1	4	5	2	4	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	1	–	2	–	–	–	–	–	1
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	–	1	1	–	2	1	1	3	4	2	–	–	–	–
Hanging, etc.	–	–	1	1	5	2	2	1	1	–	–	–	–	–	–	–
Suffocation	–	–	1	1	1	1	–	–	1	1	2	–	–	–	–	–
Drowning	11	3	14	4	7	12	4	4	3	1	–	–	–	–	–	5
Fracture and Contusion	18	14	16	22	15	16	15	5	11	7	5	3	2	–	–	4
Gunshot Wounds	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	1	–	–	1	2	2	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	2	–	2	1	–	–	–	1	–	–	–	–	–	–
Not Specified	26	21	37	27	32	37	44	6	–	–	–	–	–	–	–	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8876	892	273	374	446	233	156	108	407	236	303	395	328
SPECIFIED CAUSES	8425	749	242	353	418	220	149	101	377	231	289	378	316
I. Zymotic Class	1412	91	57	79	158	116	84	60	187	87	59	76	38
II. Diseases of Uncertain Seat	285	4	1	2	1	–	1	–	2	7	3	1	4
III. Tubercular Class	1251	10	20	66	74	32	28	16	71	53	114	187	157
IV. Brain and Nervous System	823	41	19	21	26	8	6	7	41	17	19	18	11
V. Organs of Circulation	553	–	1	–	1	–	–	1	4	5	10	10	14
VI. Respiratory Organs	1183	105	64	113	78	33	10	7	29	12	16	20	28
VII. Organs of Digestion	683	70	46	56	45	11	6	3	12	13	18	10	12
VIII. Urinary Organs	228	2	–	1	–	1	–	–	6	6	7	5	9
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	62	–	–	–	1	2	1	1	5	6	5	4	3
XI. Skin, etc.	14	1	1	1	2	–	1	–	–	–	–	–	–
XII. Malformation	38	33	1	1	1	1	–	–	–	–	1	–	–
XIII. Premature Debility	421	381	30	10	–	–	–	–	–	–	–	–	–
XIV. Atrophy	46	–	–	–	15	5	1	2	–	2	2	1	2
XV. Age	963	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	1	–	–	–	–	–	–	1	–	1	–	–
XVII. Violent Deaths	454	10	2	3	16	11	11	4	19	23	34	46	38
I. Small Pox	201	14	6	4	5	–	2	–	8	17	14	35	9
Measles	83	2	4	12	25	12	11	4	10	2	–	–	–
Scarlatina	204	3	6	8	20	38	19	16	60	19	5	2	2
Diphtheria	119	4	1	4	14	6	16	10	32	9	5	4	3
Hooping-cough	148	19	16	21	41	21	9	7	13	1	–	–	–
Croup	127	9	1	9	29	24	15	16	22	2	–	–	–
Thrush	8	7	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	126	17	15	14	13	6	2	1	3	–	–	2	2
Dysentery	31	1	–	1	4	2	1	–	–	–	–	1	1
Cholera	8	1	1	–	1	–	–	–	–	–	–	–	–
Influenza	16	–	2	–	1	–	–	–	1	–	–	–	–
Purpura	7	–	1	–	–	1	1	–	2	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus Fever	54	–	1	1	1	1	1	1	5	6	9	4	4
Enteric Fever	163	2	–	2	2	2	5	2	23	26	18	21	13
Relapsing Fever	8	–	–	–	–	–	–	–	–	–	2	–	1
Simple Continued Fever	19	–	–	–	–	1	1	1	2	2	2	–	–
Infantile Remittent	6	–	–	1	1	2	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	22	–	–	–	–	–	–	1	3	1	2	4	1
Erysipelas	43	8	1	–	1	–	–	–	–	–	1	2	1
Pyæmia	10	2	–	–	–	–	–	–	2	2	–	1	1
Syphilis	7	2	2	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	66	2	–	–	1	–	–	–	2	4	–	1	2
Abscess	13	1	1	2	–	–	1	–	–	1	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	13	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	180	1	–	–	–	–	–	–	–	2	2	–	2
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	111	1	1	6	10	6	5	1	11	10	10	9	11
Tabes Mesenterica	82	3	6	9	19	9	7	3	9	5	3	3	1
Phthisis	890	2	5	9	7	7	4	1	23	27	98	174	145
Hydrocephalus	168	4	8	42	38	10	12	11	28	11	3	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	255	214	258	254	298	367	451	499	658	563	491	265	103	29	6	14
SPECIFIED CAUSES	241	207	234	242	281	347	425	498	658	563	491	265	103	29	6	12
Zymotic Class	34	31	28	32	25	36	36	24	24	25	14	9	1	–	1	–
Uncertain Seat	2	4	7	11	24	30	34	40	47	29	22	5	3	1	–	–
Tubercular Class	99	76	49	48	44	29	42	23	10	2	1	–	–	–	–	–
Brain, etc.	16	19	26	23	41	41	60	83	110	83	58	23	4	1	–	1
Heart, etc.	12	5	18	15	33	50	70	74	110	64	45	10	1	–	–	–
Respiratory Organs	19	24	37	46	47	49	77	95	105	82	56	22	6	3	–	–
Digestive Orgaus	16	15	24	26	26	59	47	51	58	32	18	4	3	–	–	2
Urinary Organs	8	7	6	6	7	21	11	26	38	23	24	10	3	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	4	1	2	3	5	8	3	1	2	1	–	–	–	–	–
Skin	–	–	1	–	1	–	1	1	2	1	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	1	3	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	18	62	136	210	247	180	81	23	5	1
Sudden Deaths	–	–	–	1	–	–	–	2	3	–	–	–	–	–	–	–
Violent Deaths	31	21	34	31	27	19	21	14	14	10	4	2	1	–	–	8
Small Pox	19	15	12	10	8	11	8	2	–	2	–	–	–	–	–	–
Measles	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–
Diphtheria	1	1	2	1	–	2	1	1	–	1	1	–	–	–	–	–
Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	2	2	6	6	5	12	4	6	4	1	–	1	–
Dysentery	1	1	1	–	1	1	1	3	2	4	2	3	–	–	–	–
Cholera	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	1	2	2	–	4	1	1	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	4	3	2	1	3	1	3	1	–	–	–	–	–	–	–
Enteric Fever	5	5	2	7	4	6	7	3	3	5	–	–	–	–	–	–
Relapsing Fever	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	2	2	1	1	1	1	1	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	2	3	–	–	1	–	–	1	–	–	–	–	–	–
Erysipelas	2	–	–	3	4	2	2	4	4	3	4	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Dropsy	–	1	1	1	5	6	8	5	9	9	8	1	–	–	–	–
Abscess	–	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	3	2	2	3	1	1	1	–	–
Cancer	2	2	6	9	15	24	21	26	35	17	11	3	2	–	–	–
Gout	–	–	–	–	–	–	1	3	1	1	–	–	–	–	–	–
Scrofula	4	5	6	4	3	2	3	1	–	1	1	–	–	–	–	–
Tabes Mesenterica	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Phthisis	95	69	42	44	40	26	39	22	10	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	86	2	3	4	5	1	1	3	20	10	2	10	2
Apoplexy	213	1	2	2	1	–	1	1	6	–	2	1	1
Paralysis	264	–	–	–	–	–	–	–	–	–	2	1	1
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	40	–	–	–	–	–	–	–	1	2	7	3	3
Tetanus	6	1	–	–	–	–	–	–	–	–	–	–	1
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	96	34	14	12	20	5	3	2	5	–	–	–	–
Brain Disease	105	3	–	3	–	2	1	1	9	5	6	3	3
V. Pericarditis	11	–	–	–	–	–	–	1	–	1	–	–	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	528	–	1	–	1	–	–	–	4	4	10	10	12
VI. Laryngitis	24	2	2	1	2	2	–	1	4	–	–	3	–
Bronchitis	690	75	51	92	59	25	8	5	17	6	4	6	4
Pleurisy	39	1	–	1	–	1	–	–	3	2	3	2	1
Pneumonia	325	27	11	19	15	5	2	1	4	4	7	7	19
Asthma	74	–	–	–	–	–	–	–	–	–	1	1	3
Lung Disease	31	–	–	–	2	–	–	–	1	–	1	1	1
VII. Teething	72	1	12	29	27	2	1	–	–	–	–	–	–
Quinsey	9	2	2	–	3	–	1	–	–	–	–	–	–
Gastritis	39	2	2	2	–	–	–	–	–	1	1	–	3
Enteritis	130	40	16	16	8	4	2	1	3	6	3	1	1
Peritonitis	33	4	–	2	2	–	–	–	3	1	6	–	2
Ascites	8	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	46	–	–	1	–	–	–	–	–	–	–	1	2
Hernia	14	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	61	2	1	–	1	2	–	–	3	–	2	3	1
Intussusception	7	–	1	1	–	–	–	–	–	–	2	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	85	8	7	4	2	–	1	1	1	–	1	1	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	22	–	–	1	1	–	–	–	–	–	1	1	1
Jaundice	31	8	2	–	–	1	–	1	–	–	–	1	1
Liver Disease	120	2	2	–	1	2	1	–	2	3	2	2	1
Spleen Disease	3	1	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	11	1	–	–	–	–	–	–	3	–	–	–	–
Nephria	51	1	–	–	–	1	–	–	2	5	3	2	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	12	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	22	–	–	–	–	–	–	–	1	1	1	2	3
Stone	18	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	64	–	–	1	–	–	–	–	–	–	2	–	2
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	47	–	–	–	–	–	–	–	–	–	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	26	–	–	–	–	1	1	–	4	3	2	1	2
Rheumatism	17	–	–	–	–	–	–	–	–	–	1	–	–
Joint Disease	19	–	–	–	1	1	–	1	1	3	2	3	1
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	7	1	1	1	1	–	1	–	–	–	–	–	–
XVII. Intemperance	19	–	–	–	–	–	–	–	–	1	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	6	1	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	24	–	–	1	5	8	3	1	–	–	–	–	–
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	16	5	–	2	1	–	–	–	–	–	1	1	1
Drowning	153	–	–	–	9	1	5	1	12	11	15	29	17
Fracture and Contusion	196	–	1	–	1	2	3	1	6	11	16	12	18
Gunshot Wounds	7	–	–	–	–	–	–	1	–	–	1	1	1
Cuts and Stabs	9	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	12	3	–	–	–	–	–	–	1	–	–	2	1
Not Specified	451	143	31	21	28	13	7	7	30	5	14	17	12

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	2	1	2	3	2	3	1	–	3	1	–	–	–	–
Apoplexy	6	5	7	10	12	15	23	27	37	24	22	7	–	–	–	–
Paralysis	1	3	4	6	16	14	19	37	63	50	31	12	3	1	–	–
Delirium Tremens	–	2	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	3	4	–	3	3	1	3	2	3	–	–	–	–	–	–
Tetanus	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	–	–	1	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Brain Disease	4	2	7	6	4	5	13	11	7	4	2	3	1	–	–	–
Pericarditis	2	–	–	1	1	–	1	–	1	–	2	–	–	–	–	–
Aneurism	–	–	1	1	2	2	2	3	1	1	–	–	–	–	–	–
Heart Disease	10	5	17	13	30	48	67	71	108	63	43	10	1	–	–	–
Laryngitis	–	–	1	–	1	1	–	–	2	1	1	–	–	–	–	–
Bronchitis	6	6	10	17	22	20	34	45	59	59	38	15	5	2	–	–
Pleurisy	1	2	3	4	2	1	3	2	3	1	2	1	–	–	–	–
Pneumonia	7	13	17	16	16	22	28	28	23	18	10	4	1	1	–	–
Asthma	3	3	3	3	4	3	11	14	15	3	5	2	–	–	–	–
Lung Disease	2	–	3	6	2	2	1	6	3	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	1	–	1	2	1	9	3	2	4	2	3	–	–	–	–	–
Enteritis	2	1	1	3	1	4	1	5	5	4	–	–	1	–	–	1
Peritonitis	4	1	1	–	–	–	1	1	4	1	–	–	–	–	–	–
Ascites	–	–	–	2	–	–	–	3	–	–	1	1	–	–	–	–
Ulcer. of Intestines	1	3	4	2	4	8	3	5	9	1	1	–	–	–	–	1
Hernia	–	–	2	1	–	1	1	2	1	3	–	1	1	–	–	–
Ileus	–	3	1	3	5	4	6	9	5	5	4	1	–	–	–	–
Intussusception	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	1	5	3	5	11	7	12	4	3	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	3	–	–	5	2	1	3	–	1	–	–	–	–	–
Jaundice	–	–	–	2	–	–	2	4	4	2	3	–	–	–	–	–
Liver Disease	3	4	10	5	10	22	15	11	10	10	2	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	1	3	1	1	–	–	–	–	–	–
Nephria	4	3	3	2	2	6	3	3	3	4	1	1	1	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	3	3	–	2	2	–	–	–	–
Diabetes	2	1	1	1	2	–	2	4	1	–	–	–	–	–	–	–
Stone	–	–	–	1	–	3	1	–	2	6	2	1	1	–	–	–
Cystitis	–	–	–	–	1	6	2	9	17	5	16	2	1	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	2	3	1	1	2	5	1	3	11	7	3	4	–	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	3	2	1	1	2	–	1	1	–	–	1	–	–	–	–	–
Rheumatism	–	1	–	–	1	4	5	2	1	2	–	–	–	–	–	–
Joint Disease	1	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	1	–	–	1	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Intemperance	3	1	1	4	4	–	2	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	–	–	2	–	–	–	–	–	1
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns, etc.	–	2	–	–	1	–	–	1	–	–	2	–	–	–	–	–
Hanging, etc.	–	–	–	1	3	–	1	1	1	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–	–
Drowning	9	3	14	3	5	5	3	3	2	1	–	–	–	–	–	5
Fracture and Contusion	18	10	16	20	11	12	12	5	9	6	1	2	1	–	–	2
Gunshot Wounds	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	1	–	–	1	2	2	–	1	–	–	–	–	–	–
Other Violent Causes	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Not specified	14	7	24	12	17	20	26	1	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9217	673	224	357	423	202	169	127	366	278	315	316	286
SPECIFIED CAUSES	8845	576	199	336	402	193	159	120	348	262	301	308	275
I. Zymotic Class	1572	81	81	122	175	99	92	74	196	98	86	71	42
II. Diseases of Uncertain Seat	498	4	2	1	2	2	1	2	2	2	1	5	6
III. Tubercular Class	1264	11	22	46	58	25	26	13	67	90	143	152	136
IV. Brain and Nervous System	793	28	14	19	21	12	5	4	26	16	14	11	16
V. Organs of Circulation	534	1	–	–	1	1	–	1	2	3	14	10	6
VI. Respiratory Organs	1062	65	40	81	75	32	22	18	32	14	22	11	16
VII. Organs of Digestion	641	50	21	47	47	6	4	3	8	19	8	10	17
VIII. Urinary Organs	120	2	–	–	–	3	1	–	–	3	2	4	4
IX. Organs of Generation	152	–	–	–	–	–	–	–	–	2	7	24	22
X. Organs of Locomotion	45	–	–	–	1	–	–	–	5	3	–	4	2
XI. Skin, etc.	14	1	1	1	1	–	–	–	1	–	–	2	3
XII. Malformation	25	23	–	1	–	1	–	–	–	–	–	–	–
XIII. Premature Debility	324	297	15	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	72	–	–	–	12	8	2	–	2	6	2	4	2
XV. Age	1582	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	1	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	136	12	2	6	8	4	6	5	7	6	2	–	3
I. Small Pox	192	11	12	8	5	1	3	1	11	12	23	19	9
Measles	87	2	3	19	30	7	8	3	11	2	1	1	–
Scarlatina	210	1	2	6	27	24	27	19	55	18	12	4	5
Diphtheria	140	1	2	7	12	9	15	16	42	14	8	4	3
Hooping Cough	202	17	29	48	50	22	13	8	14	1	–	–	–
Croup	87	7	3	6	20	22	11	7	11	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	171	20	22	14	14	6	5	1	3	–	–	2	3
Dysentery	39	1	2	1	6	2	1	–	1	–	–	–	–
Cholera	9	2	1	2	1	–	–	–	–	1	–	–	–
Influenza	16	1	1	1	–	1	–	1	–	1	–	–	–
Purpura	5	1	–	–	–	–	1	–	–	2	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	1	–	2	1	–	–	–	–
Typhus	54	–	–	2	2	–	1	1	5	6	8	6	4
Enteric Fever	183	1	–	4	4	4	4	9	29	32	24	19	6
Relapsing Fever	7	–	1	–	–	–	–	1	–	1	–	1	1
Simple Continued Fever	24	–	–	1	2	–	–	1	2	1	2	2	2
Infantile Remittent	15	–	–	–	1	–	3	3	8	–	–	–	–
Metria	44	–	–	–	–	–	–	–	–	–	2	11	6
Rheumatic Fever	22	–	–	–	–	–	–	–	2	7	4	2	–
Erysipelas	46	10	2	2	1	–	–	1	1	–	1	–	2
Pyæmia	6	1	–	1	–	–	–	–	–	–	–	–	1
Syphilis	7	3	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	84	–	–	1	–	–	1	1	–	2	–	–	2
Abscess	19	–	2	–	–	1	–	1	–	–	–	3	1
Ulcer	9	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	2	–	–	1	1	–	–	–	–	–	–	–
Cancer	363	–	–	–	1	–	–	–	2	–	1	2	3
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	83	1	2	2	4	–	1	3	6	10	7	8	3
Tabes Mesenterica	80	6	8	9	13	9	7	3	4	4	4	2	2
Phthisis	958	1	2	6	12	5	5	4	28	69	127	138	131
Hydrocephalus	143	3	10	29	29	11	13	3	29	7	5	4	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	271	272	226	240	341	358	452	532	718	694	692	413	189	54	10	19
SPECIFIED CAUSES	259	258	213	225	326	341	434	527	718	694	692	413	189	54	10	13
Zymotic Class	42	43	25	17	34	30	33	34	31	24	22	13	4	–	–	3
Uncertain Seat	10	10	22	32	48	55	74	65	60	43	25	18	5	–	–	1
Tubercular Class	103	98	66	48	55	36	34	16	8	4	3	1	–	–	–	3
Brain, etc.	21	17	14	29	35	48	59	81	114	80	71	27	5	4	–	2
Heart, etc.	13	23	13	28	34	34	61	69	84	75	40	18	2	1	–	–
Respiratory Organs	24	17	21	23	41	43	57	83	111	106	64	36	5	1	–	2
Digestive Organs	18	17	17	22	39	42	56	56	59	37	25	9	4	–	–	–
Urinary Organs	5	4	2	4	13	13	12	11	20	7	7	3	–	–	–	–
Generative Organs	16	21	26	10	8	5	2	5	2	–	2	–	–	–	–	–
Locomotive Organs	–	1	3	2	1	2	2	4	5	7	2	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	2	2	5	6	14	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	31	101	219	304	423	283	163	48	10	–
Sudden Deaths	–	–	–	1	1	3	3	–	–	–	–	–	–	–	–	–
Violent Deaths	3	5	2	4	11	16	9	2	4	6	7	3	1	–	–	2
Small Pox	16	12	5	7	15	12	5	3	1	–	–	–	–	–	–	1
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	5	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	3	6	10	13	16	9	9	9	3	–	–	–
Dysentery	–	–	1	–	3	1	2	7	3	4	3	–	1	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	1	2	1	1	1	–	2	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	–	2	2	–	3	3	2	2	–	1	–	–	–	–
Enteric Fever	5	6	4	4	6	4	6	4	3	2	1	–	–	–	–	2
Relapsing Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	1	2	2	–	1	1	2	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	11	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Erysipelas	2	3	1	–	–	1	2	1	4	3	8	1	–	–	–	–
Pyæmia	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	1	–	–	1	2	–	–	–	–	–
Dropsy	–	–	1	2	8	9	8	8	20	10	5	4	1	–	–	1
Abscess	1	1	1	2	–	1	–	1	–	3	–	1	–	–	–	–
Ulcer	–	2	–	–	1	1	–	1	1	2	1	–	–	–	–	–
Fistula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	1	1	2	3	–	–	–	–	–
Cancer	7	6	18	28	39	44	64	54	38	25	14	13	4	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	3	4	4	3	6	2	5	3	4	1	1	–	–	–	–	–
Tabes Mesenterica	2	1	2	–	1	1	1	–	–	–	1	–	–	–	–	–
Phthisis	98	93	60	45	48	33	28	13	4	3	1	1	–	–	–	3
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	66	1	3	8	1	3	–	–	17	5	8	3	3
Apoplexy	195	1	–	1	1	–	–	–	3	2	2	1	1
Paralysis	307	–	–	–	–	–	–	–	–	1	–	2	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	39	–	–	–	–	–	–	–	1	–	–	1	8
Tetanus	4	2	–	–	1	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	73	23	10	10	16	6	2	3	3	–	–	–	–
Brain Disease	100	1	1	–	2	3	3	1	2	7	4	4	4
V. Pericarditis	8	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	517	1	–	–	1	1	–	1	2	3	14	10	5
VI. Laryngitis	14	–	2	–	–	–	1	–	1	–	2	–	–
Bronchitis	710	45	33	72	65	27	11	11	18	6	7	2	5
Pleurisy	33	–	–	–	1	–	–	–	1	2	3	1	2
Pneumonia	229	19	4	8	9	5	10	7	12	5	10	7	7
Asthma	60	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	16	1	1	1	–	–	–	–	–	1	–	–	2
VII. Teething	60	1	4	26	28	1	–	–	–	–	–	–	–
Quinsey	7	2	–	–	1	2	–	–	–	1	–	–	–
Gastritis	41	2	2	–	1	–	1	1	–	1	–	–	–
Enteritis	106	21	11	10	9	1	2	1	1	5	4	1	3
Peritonitis	62	2	1	3	3	–	–	–	1	6	4	4	5
Ascites	16	–	1	–	–	–	–	1	–	1	–	–	2
Ulceration of Intestines	41	1	–	1	1	–	–	–	1	1	–	3	1
Hernia	16	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	38	2	–	–	–	–	–	–	1	–	–	–	1
Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	102	4	1	4	4	2	1	–	1	2	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	18	1	1	–	–	–	–	–	–	1	–	–	–
Jaundice	29	9	–	1	–	–	–	–	1	1	–	–	–
Liver Disease	99	4	–	1	–	–	–	–	2	–	–	1	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	13	1	–	–	–	1	–	–	–	–	–	–	–
Nephria	38	–	–	–	–	1	–	–	–	1	1	–	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	12	–	–	–	–	–	–	–	–	–	–	3	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	–	–	–	–	–	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	38	1	–	–	–	1	1	–	–	2	–	1	–
IX. Paramenia	13	–	–	–	–	–	–	–	–	–	2	3	1
Ovarian Dropsy	21	–	–	–	–	–	–	–	–	1	–	1	1
Childbirth	99	–	–	–	–	–	–	–	–	–	5	20	19
Organs of Generation	19	–	–	–	–	–	–	–	–	1	–	–	1
X. Bone Disease	13	–	–	–	–	–	–	–	3	2	–	3	–
Rheumatism	25	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	7	–	–	–	1	–	–	–	2	–	–	1	2
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	1	3
Skin Disease	8	1	1	1	1	–	–	–	1	–	–	1	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	–	–	–	6	4	3	4	1	1	1	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	19	7	2	3	1	–	–	1	1	1	–	–	–
Drowning	25	–	–	–	1	–	3	–	–	3	1	–	2
Fracture and Contusion	37	1	–	1	–	–	–	–	5	1	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	3	–	–	–	–	–	–	–	–	–	–	–
Not Specified	372	97	25	21	21	9	10	7	18	16	14	8	11

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	3	1	1	–	1	3	2	–	–	–	1	–	–	–	–
Apoplexy	4	4	4	10	11	19	15	22	35	20	27	9	1	1	–	1
Paralysis	4	3	4	7	10	20	32	45	62	52	41	16	4	3	–	1
Delirium Tremens	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	6	3	2	6	2	–	1	4	–	–	–	–	–	–	–
Tetanus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	–	1	8	7	5	9	10	11	8	3	1	–	–	–	–
Pericarditis	1	2	–	–	–	1	–	1	2	–	–	–	–	–	–	–
Aneurism	–	–	–	2	1	2	3	1	–	–	–	–	–	–	–	–
Heart Disease	12	21	13	26	33	31	58	67	82	75	40	18	2	1	–	–
Laryngitis	1	–	–	1	1	–	2	1	–	1	–	1	–	–	–	–
Bronchitis	9	8	8	7	20	29	30	49	82	80	50	29	5	1	–	1
Pleurisy	4	1	1	3	5	1	1	2	2	1	2	–	–	–	–	–
Pneumonia	9	4	11	9	9	9	12	19	15	15	8	5	–	–	–	1
Asthma	1	1	–	3	4	3	11	12	12	8	3	1	–	–	–	–
Lung Disease	–	3	1	–	2	1	1	–	–	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	2	–	2	4	3	6	4	7	2	1	1	–	–	–	–
Enteritis	3	3	1	3	1	7	4	6	4	1	1	1	2	–	–	–
Peritonitis	2	6	2	1	3	1	5	3	4	3	2	1	–	–	–	–
Ascites	1	1	–	–	1	1	2	–	2	2	1	–	–	–	–	–
Ulceration of Intestines	2	1	2	1	4	7	2	5	5	2	1	–	–	–	–	–
Hernia	–	–	1	1	1	1	1	2	–	6	1	–	1	–	–	–
Ileus	1	–	–	2	6	2	–	6	6	5	4	1	1	–	–	–
Intussusception	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	3	6	3	8	5	11	14	14	6	3	3	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	–	1	4	3	2	2	–	–	–	–	–	–
Jaundice	1	–	1	–	–	1	3	1	3	2	4	1	–	–	–	–
Liver Disease	1	1	3	7	10	12	17	12	11	6	7	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	3	2	2	–	1	1	–	–	–	–	–	–
Nephria	3	2	2	–	4	4	4	3	6	3	1	1	–	–	–	–
Addison's Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	2	3	1	1	1	–	1	–	–	–	–	–
Stone	–	–	–	–	1	–	1	3	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	1	1	–	1	4	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	3	2	3	4	3	8	2	4	2	–	–	–	–
Paramenia	–	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	3	1	4	2	3	1	–	2	–	–	–	–	–
Childbirth	15	18	22	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	2	5	6	1	–	2	1	–	–	–	–	–	–	–
Bone Disease	–	–	2	–	–	1	–	–	–	1	1	–	–	–	–	–
Rheumatism	–	1	1	2	1	1	2	3	5	6	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Intemperance	1	1	–	–	1	2	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	2	–	1	3	2	2	–	–	–	–
Hanging, etc.	–	–	1	–	2	2	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Drowning	2	–	–	1	2	7	1	1	1	–	–	–	–	–	–	–
Fracture and Contusion	–	4	–	2	4	4	3	–	2	1	4	1	1	–	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Not Specified	12	14	13	15	15	17	18	5	–	–	–	–	–	–	–	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2084	184	27	71	58	49	25	18	68	41	70	100	76
Specified Causes	1746	93	16	37	35	35	19	15	56	33	56	78	65
I. Zymotic Class	247	13	4	18	20	23	10	9	33	17	14	7	10
II. Diseases of Uncertain Seat	90	–	–	–	–	–	–	–	1	–	–	1	–
III. Tubercular Class	224	–	3	4	5	3	2	2	6	6	23	34	31
IV. Brain and Nervous System	97	11	–	–	1	–	–	1	1	3	4	7	4
V. Organs of Circulation	57	–	–	–	–	–	–	–	–	–	1	–	3
VI. Respiratory Organs	184	8	5	8	7	4	3	1	4	2	5	5	2
VII. Organs of Digestion	102	4	1	6	1	4	–	1	2	1	–	1	4
VIII. Urinary Organs	29	–	–	1	–	–	–	–	1	–	–	3	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	1	4	9
X. Organs of Locomotion	34	–	–	–	–	–	–	–	–	1	1	3	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	58	56	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	507	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Death	9	–	–	–	–	–	–	–	1	1	–	–	–
XVII. Violent Deaths	63	–	–	–	1	1	4	1	6	2	7	13	2
I. Small Pox	19	–	1	1	–	–	–	–	3	3	1	3	2
Measles	17	–	–	1	2	1	–	–	8	2	–	–	2
Scarlatina	34	1	–	3	4	9	1	3	7	3	3	–	–
Diphtheria	10	–	1	1	–	3	1	1	–	1	2	–	–
Hooping Cough	34	4	1	7	8	3	5	1	5	–	–	–	–
Croup	26	7	–	5	5	3	1	3	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	–	–	–	1	–	–	–	1	–	1	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	8	–	–	–	–	–	1	1	–	–	–	–	1
Purpura	4	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus	26	–	–	–	–	1	1	–	3	2	3	1	4
Enteric Fever	18	–	–	–	–	–	–	–	1	3	3	3	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	–	–	1	–	–	–	–	1	–	–
Infantile Remittent	2	–	–	–	–	2	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	11	1	1	–	–	–	–	–	2	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	38	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	42	–	–	–	–	–	–	–	–	–	–	–	–
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	–	–	–	2	–	1	–	2	1	1	–	–
Tabes Mesenterica	8	–	1	2	1	2	1	–	–	–	1	–	–
Phthisis	195	–	1	–	1	1	–	2	1	4	21	34	31
Hydrocephalus	8	–	1	2	1	–	–	–	3	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	66	55	49	49	62	74	105	132	171	180	185	98	40	23	3	5
SPECIFIED CAUSES	54	51	45	42	51	59	73	130	171	180	185	98	40	23	3	3
Zymotic Class	4	5	4	9	5	7	7	7	9	9	2	1	–	–	–	–
Uncertain Seat	3	4	1	7	4	9	14	14	11	8	9	4	–	–	–	–
Tubercular Class	25	20	13	10	13	6	7	4	5	1	–	–	–	–	–	1
Brain, etc.	3	3	2	3	3	1	6	10	8	7	12	6	1	–	–	–
Heart, etc.	3	–	3	1	2	7	7	6	9	4	8	2	–	–	–	1
Respiratory Organs	3	1	7	6	10	12	15	23	20	19	11	2	–	1	–	–
Digestive Organs	2	2	4	4	7	9	4	14	14	11	4	1	1	–	–	–
Urinary Organs	1	2	1	–	1	1	4	1	3	5	4	–	1	–	–	–
Generative Organs	7	9	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	2	2	5	6	5	4	2	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	–	–	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	37	85	110	132	80	36	22	3	–
Sudden Deaths	–	–	–	–	–	1	1	4	–	1	–	–	–	–	–	–
Violent Deaths	3	2	4	1	4	–	1	4	2	1	1	1	1	–	–	1
Small Pox	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	1	–	1	1	4	3	3	2	1	–	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	3	–	–	–	–	–	–
Purpura	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	–	–	2	3	–	2	–	–	–	–	–	–	–
Enteric Fever	–	–	1	4	2	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	1	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	1	5	8	5	6	3	4	1	–	–	–	–
Abscess	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	3	–	6	3	3	6	8	4	3	4	2	–	–	–	–
Gout	–	–	–	1	–	–	–	1	1	2	–	–	–	–	–	–
Scrofula	2	1	–	–	1	–	–	–	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	23	19	13	10	12	6	7	4	3	1	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	1	–	–	1	–	–	–	1	1	–	1	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	46	–	–	–	–	–	–	–	–	–	3	3	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	1	1	2	–
Tetanus	6	4	–	–	–	–	–	–	–	1	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	5	–	–	–	–	–	1	–	–	–	–	–
Brain Disease	11	1	–	–	–	–	–	–	–	–	–	1	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	–	–	–	–	1	–	3
VI. Laryngitis	5	2	1	–	–	–	–	–	1	–	–	–	1
Bronchitis	90	4	2	6	5	1	3	–	2	1	–	2	–
Pleurisy	9	2	–	–	–	–	–	–	–	1	1	1	–
Pneumonia	37	–	2	2	2	3	–	1	1	–	2	1	1
Asthma	37	–	–	–	–	–	–	–	–	–	2	–	–
Lung Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
Teething	7	1	–	4	–	2	–	–	–	–	–	–	–
Quinsey	5	–	–	1	1	–	–	1	–	–	–	–	2
Gastritis	7	–	1	–	–	1	–	–	–	–	–	–	–
Enteritis	7	2	–	–	–	–	–	–	–	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	–	–	–	–	–
Intnssusception.	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	29	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	6	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	13	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	1	–	–	–	–	–	–	–	1	–
Nephria	8	–	–	–	–	–	–	–	1	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	29	–	–	–	–	–	–	–	–	–	–	4	7
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	32	–	–	–	–	–	–	–	–	1	1	2	–
Joint Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	–	2	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	1	1	3	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	29	–	–	–	–	–	1	–	1	1	5	7	2
Fracture and Contusion	18	–	–	–	–	–	–	–	4	1	2	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	338	91	11	34	23	14	6	3	12	8	14	22	11

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	60	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	1	–	2	–	1	–	4	–	–	–	–	–
Paralysis	–	–	1	3	1	1	2	6	5	6	7	6	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	3	–	3	1	2	7	7	6	8	4	7	2	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	1	3	3	4	7	13	11	9	7	2	–	1	–	–
Pleurisy	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	1	1	2	5	3	3	1	4	1	–	–	–	–	–
Asthma	–	–	3	1	3	2	4	5	8	6	3	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Enteritis	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	2	1	–	1	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Ileus	–	–	–	1	1	1	–	–	1	1	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	–	–	–	1	3	4	1	9	2	5	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	2	–	–	1	–	2	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	1	2	2	2	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	–	1	1	2	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	3	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	1	2	5	6	5	4	2	1	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	2	–	3	–	–	1	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	2	1	–	–	1	1	1	1	–	1	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	12	4	4	7	11	15	32	2	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1008	94	15	37	30	21	15	7	32	20	40	65	35
SPECIFIED CAUSES	850	47	9	18	16	17	10	6	30	18	36	54	33
I. Zymotic Class	122	6	2	10	6	15	6	4	17	9	7	5	4
II. Diseases of Uncertain Seat	38	–	–	–	–	–	–	–	1	–	–	1	–
III. Tubercular Class	126	–	1	–	3	–	–	1	5	3	16	26	19
IV. Brain and Nervous System	57	6	–	–	–	–	–	–	–	2	2	4	4
V. Organs of Circulation	37	–	–	–	–	–	–	–	–	–	1	–	1
VI. Respiratory Organs	88	4	4	4	5	1	1	–	2	1	3	1	1
VII. Organs of Digestion	53	2	1	4	1	1	–	1	–	–	–	1	2
III. Urinary Organs	18	–	–	–	–	–	–	–	–	–	–	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	18	–	–	–	–	–	–	–	–	–	1	2	–
XI. Skin, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	28	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	–	–	1	–	–	–	–
XV. Age	207	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	1	–	–	–
XVII. Violent Deaths	49	–	–	–	1	–	3	–	4	2	6	12	2
I. Small Pox	11	–	–	–	–	–	–	–	1	1	1	2	2
Measles	9	–	–	1	2	1	–	–	4	1	–	–	–
Scarlatina	22	1	–	3	3	6	–	2	2	2	3	–	–
Diphtheria	7	–	1	1	–	3	–	–	–	1	1	–	–
Hooping Cough	14	1	–	3	1	1	3	1	4	–	–	–	–
Croup	12	4	–	2	–	2	1	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	–	–	–	–	–	–	–	1	–	1	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	1	–	–	–	–	–	1
Purpura	3	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus	13	–	–	–	–	–	1	–	1	1	–	1	1
Enteric Fever	6	–	–	–	–	–	–	–	1	–	1	2	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	2	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	6	–	1	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	20	–	–	–	–	–	–	–	–	–	–	–	–
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	1	–	–	–	2	1	1	–	–
Tabes Mesenterica	2	–	1	–	1	–	–	–	–	–	–	–	–
Phthisis	112	–	–	–	–	–	–	1	–	1	15	26	19
Hydrocephalus	5	–	–	–	1	–	–	–	3	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	24	23	25	31	34	38	64	77	85	82	48	17	10	2	4
SPECIFIED CAUSES	26	20	21	23	25	28	27	62	77	85	82	48	17	10	2	3
Zymotic Class	3	2	1	4	1	4	3	3	6	2	1	1	–	–	–	–
Uncertain Seat	1	2	–	4	2	3	2	7	8	4	3	–	–	–	–	–
Tubercular Class	12	11	6	5	6	3	2	2	3	1	–	–	–	–	–	1
Brain, etc.	2	1	1	3	1	–	3	6	5	4	8	4	1	–	–	–
Heart, etc.	2	–	2	1	1	5	2	4	6	4	6	1	–	–	–	1
Respiratory Organs	2	–	4	3	6	4	5	13	10	8	4	1	–	1	–	–
Digestive Organs	1	1	2	2	4	6	2	6	8	6	1	–	1	–	–	–
Urinary Organs	–	1	1	–	1	–	1	1	2	5	3	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	4	4	2	1	1	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	14	25	48	55	39	14	9	2	–
Sudden Deaths	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Violent Deaths	3	2	3	1	2	–	1	2	2	1	–	1	–	–	–	1
Small Pox	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–
Dysentery	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	–	–	–	2	3	–	2	–	–	–	–	–	–	–
Enteric Fever	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	2	3	2	2	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	2	–	3	2	1	1	5	4	1	1	–	–	–	–	–
Gout	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	11	6	5	6	3	2	2	2	1	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Apoplexy	6	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	30	–	–	–	–	–	–	–	–	–	2	2	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	4	2	–	–	–	–	–	–	–	1	–	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	3	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	1	–	–	–	–	–	–	–	–	–	1	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	–	–	–	–	–	–	–	–	–	1	–	1
VI. Laryngitis	2	1	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	38	2	1	2	4	–	1	–	1	–	–	1	–
Pleurisy	5	1	–	–	–	–	–	–	–	1	1	–	–
Pneumonia	22	–	2	2	1	1	–	–	1	–	1	–	1
Asthma	20	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	3	1	–	2	–	–	–	–	–	–	–	–	–
Quinsey	4	–	–	1	1	–	–	1	–	–	–	–	1
Gastritis	5	–	1	–	–	1	–	–	–	–	–	–	–
Enteritis	5	1	–	–	–	–	–	–	–	–	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	1	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	17	–	–	–	–	–	–	–	–	–	1	1	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	2	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	1	–	2	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	26	–	–	–	–	–	1	–	1	1	4	6	2
Fracture and Contusion	13	–	–	–	–	–	–	–	2	1	2	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	158	47	6	19	14	4	5	1	2	2	4	11	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	–	–	1	–	1	–	2	–	–	–	–	–
Paralysis	–	–	–	3	–	–	1	5	3	3	5	4	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Heart Disease	2	–	2	1	1	5	2	4	6	4	5	1	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	1	1	–	3	8	4	2	3	1	–	1	–	–
Pleurisy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	1	2	3	2	1	1	1	1	–	–	–	–	–
Asthma	–	–	3	1	2	–	–	3	5	5	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	1	–	–	–	1	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	3	–	1	2	4	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	1	2	2	2	1	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	1	4	4	2	1	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	2	2	–	2	–	–	1	–	–	–	–	–	–	–	1
Fracture and Contusion	–	–	1	1	–	–	1	–	1	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	7	4	2	2	6	6	11	2	–	–	–	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.											
		2	3	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1076	90	12	34	28	28	10	11	36	21	30	35	41
SPECIFIED CAUSES	896	46	7	19	19	18	9	9	26	15	20	24	32
I. Zymotic Class	125	7	2	8	14	8	4	5	16	8	7	2	6
II. Diseases of Uncertain Seat	52	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	98	–	2	4	2	3	2	1	1	3	7	8	12
IV. Brain and Nervous System	40	5	–	–	1	–	–	1	1	1	2	3	–
V. Organs of Circulation	20	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	96	4	1	4	2	3	2	1	2	1	2	4	1
VII. Organs of Digestion	49	2	–	2	–	3	–	–	2	1	–	–	2
VIII. Urinary Organs	11	–	–	1	–	–	–	–	1	–	–	1	–
IX. Organs of Generation	35	–	–	–	–	–	–	–	–	–	1	4	9
X. Organs of Locomotion	16	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	30	28	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	300	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	14	–	–	–	–	1	1	1	2	–	1	1	–
I. Small Pox	8	–	1	1	–	–	–	–	2	2	–	1	–
Measles	8	–	–	–	–	–	–	–	4	1	–	–	2
Scarlatina	12	–	–	–	1	3	1	1	5	1	–	–	–
Diphtheria	3	–	–	–	–	–	1	1	–	–	1	–	–
Hooping Cough	20	3	1	4	7	2	2	–	1	–	–	–	–
Croup	14	3	–	3	5	1	–	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	5	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	–	–	–	–	1	–	–	2	1	3	–	3
Enteric Fever	12	–	–	–	–	–	–	–	–	3	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	5	1	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	22	–	–	–	–	–	–	–	–	–	–	–	–
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	1	–	1	–	–	–	–	–	–
Tabes Mesenterica	6	–	–	2	–	2	1	–	–	–	1	–	–
Phthisis	83	–	1	–	1	1	–	1	1	3	6	8	12
Hydrocephalus	3	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	31	26	24	31	40	67	68	94	95	103	50	23	13	1	1
SPECIFIED CAUSES	28	31	24	19	26	31	46	68	94	95	103	50	23	13	1	–
Zymotic Class	1	3	3	5	4	3	4	4	3	7	1	–	–	–	–	–
Uncertain Seat	2	2	1	3	2	6	12	7	3	4	6	4	–	–	–	–
Tubercular Class	13	9	7	5	7	3	5	2	2	–	–	–	–	–	–	–
Brain, etc.	1	2	1	–	2	1	3	4	3	3	4	2	–	–	–	–
Heart, etc.	1	–	1	–	1	2	5	2	3	–	2	1	–	–	–	–
Respiratory Organs	1	1	3	3	4	8	10	10	10	11	7	1	–	–	–	–
Digestive Organs	1	1	2	2	3	3	2	8	6	5	3	1	–	–	–	–
Urinary Organs	1	1	–	–	–	1	3	–	1	–	1	–	–	–	–	–
Generative Organs	7	9	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	1	1	2	3	3	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	23	60	62	77	41	22	13	1	–
Sudden Deaths	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	2	–	–	2	–	–	1	–	1	–	–	–
Small Pox	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	1	3	3	3	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	–	1	4	7	3	3	1	2	1	–	–	–	–
Abscess	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	1	–	3	1	2	5	3	–	2	3	2	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Scrofula	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	8	7	5	6	3	5	2	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		2	3	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	1	–	–	1	–	–	–	1	–	–	1	–
Apoplexy	4	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	1	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	1	1	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	2	–	–	–	–	–	1	–	–	–	–	–
Brain Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	3	1	–	–	–	–	–	–	1	–	–	–	1
Bronchitis	52	2	1	4	1	1	2	–	1	1	–	1	–
Pleurisy	4	1	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	15	–	–	–	1	2	–	1	–	–	1	1	–
Asthma	17	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	4	–	–	2	–	2	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	1
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	8	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	4	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	29	–	–	–	–	–	–	–	–	–	–	4	7
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	15	–	–	–	–	–	–	–	–	1	–	1	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	–	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	1	1	–
Fracture and Contusion	5	–	–	–	–	–	–	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	180	44	5	15	9	10	1	2	10	6	10	11	9

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
Paralysis	–	–	1	–	1	1	1	1	2	3	2	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	1	–	1	2	5	2	2	–	2	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	2	2	4	4	5	7	7	4	1	–	–	–	–
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	2	1	2	–	3	–	–	–	–	–	–
Asthma	–	–	–	–	1	2	4	2	3	1	3	–	–	–	–	–
Lung Disease	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Stomach Disease	–	–	–	1	1	1	1	8	–	1	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	7	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	–	1	1	2	3	3	1	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	–	2	5	5	9	21	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	14053	1335	608	1255	1565	736	475	349	734	385	516	634	549
Specified Causes	13945	1288	598	1246	1559	731	470	348	732	384	515	630	547
I. Zymotic Class	2976	160	166	428	605	307	201	178	279	82	69	115	66
II. Diseases of Uncertain Seat	310	5	2	4	7	7	2	2	5	9	7	6	14
III. Tubercular Class	2883	37	84	174	262	147	94	74	230	162	275	330	249
IV. Brain and Nervous System	1121	108	48	106	93	49	32	20	54	28	17	18	17
V. Organs of Circulation	508	2	1	–	2	1	2	–	6	9	21	14	21
VI. Respiratory Organs	2971	152	165	398	406	152	107	47	77	26	40	56	67
VII. Organs of Digestion	905	105	71	101	136	27	8	6	22	15	19	20	25
VIII. Urinary Organs	214	–	1	–	2	8	4	5	9	9	11	10	14
IX. Organs of Generation	84	–	–	–	–	–	–	–	–	–	5	9	20
X. Organs of Locomotion	77	–	–	–	1	–	–	1	8	14	8	8	5
XI. Skin, etc.	12	4	2	1	1	–	1	–	–	–	–	–	–
XII. Malformation	49	41	3	2	1	1	–	–	1	–	–	–	–
XIII. Premature Debility	690	628	37	25	–	–	–	–	–	–	–	–	–
XIV. Atrophy	107	–	–	–	25	15	3	3	10	4	4	–	2
XV. Age	411	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	62	7	4	2	1	–	1	–	3	1	–	–	2
XVII. Violent Deaths	565	39	14	5	17	17	15	12	28	25	39	44	45
I. Small Pox	149	10	6	3	2	3	1	1	16	13	16	29	18
Measles	108	1	1	35	28	12	13	9	8	–	1	–	–
Scarlatina	362	1	1	23	49	46	38	55	108	23	2	6	7
Diphtheria	141	1	–	11	36	18	23	15	30	4	2	1	–
Hooping Cough	1026	37	73	244	330	151	79	56	54	2	–	–	–
Croup	184	5	4	25	60	45	19	15	11	–	–	–	–
Thrush	6	4	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	335	59	61	67	67	11	3	3	3	1	2	2	1
Dysentery	15	–	1	3	2	–	1	–	–	–	–	–	–
Cholera	14	1	1	2	3	–	–	–	1	–	1	2	1
Influenza	14	2	–	–	–	–	1	1	1	1	–	–	–
Purpura	6	–	–	–	1	–	–	–	1	–	–	2	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Typhus	182	–	–	1	1	2	4	1	5	13	14	20	17
Enteric Fever	198	–	–	5	11	12	9	12	30	15	24	31	12
Relapsing Fever	34	–	–	–	2	2	–	2	3	5	4	2	–
Simple Continued Fever	13	–	–	–	2	2	1	3	2	1	–	–	–
Infantile Remittent	23	1	1	–	3	3	7	4	4	–	–	–	–
Metria	38	–	–	–	–	–	–	–	–	–	–	16	6
Rheumatic Fever	13	–	–	–	–	–	–	–	2	3	1	1	1
Erysipelas	48	9	6	4	–	–	–	–	–	–	–	–	3
Pyæmia	5	–	–	–	–	–	–	–	–	1	2	1	–
Syphilis	56	29	10	5	7	–	–	–	–	–	–	2	–
Noma	4	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	13	–	–	–	1	–	–	–	–	–	–	2	2
Dropsy	80	1	–	–	4	4	2	2	3	5	3	–	4
Abscess	29	2	2	4	2	3	–	–	1	1	2	–	3
Ulcer	4	2	–	–	–	–	–	–	–	1	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	14	–	–	–	–	–	–	–	–	1	1	1	–
Cancer	168	–	–	–	–	–	–	–	1	1	1	3	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	196	4	4	7	28	19	12	11	31	32	20	10	5
Tabes Mesenterica	270	19	17	30	57	28	20	14	54	14	5	3	4
Phthisis	1957	8	14	36	58	44	30	20	96	104	248	316	238
Hydrocephalus	460	6	49	101	119	56	32	29	49	12	2	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	502	496	536	511	523	496	532	407	400	275	153	60	16	4	1	–
Specified Causes	501	493	535	508	521	493	530	407	400	275	153	60	16	4	1	–
Zymotic Class	52	46	44	31	34	19	32	22	23	12	5	–	–	–	–	–
Uncertain Seat	11	13	23	30	41	32	34	18	17	12	8	1	–	–	–	–
Tubercular Class	212	173	149	79	69	41	21	13	4	4	–	–	–	–	–	–
Brain, etc.	30	29	32	46	57	56	72	69	67	50	14	7	1	1	–	–
Heart, etc.	36	41	37	45	61	52	51	40	34	24	6	2	–	–	–	–
Respiratory Organs	67	86	123	154	142	176	197	129	107	63	25	7	2	–	–	–
Digestive Organs	23	32	41	52	40	42	48	38	21	8	5	–	–	–	–	–
Urinary Organs	12	16	17	15	22	15	12	16	10	3	1	1	1	–	–	–
Generative Organs	13	13	14	3	2	2	2	1	–	–	–	–	–	–	–	–
Locomotive Organs	4	3	7	1	1	7	6	–	1	1	1	–	–	–	–	–
Skin	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	5	6	3	11	15	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	30	41	104	92	87	41	12	3	1	–
Sudden Deaths	6	3	3	9	6	3	3	5	3	–	–	–	–	–	–	–
Violent Deaths	34	33	38	40	35	31	22	15	9	6	1	1	–	–	–	–
Small Pox	8	8	6	4	2	1	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	2	3	4	6	5	7	9	6	8	3	–	–	–	–	–
Dysentery	1	1	–	–	1	–	1	2	1	–	1	–	–	–	–	–
Cholera	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	–	2	1	3	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	15	18	19	16	15	5	10	3	3	–	–	–	–	–	–	–
Enteric Fever	5	6	8	2	1	2	6	1	4	2	–	–	–	–	–	–
Relapsing Fever	5	1	2	–	3	–	2	1	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	3	1	2	4	3	2	5	3	1	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	3	–	1	–	1	–	–	–	–	–	–	–
Dropsy	4	1	2	5	8	8	7	6	3	3	4	1	–	–	–	–
Abscess	1	–	2	2	1	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	1	1	5	1	–	–	–	–	–
Cancer	6	11	18	22	28	23	23	11	11	4	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	3	4	1	1	–	–	1	–	2	–	–	–	–	–	–
Tabes Mesenterica	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	210	169	142	78	67	41	20	12	4	2	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	165	1	15	27	26	20	14	8	21	11	5	6	4
Apoplexy	230	5	4	13	14	5	2	2	6	–	4	4	5
Paralysis	253	–	–	1	–	1	–	–	–	2	2	–	1
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	32	–	–	–	–	–	–	–	–	4	1	2	5
Tetanus	6	3	–	–	–	–	–	–	–	2	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	256	97	23	49	44	21	10	6	6	–	–	–	–
Brain Disease	163	2	6	16	9	2	6	4	20	8	5	6	1
V. Pericarditis	15	–	1	–	–	–	–	–	–	2	1	–	1
Aneurism	16	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	477	2	–	–	2	1	2	–	6	7	20	14	19
VI. Laryngitis	43	3	6	11	5	2	3	1	–	–	–	3	2
Bronchitis	2135	117	123	302	315	116	79	32	53	11	13	18	28
Pleurisy	30	–	1	1	1	–	–	–	1	1	–	3	4
Pneumonia	628	31	35	82	80	32	23	12	22	12	23	29	26
Asthma	48	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	87	1	–	2	5	2	2	2	1	2	4	3	6
VII. Teething	194	–	9	73	100	12	–	–	–	–	–	–	–
Quinsey	3	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	37	3	3	2	3	2	1	–	1	1	1	–	1
Enteritis	187	55	33	18	14	7	3	3	7	5	6	2	2
Peritonitis	40	–	1	–	1	–	–	–	1	1	5	6	3
Ascites	12	–	–	–	–	–	–	1	–	2	–	–	–
Ulceration of Intestines	17	–	–	–	–	–	–	1	–	–	–	–	1
Hernia	22	–	–	–	1	–	–	–	–	1	–	1	–
Ileus	50	16	1	–	1	–	1	–	4	1	–	2	1
Intussusception	2	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	143	15	22	8	13	5	1	1	4	2	3	6	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	24	–	1	–	1	–	–	–	1	–	1	–	3
Jaundice	34	13	–	–	1	–	–	–	–	–	1	2	–
Liver Disease	133	2	–	–	1	1	1	–	3	2	2	–	10
Spleen Disease	7	–	–	–	–	–	–	–	–	–	–	1	1
VIII. Nephritis	29	–	1	–	1	4	1	4	3	1	–	1	–
Nephria	49	–	–	–	–	1	1	1	1	1	7	1	3
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	13	–	–	–	–	–	1	–	2	–	1	1	–
Diabetes	10	–	–	–	1	–	–	–	–	1	–	–	1
Stone	4	–	–	–	–	–	–	–	1	–	–	–	1
Cystitis	19	–	–	–	–	–	–	–	–	3	–	1	3
Stricture of Urethra	5	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	84	–	–	–	–	3	1	–	2	2	3	5	4
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	63	–	–	–	–	–	–	–	–	–	3	9	18
Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	2
X. Bone Disease	16	–	–	–	1	–	–	1	1	5	2	1	1
Rheumatism	24	–	–	–	–	–	–	–	1	1	–	2	–
Joint Disease	37	–	–	–	–	–	–	–	6	8	6	5	4
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	9	4	2	1	–	–	1	–	–	–	–	–	–
XVII. Intemperance	44	–	–	–	–	–	–	–	–	–	2	1	7
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	24	11	11	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	–	–	–	–	–	–	–	–	–	–
Poison	17	2	–	–	–	1	1	–	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	67	–	–	–	13	10	8	7	6	3	3	–	2
Hanging, etc.	8	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	26	13	3	1	1	1	–	–	1	–	–	–	2
Drowning	84	1	–	–	1	1	2	–	8	7	5	6	13
Fracture and Contusion	239	1	–	1	2	4	4	3	11	13	24	27	17
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	1	1	–
Other Violent Causes	46	10	–	1	–	–	–	2	–	2	3	8	3
Not Specified	108	47	10	9	6	5	5	1	2	1	1	4	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	4	–	1	–	–	–	–	–	–	1	–	–	–
Apoplexy	8	10	8	13	19	22	21	22	23	13	4	2	–	1	–	–
Paralysis	10	4	10	16	22	23	40	41	39	33	6	2	–	–	–	–
Delirium Tremens	3	2	2	1	4	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	7	3	4	1	–	–	–	–	1	–	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	6	8	8	11	9	11	6	5	3	4	1	–	–	–	–
Pericarditis	2	2	1	1	1	2	–	1	–	–	–	–	–	–	–	–
Aneurism	3	1	4	3	1	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	31	38	32	41	59	49	50	38	34	24	6	2	–	–	–	–
Laryngitis	1	1	2	–	1	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	36	42	70	112	108	130	154	99	93	54	22	6	2	–	–	–
Pleurisy	1	3	1	3	2	4	–	1	1	–	1	1	–	–	–	–
Pneumonia	24	30	31	29	24	22	21	21	10	8	1	–	–	–	–	–
Asthma	2	3	10	3	3	7	10	4	3	1	1	–	–	–	–	–
Lung Disease	3	7	9	7	4	13	11	3	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	2	3	1	2	2	1	4	1	1	2	–	–	–	–	–	–
Enteritis	4	3	6	7	3	3	2	2	2	–	–	–	–	–	–	–
Peritonitis	4	6	6	3	1	1	1	–	–	–	–	–	–	–	–	–
Ascites	1	2	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	2	4	1	1	2	2	1	1	–	–	–	–	–	–
Hernia	1	–	5	1	5	2	2	2	–	1	–	–	–	–	–	–
Ileus	1	2	3	2	3	2	6	3	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	4	3	11	5	6	11	8	3	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	–	2	3	3	4	–	1	–	–	–	–	–	–
Jaundice	–	–	2	3	2	–	2	2	5	–	1	–	–	–	–	–
Liver Disease	3	8	10	17	14	20	14	14	8	1	2	–	–	–	–	–
Spleen Disease	–	1	1	1	–	–	1	–	–	–	1	–	–	–	–	–
Nephritis	1	2	–	3	1	–	2	1	2	1	–	–	–	–	–	–
Nephria	6	5	4	6	6	2	2	2	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	2	2	–	1	2	–	1	–	–	–	–	–
Diabetes	2	1	–	–	–	1	–	1	1	–	–	1	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cystitis	–	1	2	–	4	–	1	2	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	7	10	6	9	8	7	9	3	1	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	3	2	1	2	2	–	–	–	–	–	–	–	–	–
Childbirth	12	10	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Rheumatism	3	2	2	1	–	6	3	–	1	1	1	–	–	–	–	–
Joint Disease	1	–	4	–	1	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	2	6	4	4	8	3	2	2	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	3	3	1	3	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	2	1	3	5	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–
Drowning	4	13	4	7	2	5	4	1	–	–	–	–	–	–	–	–
Fracture and Contusion	25	11	20	19	17	8	12	10	5	3	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	3	3	3	2	2	–	–	2	–	–	–	–	–	–
Not Specified	1	3	1	3	2	3	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7171	749	330	671	804	380	248	167	362	200	251	333	284
SPECIFIED CAUSES	7116	723	326	668	801	376	245	166	361	200	251	332	282
I. Zymotic Class	1483	82	85	235	301	163	94	84	122	36	31	55	34
II. Diseases of Uncertain Seat	117	2	2	2	3	4	1	–	3	6	4	4	8
III. Tubercular Class	1407	17	41	97	139	72	57	39	117	78	122	154	109
IV. Brain and Nervous System	606	63	25	53	62	19	18	10	28	19	8	12	7
V. Organs of Circulation	261	1	1	–	–	1	2	–	2	4	7	5	11
VI. Respiratory Organs	1557	89	101	217	201	77	55	17	43	10	20	37	43
VII. Organs of Digestion	456	62	38	48	70	18	4	5	10	7	11	11	12
VIII. Urinary Organs	137	–	1	–	1	6	3	4	8	6	5	7	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	43	–	–	–	–	–	–	–	4	9	6	4	4
XI. Skin, etc.	7	2	1	–	1	–	1	–	–	–	–	–	–
XII. Malformation	28	23	2	1	–	1	–	–	1	–	–	–	–
XIII. Premature Debility	393	360	21	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	41	–	–	–	11	8	1	1	5	3	1	–	2
XV. Age	132	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	3	1	–	1	–	–	–	2	1	–	–	2
XVII. Violent Deaths	416	19	7	3	11	7	9	6	16	21	36	43	40
I. Small Pox	84	3	2	1	1	1	–	1	12	6	7	21	13
Measles	64	1	1	21	16	6	10	3	5	–	1	–	–
Scarlatina	168	–	–	12	26	23	15	32	45	9	–	1	4
Diphtheria	79	1	–	7	20	10	15	6	16	2	2	–	–
Hooping Cough	475	17	37	129	143	77	34	19	19	–	–	–	–
Croup	110	2	3	15	39	26	11	8	6	–	–	–	–
Thrush	2	–	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	187	33	34	40	36	7	1	3	1	1	1	1	1
Dysentery	7	–	–	2	1	–	1	–	–	–	–	–	–
Cholera	9	1	1	–	2	–	–	–	1	–	–	2	–
Influenza	6	2	–	–	–	–	–	1	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Typhus	91	–	–	1	1	2	2	1	–	5	5	11	8
Enteric Fever	107	–	–	3	6	7	3	6	14	9	12	18	8
Relapsing Fever	14	–	–	–	2	–	–	–	1	3	–	–	–
Simple Continued Fever	6	–	–	–	1	2	–	–	1	1	–	–	–
Infantile Remittent	9	–	1	–	1	2	1	3	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	22	4	3	–	–	–	–	–	–	–	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	2	–	–
Syphilis	30	18	2	4	5	–	–	–	–	–	–	–	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	–	1	–	–	–	–	–	–	1	2
Dropsy	33	1	–	–	1	2	1	–	2	4	1	–	2
Abscess	17	–	2	2	1	2	–	–	1	1	1	–	2
Ulcer	2	1	–	–	–	–	–	–	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	49	–	–	–	–	–	–	–	–	–	1	3	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	1
III. Scrofula	105	2	2	2	15	8	8	5	17	20	12	5	3
Tabes Mesenterica	151	11	10	15	29	13	12	9	32	7	4	2	4
Phthisis	902	4	6	20	31	20	18	10	45	43	105	146	100
Hydrocephalus	249	–	23	60	64	31	19	15	23	8	1	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	252	236	286	277	261	260	263	207	157	107	66	17	3	–	–	–
SPECIFIED CAUSES	251	235	285	276	260	260	261	207	157	107	66	17	3	–	–	–
Zymotic Class	28	22	25	16	16	11	14	10	11	4	4	–	–	–	–	–
Uncertain Seat	4	3	9	7	10	10	15	5	4	6	5	–	–	–	–	–
Tubercular Class	97	71	73	36	40	28	11	8	–	1	–	–	–	–	–	–
Brain, etc.	19	20	18	26	27	32	42	37	30	22	7	1	1	–	–	–
Heart, etc.	16	22	22	30	26	29	30	25	12	12	3	–	–	–	–	–
Respiratory Organs	37	46	74	84	79	90	90	71	38	21	13	4	–	–	–	–
Digestive Organs	13	13	18	29	15	18	21	20	9	1	3	–	–	–	–	–
Urinary Organs	6	6	10	8	14	10	8	10	9	3	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	5	1	1	1	3	–	1	–	1	–	–	–	–	–
Skin	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	–	–	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	10	36	36	28	11	2	–	–	–
Sudden Deaths	3	2	1	7	3	2	2	1	1	–	–	–	–	–	–	–
Violent Deaths	25	26	29	32	27	25	16	10	6	1	1	–	–	–	–	–
Small Pox	5	5	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	3	1	3	4	3	6	2	3	2	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cholera	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	7	12	8	8	3	4	–	2	–	–	–	–	–	–	–
Enteric Fever	3	5	5	1	–	1	4	–	2	–	–	–	–	–	–	–
Relapsing Fever	4	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	3	1	1	1	1	2	2	3	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Dropsy	–	–	1	1	1	4	3	3	2	2	2	–	–	–	–	–
Abscess	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	–	–	3	1	–	–	–	–	–
Cancer	4	3	7	5	6	6	8	2	–	1	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	96	70	69	35	38	28	10	7	–	1	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	99	1	9	16	18	11	7	4	9	7	3	5	2
Apoplexy	118	2	1	4	8	1	1	1	2	–	2	2	3
Paralysis	116	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	–	–	–	–	–	–	–	–	3	–	1	2
Tetanus	4	3	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	141	56	12	25	30	7	6	2	3	–	–	–	–
Brain Disease	98	1	3	8	6	–	4	3	14	7	3	4	–
V. Pericarditis	10	–	1	–	–	–	–	–	–	1	–	–	1
Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	237	1	–	–	–	1	2	–	2	3	7	5	9
VI. Laryngitis	27	2	4	8	4	1	2	–	–	–	–	–	2
Bronchitis	1086	70	79	165	163	53	41	12	32	5	6	11	15
Pleurisy	19	–	1	–	1	–	–	–	–	1	–	3	2
Pneumonia	357	17	17	43	31	22	11	5	11	4	13	22	20
Asthma	22	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	46	–	–	1	2	1	1	–	–	–	1	1	3
VII. Teething	101	–	5	37	51	8	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	20	3	1	1	3	1	1	–	–	–	–	–	1
Enteritis	92	32	15	6	5	5	1	2	3	3	4	2	–
Peritonitis	21	–	–	–	–	–	–	–	–	–	4	4	3
Ascites	3	–	–	–	–	–	–	1	–	1	–	–	–
Ulceration of Intestines	12	–	–	–	–	–	–	1	–	–	–	–	–
Hernia	9	–	–	–	1	–	–	–	–	–	–	1	–
Ileus	28	12	1	–	1	–	–	–	1	1	–	2	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	67	7	14	4	6	3	1	1	4	1	1	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	–	1	–	1	–	–	–	1	–	–	–	2
Jaundice	16	8	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	71	–	–	–	1	1	1	–	1	1	2	–	6
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	22	–	1	–	1	4	1	3	2	1	–	1	–
Nephria	32	–	–	–	–	1	1	1	1	1	3	1	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	12	–	–	–	–	–	1	–	2	–	1	1	–
Diabetes	4	–	–	–	–	–	–	–	–	1	–	–	–
Stone	4	–	–	–	–	–	–	–	1	–	–	–	1
Cystitis	15	–	–	–	–	–	–	–	–	2	–	1	2
Stricture of Urethra	5	–	–	–	–	–	–	–	–	1	–	1	2
Kidney Disease	42	–	–	–	–	1	–	–	2	–	1	2	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	9	–	–	–	–	–	–	–	1	3	2	1	–
Rheumatism	9	–	–	–	–	–	–	–	1	–	–	1	–
Joint Disease	25	–	–	–	–	–	–	–	2	6	4	2	4
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	5	2	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	27	–	–	–	–	–	–	–	–	–	2	1	4
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	3	6	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	13	2	–	–	–	1	1	–	2	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	36	–	–	–	9	1	6	3	4	3	1	–	2
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	15	8	1	1	1	–	–	–	–	–	–	–	2
Drowning	75	–	–	–	–	1	1	–	6	7	5	6	12
Fracture and Contusion	192	1	–	–	1	4	1	2	4	9	23	27	16
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	1	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	37	5	–	1	–	–	–	1	–	2	3	8	3
Not Specified	55	26	4	3	3	4	3	1	1	–	–	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	4	–	1	–	–	–	–	–	–	1	–	–	–
Apoplexy	5	6	5	6	8	12	16	13	10	7	2	1	–	–	–	–
Paralysis	6	4	4	7	7	13	18	20	18	14	4	–	–	–	–	–
Delirium Tremens	3	2	2	1	4	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	3	4	5	8	5	8	4	2	1	1	–	–	–	–	–
Pericarditis	1	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–
Aneurism	2	1	4	2	1	1	1	1	–	–	–	–	–	–	–	–
Heart Disease	13	20	17	27	25	26	29	23	12	12	3	–	–	–	–	–
Laryngitis	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	16	19	35	56	58	60	68	55	34	17	12	4	–	–	–	–
Pleurisy	–	3	1	2	2	3	–	–	–	–	–	–	–	–	–	–
Pneumonia	16	19	27	20	15	16	11	11	3	3	–	–	–	–	–	–
Asthma	2	2	5	1	1	1	5	1	1	1	1	–	–	–	–	–
Lung Disease	2	3	5	5	2	10	6	3	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	2	1	1	1	–	1	1	–	–	–	–	–	–
Enteritis	3	2	3	3	1	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	1	3	2	1	1	1	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	4	–	1	1	2	1	–	–	–	–	–	–	–
Hernia	1	–	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Ileus	1	1	2	–	2	1	2	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	5	1	1	5	6	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	1	2	–	–	1	–	3	–	–	–	–	–	–	–
Liver Disease	2	5	4	11	6	10	8	8	3	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Nephritis	1	–	–	1	–	–	2	1	2	1	–	–	–	–	–	–
Nephria	4	3	3	4	4	2	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	2	–	1	2	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Stone	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Cystitis	–	–	1	–	4	–	1	2	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	5	3	5	4	4	4	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	2	1	–	–	1	–	1	–	1	–	–	–	–	–
Joint Disease	1	–	3	–	1	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	4	1	4	5	2	–	1	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	1	1	2	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	–	1	4	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Drowning	4	13	4	6	2	5	3	–	–	–	–	–	–	–	–	–
Fracture and Contusion	18	8	17	17	14	8	10	8	3	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	3	3	3	2	1	–	–	1	–	–	–	–	–	–
Not Specified	1	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6882	586	278	584	761	356	227	182	372	185	265	301	265
SPECIFIED CAUSES	6829	565	272	578	758	355	225	182	371	184	264	298	265
I. Zymotic Class	1493	78	81	193	304	144	107	94	157	46	38	60	32
II. Diseases of Uncertain Seat	193	3	–	2	4	3	1	2	2	3	3	2	6
III. Tubercular Class	1476	20	43	77	123	75	37	35	113	84	153	176	140
IV. Brain and Nervous System	515	45	23	53	31	30	14	10	26	9	9	6	10
V. Organs of Circulation	247	1	–	–	2	–	–	–	4	5	14	9	10
VI. Respiratory Organs	1414	63	64	181	205	75	52	30	34	16	20	19	24
VII. Organs of Digestion	449	43	33	53	66	9	4	1	12	8	8	9	13
VIII. Urinary Organs	77	–	–	–	1	2	1	1	1	3	6	3	4
IX. Organs of Generation	84	–	–	–	–	–	–	–	–	–	5	9	20
X. Organs of Locomotion	34	–	–	–	1	–	–	1	4	5	2	4	1
XI. Skin, etc.	5	2	1	1	–	–	–	–	–	–	–	–	–
XII. Malformation	21	18	1	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	297	268	16	13	–	–	–	–	–	–	–	–	–
XIV. Atrophy	66	–	–	–	14	7	2	2	5	1	3	–	–
XV. Age	279	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	30	4	3	2	–	–	1	–	1	–	–	–	–
XVIII. Violent Deaths	149	20	7	2	6	10	6	6	12	4	3	1	5
I. Small Pox	65	7	4	2	1	2	1	–	4	7	9	8	5
Measles	44	–	–	14	12	6	3	6	3	–	–	–	–
Scarlatina	194	1	1	11	23	23	23	23	63	14	2	5	3
Diphtheria	62	–	–	4	16	8	8	9	14	2	–	1	–
Hooping Cough	551	20	36	115	187	74	45	37	35	2	–	–	–
Croup	74	3	1	10	21	19	8	7	5	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	148	26	27	27	31	4	2	–	2	–	1	1	–
Dysentery	8	–	1	1	1	–	–	–	–	–	–	–	–
Cholera	5	–	–	2	1	–	–	–	–	–	1	–	1
Influenza	8	–	–	–	–	–	1	–	1	1	–	–	–
Purpura	4	–	–	–	1	–	–	–	1	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	91	–	–	–	–	–	2	–	5	8	9	9	9
Enteric Fever	91	–	–	2	5	5	6	6	16	6	12	13	4
Relapsing Fever	20	–	–	–	–	2	–	2	2	2	4	2	–
Simple Continued Fever	7	–	–	–	1	–	1	3	1	–	–	–	–
Infantile Remittent	14	1	–	–	2	1	6	1	3	–	–	–	–
Metria	38	–	–	–	–	–	–	–	–	–	–	16	6
Rheumatic Fever	9	–	–	–	–	–	–	–	2	3	–	1	1
Erysipelas	26	5	3	4	–	–	–	–	–	–	–	–	3
Pyæmia	3	–	–	–	–	–	–	–	–	1	–	1	–
Syphilis	26	11	8	1	2	–	–	–	–	–	–	2	–
Noma	1	–	–	–	–	–	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	47	–	–	–	3	2	1	2	1	1	2	–	2
Abscess	12	2	–	2	1	1	–	–	–	–	1	–	1
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	7	–	–	–	–	–	–	–	–	1	–	1	–
Cancer	119	–	–	–	–	–	–	–	1	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	91	2	2	5	13	11	4	6	14	12	8	5	2
Tabes Mesenterica	119	8	7	15	28	15	8	5	22	7	1	1	–
Phthisis	1055	4	8	16	27	24	12	10	51	61	143	170	138
Hydrocephalus	211	6	26	41	55	25	13	14	26	4	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	250	260	250	234	262	236	269	200	243	168	87	43	13	4	1	–
SPECIFIED CAUSES	250	258	250	232	261	233	269	200	243	168	87	43	13	4	1	–
Zymotic Class	24	24	19	15	18	8	18	12	12	8	1	–	–	–	–	–
Uncertain Seat	7	10	14	23	31	22	19	13	13	6	3	1	–	–	–	–
Tubercular Class	115	102	76	43	29	13	10	5	4	3	–	–	–	–	–	–
Brain, etc.	11	9	14	20	30	24	30	32	37	28	7	6	–	1	–	–
Heart, etc.	20	19	15	15	35	23	21	15	22	12	3	2	–	–	–	–
Respiratory Organs	30	40	49	70	63	86	107	58	69	42	12	3	2	–	–	–
Digestive Organs	10	19	23	23	25	24	27	18	12	7	2	–	–	–	–	–
Urinary Organs	6	10	7	7	8	5	4	6	1	–	–	–	1	–	–	–
Generative Organs	13	13	14	3	2	2	2	1	–	–	–	–	–	–	–	–
Locomotive Organs	2	2	2	–	–	6	3	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	6	3	9	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	21	31	68	56	59	30	10	3	1	–
Sudden Deaths	3	1	2	2	3	1	1	4	2	–	–	–	–	–	–	–
Violent Deaths	9	7	9	8	8	6	6	5	3	5	–	1	–	–	–	–
Small Pox	3	3	4	1	1	1	1	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	3	3	1	4	3	4	5	1	–	–	–	–	–
Dysentery	–	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	11	7	8	7	2	6	3	1	–	–	–	–	–	–	–
Enteric Fever	2	1	3	1	1	1	2	1	2	2	–	–	–	–	–	–
Relapsing Fever	1	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	3	2	–	3	–	1	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	1	1	4	7	4	4	3	1	1	2	1	–	–	–	–
Abscess	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–
Cancer	2	8	11	17	22	17	15	9	11	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	2	2	–	–	–	–	–	–	2	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	114	99	73	43	29	13	10	5	4	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	66	–	6	11	8	9	7	4	12	4	2	1	2
Apoplexy	112	3	3	9	6	4	1	1	4	–	2	2	2
Paralysis	137	–	–	1	–	1	–	–	–	1	2	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	15	–	–	–	–	–	–	–	–	1	1	1	3
Tetanus	2	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	115	41	11	24	14	14	4	4	3	–	–	–	–
Brain Disease	65	1	3	8	3	2	2	1	6	1	2	2	1
V. Pericarditis	5	–	–	–	–	–	–	–	–	1	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	240	1	–	–	2	–	–	–	4	4	13	9	10
VI. Laryngitis	16	1	2	3	1	1	1	1	–	–	–	3	–
Bronchitis	1049	47	44	137	152	63	38	20	21	6	7	7	13
Pleurisy	11	–	–	1	–	–	–	–	1	–	–	–	2
Pneumonia	271	14	18	39	49	10	12	7	11	8	10	7	6
Asthma	26	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	41	1	–	1	3	1	1	2	1	2	3	2	3
VII. Teething	93	–	4	36	49	4	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	17	–	2	1	–	1	–	–	1	1	1	–	–
Enteritis	95	23	18	12	9	2	2	1	4	2	2	–	2
Peritonitis	19	–	1	–	1	–	–	–	1	1	1	2	–
Ascites	9	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	13	–	–	–	–	–	–	–	–	1	–	–	–
Ileus	22	4	–	–	–	–	1	–	3	–	–	–	1
Intussusception	2	1	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	76	8	8	4	7	2	–	–	–	1	2	5	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	13	–	–	–	–	–	–	–	–	–	1	–	1
Jaundice	18	5	–	–	–	–	–	–	–	–	1	2	–
Liver Disease	62	2	–	–	–	–	–	–	2	1	–	–	4
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	7	–	–	–	–	–	–	1	1	–	–	–	–
Nephria	17	–	–	–	–	–	–	–	–	–	4	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	1	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	1	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	42	–	–	–	–	2	1	–	–	2	2	3	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	63	–	–	–	–	–	–	–	–	–	3	9	18
Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	2
X. Bone Disease	7	–	–	–	1	–	–	1	–	2	–	–	1
Rheumatism	15	–	–	–	–	–	–	–	–	1	–	1	–
Joint Disease	12	–	–	–	–	–	–	–	4	2	2	3	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	2	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	14	8	5	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	31	–	–	–	4	9	2	4	2	–	2	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	5	2	–	–	1	–	–	1	–	–	–	–
Drowning	9	1	–	–	1	–	1	–	2	–	–	–	1
Fracture and Contusion	47	–	–	1	1	–	3	1	7	4	1	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	9	5	–	–	–	–	–	1	–	–	–	–	–
Not Specified	53	21	6	6	3	1	2	–	1	1	1	3	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	4	3	7	11	10	5	9	13	6	2	1	–	1	–	–
Paralysis	4	–	6	9	15	10	22	21	21	19	2	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	1	1	1	–	–	–	–	1	–	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	3	4	3	3	4	3	2	3	2	3	1	–	–	–	–
Pericarditis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	18	18	15	14	34	23	21	15	22	12	3	2	–	–	–	–
Laryngitis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	20	23	35	56	50	70	86	44	59	37	10	2	2	–	–	–
Pleurisy	1	–	–	1	–	1	–	1	1	–	1	1	–	–	–	–
Pneumonia	8	11	4	9	9	6	10	10	7	5	1	–	–	–	–	–
Asthma	–	1	5	2	2	6	5	3	2	–	–	–	–	–	–	–
Lung Disease	1	4	4	2	2	3	5	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	1	–	1	–	3	1	–	1	–	–	–	–	–	–
Enteritis	1	1	3	4	2	2	2	1	2	–	–	–	–	–	–	–
Peritonitis	3	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	2	1	1	2	2	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–
Hernia	–	–	2	1	4	2	1	1	–	1	–	–	–	–	–	–
Ileus	–	1	1	2	1	1	4	2	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	3	2	6	4	5	6	2	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	–	2	3	3	–	1	–	–	–	–	–	–
Jaundice	–	–	1	1	2	–	1	2	2	–	1	–	–	–	–	–
Liver Disease	1	3	6	6	8	10	6	6	5	1	1	–	–	–	–	–
Spleen Disease	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	2	1	2	2	–	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	4	5	3	4	4	3	5	1	–	–	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	3	2	1	2	2	–	–	–	–	–	–	–	–	–
Childbirth	12	10	10	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	–	–	–	6	2	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	2	3	–	3	1	2	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	1	1	2	1	–	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	7	3	3	2	3	–	2	2	2	3	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Not Specified	–	2	–	2	1	3	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2747	281	104	228	284	130	81	59	176	65	90	99	122
Specified Causes	2682	262	94	222	278	126	79	59	175	65	90	99	120
I. Zymotic Class	606	35	34	69	102	67	46	26	74	15	20	20	27
II. Diseases of Uncertain Seat	56	3	–	–	1	–	–	1	–	2	–	–	1
III. Tubercular Class	558	6	17	44	68	23	12	18	51	30	43	46	50
IV. Brain and Nervous System	274	20	8	21	26	7	3	3	15	3	6	3	7
V. Organs of Circulation	109	–	–	–	1	–	–	–	3	5	2	2	7
VI. Respiratory Organs	435	35	21	61	53	19	10	5	14	3	9	7	11
VII. Organs of Digestion	153	23	6	16	18	6	2	1	4	1	1	5	6
VIII. Urinary Organs	24	1	–	–	–	–	1	1	1	–	1	4	–
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	10	–	–	–	–	–	–	–	–	2	1	–	1
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	12	10	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	138	123	6	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	28	–	–	–	8	4	2	2	1	–	1	–	1
XV. Age	158	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	–	1	1	–	–	–	1	–	–	–	–
XVII. Violent Deaths	90	5	–	1	–	–	3	2	11	4	5	9	4
I. Small Pox	26	1	–	2	1	1	1	–	–	6	1	5	4
Measles	14	–	–	4	6	3	–	1	–	–	–	–	–
Scarlatina	133	–	3	9	18	17	20	13	42	4	4	–	2
Diphtheria	39	1	1	4	9	10	1	4	4	–	1	1	1
Hooping Cough	147	5	16	33	41	23	18	6	5	–	–	–	–
Croup	32	1	3	2	9	8	2	1	6	–	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	60	11	7	9	14	3	–	–	1	–	2	–	1
Dysentery	3	–	–	–	–	–	–	–	–	–	1	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	5	–	–	1	–	–	–	–	1	1	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	38	–	–	1	–	–	1	–	1	2	4	3	6
Enteric Fever	24	1	–	1	1	1	3	–	10	1	3	1	–
Relapsing Fever	11	–	–	–	–	–	–	–	–	–	1	2	1
Simple Continued Fever	1	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	6	1	–	1	2	1	–	–	1	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	6
Rheumatic Fever	9	–	–	–	–	–	–	–	–	1	1	2	–
Erysipelas	15	4	2	1	–	–	–	–	2	–	1	1	–
Pyæmia	7	–	–	–	–	–	–	–	–	–	–	1	2
Syphilis	16	5	2	1	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	1	–	–	–	–	–	–	–	–
Dropsy	17	1	–	–	–	–	–	1	–	1	–	–	1
Abscess	3	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	31	2	2	1	2	3	1	–	6	2	2	2	1
Tabes Mesenterica	49	–	5	7	19	2	2	4	6	2	–	–	–
Phthisis	359	1	2	7	16	4	4	7	18	25	41	44	49
Hydrocephalus	119	3	8	29	31	14	5	7	21	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	102	122	89	95	98	91	99	101	97	69	41	15	3	4	1	1
Specified Causes	102	119	86	93	96	89	96	101	97	69	41	15	3	4	1	1
Zymotic Class	8	17	9	11	5	3	4	6	3	4	1	–	–	–	–	–
Uncertain Seat	–	4	2	5	9	3	8	5	8	4	–	–	–	–	–	–
Tubercular Class	47	35	21	14	16	7	7	1	–	2	–	–	–	–	–	–
Brain, etc.	15	17	14	14	16	20	15	14	13	8	5	1	–	–	–	–
Heart, etc.	2	10	7	10	11	12	15	12	6	2	2	–	–	–	–	–
Respiratory Organs	10	12	18	17	27	24	24	19	18	11	4	2	–	–	–	1
Digestive Organs	9	4	4	14	5	5	10	8	4	1	–	–	–	–	–	–
Urinary Organs	4	–	–	1	–	2	1	3	2	1	1	–	–	–	–	–
Generative Organs	–	6	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–
Skin	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	2	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	28	40	36	28	12	3	4	1	–
Sudden Deaths	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	12	6	5	2	4	4	4	3	–	–	–	–	–	–	–
Small Pox	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	3	1	–	–	2	1	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	3	3	4	2	1	2	1	1	1	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	3	–	3	1	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Erysipelas	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	–	2	2	2	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	3	1	5	6	1	5	3	4	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	2	2	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	45	35	19	12	15	6	6	1	–	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	35	3	3	7	7	1	1	1	8	–	1	–	–
Apoplexy	52	1	–	2	1	1	–	–	1	–	3	–	1
Paralysis	67	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	–	–	–	–	–	–	–	–	2	1	–	2
Tetanus	3	–	–	–	–	–	–	1	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	54	15	5	10	16	5	2	–	1	–	–	–	–
Brain Disease	47	1	–	2	2	–	–	1	5	1	–	3	3
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	108	–	–	–	1	–	–	–	3	5	2	1	7
VI. Laryngitis	4	2	–	–	–	–	1	1	–	–	–	–	–
Bronchitis	267	18	15	34	39	15	4	1	5	2	3	1	3
Pleurisy	7	1	–	1	1	–	–	–	1	–	–	–	–
Pneumonia	144	14	6	26	13	4	5	3	8	–	5	6	8
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	–	–	–	–	–	–	1	1	–	–
VII. Teething	22	–	–	11	11	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	5	–	–	–	–	–	1	–	1	–	–	–	–
Enteritis	31	10	2	1	6	4	–	–	1	–	–	1	1
Peritonitis	6	–	–	–	–	–	–	–	–	–	1	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	7	–	–	–	–	1	–	–	–	–	–	2	–
Hernia	3	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	1	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	24	5	3	4	1	1	–	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	9	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	29	1	1	–	–	–	1	–	–	1	–	–	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	1	–	1	–	–	–	–
Nephria	7	–	–	–	–	–	–	1	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	–	1	1	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	2	–	–	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	–	–	–	1	3	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	–	–	1	–	–	1	–
Drowning	28	1	–	–	–	–	1	–	2	2	2	4	1
Fracture and Contusion	39	1	–	–	–	–	2	–	4	2	3	3	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	65	19	10	6	6	4	2	–	1	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	6	1	6	3	9	2	7	4	2	1	–	–	–	–	–
Paralysis	5	3	8	5	9	6	8	3	8	5	4	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	2	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	4	3	–	4	4	5	3	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	10	7	10	11	12	15	12	6	2	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	3	13	8	21	20	15	14	13	10	4	2	–	–	–	–
Pleurisy	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	4	8	5	6	5	3	6	3	4	1	–	–	–	–	–	1
Asthma	1	–	–	2	–	1	2	1	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	3	3	–	5	–	3	3	3	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth	–	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	2	–	–	1	1	2	1	–	–	–	–	–	–	–
Fracture and Contusion	2	4	4	3	1	1	3	1	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	3	3	2	2	2	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1386	140	66	133	145	66	43	30	95	35	44	50	38
SPECIFIED CAUSES	1349	128	61	129	140	65	42	30	94	35	44	50	36
I. Zymotic Class	302	17	28	33	47	31	25	14	36	9	10	8	8
II. Diseases of Uncertain Seat	20	1	–	–	1	–	–	1	–	–	–	–	–
III. Tubercular Class	274	6	7	30	37	16	6	8	28	14	17	23	14
IV. Brain and Nervous System	152	9	5	14	16	3	3	3	10	2	3	3	1
V. Organs of Circulation	55	–	–	–	–	–	–	–	2	3	1	–	2
VI. Respiratory Organs	247	15	11	42	22	10	3	2	8	–	6	3	4
VII. Organs of Digestion	73	10	4	5	13	2	1	1	2	1	1	3	2
VIII. Urinary Organs	14	1	–	–	–	–	1	–	1	–	1	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	2	–	–	1
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	4	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	70	61	5	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	3	3	–	–	1	–	1	–	1
XV. Age	47	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	1	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	69	3	–	–	–	–	3	1	6	4	4	8	3
I. Small Pox	15	–	–	1	–	1	–	–	–	2	1	3	4
Measles	7	–	–	2	3	1	–	1	–	–	–	–	–
Scarlatina	76	–	3	3	9	10	14	10	21	4	1	–	–
Diphtheria	21	1	1	2	6	5	1	1	2	–	1	–	–
Hooping Cough	62	2	11	18	15	8	4	1	3	–	–	–	–
Croup	15	–	3	–	6	2	2	1	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	36	9	6	5	6	2	–	–	1	–	1	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	–	–	1	–	–	2	2	2	2
Enteric Fever	15	1	–	1	1	1	3	–	5	–	2	1	–
Relapsing Fever	4	–	–	–	–	–	–	–	–	–	1	1	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	1	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	6	–	2	–	–	–	–	–	2	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	1	–	–	1	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	1	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	2	1	–	2	1	–	–	3	1	1	1	1
Tabes Mesenterica	29	–	2	4	10	1	2	1	6	2	–	–	–
Phthisis	158	1	–	6	12	3	–	3	10	11	16	22	13
Hydrocephalus	68	3	4	20	13	11	4	4	9	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	49	56	46	45	50	55	51	56	48	29	12	3	–	1	–	–
SPECIFIED CAUSES	49	55	45	44	49	54	50	56	48	29	12	3	–	1	–	–
Zymotic Class	4	7	4	5	3	3	1	3	2	3	1	–	–	–	–	–
Uncertain Seat	–	1	1	2	4	1	3	2	3	–	–	–	–	–	–	–
Tubercular Class	18	17	10	6	7	5	3	1	–	1	–	–	–	–	–	–
Brain, etc.	10	6	8	9	8	10	10	8	5	5	1	–	–	–	–	–
Heart, etc.	–	5	3	4	6	10	6	8	3	2	–	–	–	–	–	–
Respiratory Organs	6	5	10	10	17	19	17	17	10	6	3	1	–	–	–	–
Digestive Organs	4	2	3	4	2	1	4	5	3	–	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	1	1	2	1	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	7	18	11	6	2	–	1	–	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	11	5	3	1	2	3	3	3	–	–	–	–	–	–	–
Small Pox	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	–	1	1	2	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	1	3	2	1	1	1	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	1	–	2	2	–	2	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	17	9	4	6	4	2	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	22	2	2	4	4	–	1	1	5	–	–	–	–
Apoplexy	27	1	–	2	1	–	–	–	1	–	2	–	–
Paralysis	33	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	2	–	–	–	–	–	–	1	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	33	6	3	7	11	3	2	–	1	–	–	–	–
Brain Disease	28	–	–	1	–	–	–	1	3	1	–	3	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	–	–	–	–	–	–	–	2	3	1	–	2
VI. Laryngitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	162	9	8	25	18	9	1	–	3	–	2	–	–
Pleurisy	3	–	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	75	6	3	16	3	1	1	2	5	–	4	3	4
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	–	4	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	–	–
Enteritis	19	6	1	1	6	1	–	–	1	–	–	1	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	6	–	–	–	–	1	–	–	–	–	–	1	–
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	2	–	1	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	4	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	15	1	1	–	–	–	1	–	–	1	–	–	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	1	–	1	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	3	–	–	–	–	–	–	–	–	–	–	1	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	–	1	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	1	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	1	–
Drowning	26	–	–	–	–	–	1	–	2	2	2	4	–
Fracture and Contusion	32	1	–	–	–	–	2	–	3	2	2	3	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	37	12	5	4	5	1	1	–	1	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	3	2	4	2	4	1	2	–	–	–	–	–	–
Paralysis	5	2	5	3	4	3	4	1	3	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	1	1	–	2	2	4	2	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	3	4	6	10	6	8	3	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
Bronchitis	2	2	9	6	12	15	12	12	7	6	3	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	3	3	1	2	4	3	5	3	3	–	–	–	–	–	–	–
Asthma	1	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	2	1	–	2	–	–	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	4	2	–	–	1	1	2	1	–	–	–	–	–	–	–
Fracture and Contusion	2	4	3	2	–	–	2	1	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1361	141	38	95	139	64	38	29	81	30	46	49	84
SPECIFIED CAUSES	1333	134	33	93	138	61	37	29	81	30	46	49	84
I. Zymotic Class	304	18	6	36	55	36	21	12	38	6	10	12	19
II. Diseases of Uncertain Seat	36	2	–	–	–	–	–	–	–	2	–	–	1
III. Tubercular Class	284	–	10	14	31	7	6	10	23	16	26	23	36
IV. Brain and Nervous System	122	11	3	7	10	4	–	–	5	1	3	–	6
V. Organs of Circulation	54	–	–	–	1	–	–	–	1	2	1	2	5
VI. Respiratory Organs	188	20	10	19	31	9	7	3	6	3	3	4	7
VII. Organs of Digestion	80	13	2	11	5	4	1	–	2	–	–	2	4
VIII. Urinary Organs	10	–	–	–	–	–	–	1	–	–	–	2	–
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	7	6	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	68	62	1	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	5	1	2	2	–	–	–	–	–
XV. Age	111	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	21	2	–	1	–	–	–	1	5	–	1	1	1
I. Small Pox	11	1	–	1	1	–	1	–	–	4	–	2	–
Measles	7	–	–	2	3	2	–	–	–	–	–	–	–
Scarlatina	57	–	–	6	9	7	6	3	21	–	3	–	2
Diphtheria	18	–	–	2	3	5	–	3	2	–	–	1	1
Hooping Cough	85	3	5	15	26	15	14	5	2	–	–	–	–
Croup	17	1	–	2	3	6	–	–	5	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	2	1	4	8	1	–	–	–	–	1	–	1
Dysentery	2	–	–	–	–	–	–	–	–	–	1	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	1
Purpura	2	–	–	1	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	15	–	–	1	–	–	–	–	1	–	2	1	4
Enteric Fever	9	–	–	–	–	–	–	–	5	1	1	–	–
Relapsing Fever	7	–	–	–	–	–	–	–	–	–	–	1	1
Simple Continued Fever	1	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	3	1	–	–	1	–	–	–	1	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	6
Rheumatic Fever	6	–	–	–	–	–	–	–	–	–	1	1	–
Erysipelas	9	4	–	1	–	–	–	–	–	–	1	1	–
Pyæmia	6	–	–	–	–	–	–	–	–	–	–	1	2
Syphilis	7	2	–	1	1	–	–	–	–	–	–	2	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	1	–	–	–	–	–	–	–	1	–	–	1
Abscess	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	20	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	1	–	2	1	–	3	1	1	1	–
Tabes Mesenterica	20	–	3	3	9	1	–	3	–	–	–	–	–
Phthisis	201	–	2	1	4	1	4	4	8	14	25	22	36
Hydrocephalus	51	–	4	9	18	3	1	3	12	1	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	53	66	43	50	48	36	48	45	49	40	29	12	3	3	1	1
SPECIFIED CAUSES	53	64	41	49	47	35	46	45	49	40	29	12	3	3	1	1
Zymotic Class	4	10	5	6	2	–	3	3	1	1	–	–	–	–	–	–
Uncertain Seat	–	3	1	3	5	2	5	3	5	4	–	–	–	–	–	–
Tubercular Class	29	18	11	8	9	2	4	–	–	1	–	–	–	–	–	–
Brain, etc.	5	11	6	5	8	10	5	6	8	3	4	1	–	–	–	–
Heart, etc.	2	5	4	6	5	2	9	4	3	–	2	–	–	–	–	–
Respiratory Organs	4	7	8	7	10	5	7	2	8	5	1	1	–	–	–	1
Digestive Organs	5	2	1	10	3	4	6	3	1	1	–	–	–	–	–	–
Urinary Organs	4	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Generative Organs	–	6	3	–	1	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	2	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	21	22	25	22	10	3	3	1	–
Sudden Deaths	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	2	1	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	1	–	–	1	–	1	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	1	2	1	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	2	1	3	4	1	3	2	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	18	10	8	9	2	4	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	13	1	1	3	3	1	–	–	3	–	1	–	–
Apoplexy	25	–	–	–	–	1	–	–	–	–	1	–	1
Paralysis	34	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	–	–	1	–	–	2
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	21	9	2	3	5	2	–	–	–	–	–	–	–
Brain Disease	19	1	–	1	2	–	–	–	2	–	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	53	–	–	–	1	–	–	–	1	2	1	1	5
VI. Laryngitis	3	2	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	105	9	7	9	21	6	3	1	2	2	1	1	3
Pleurisy	4	1	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	69	8	3	10	10	3	4	1	3	–	1	3	4
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	1	1	–	–
VII. Teething	12	–	–	7	5	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	12	4	1	–	–	3	–	–	–	–	–	–	1
Peritonitis	4	–	–	–	–	–	–	–	–	–	–	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	5	1	4	–	1	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	1	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	–	–	1	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	–	–	–	2	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	1	–	–	–	–
Drowning	2	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	7	–	–	–	–	–	–	–	1	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	28	7	5	2	1	3	1	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	5	–	3	1	5	–	3	3	–	1	–	–	–	–	–
Paralysis	–	1	3	2	5	3	4	2	5	3	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	2	–	2	2	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	5	4	6	5	2	9	4	3	–	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	4	2	9	5	3	2	6	4	1	1	–	–	–	–
Pleurisy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	5	4	4	1	–	1	–	1	1	–	–	–	–	–	1
Asthma	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	–	3	–	3	1	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth	–	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	2	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	5484	495	192	293	365	178	141	106	342	188	199	268	267
Specified Causes	5447	486	189	290	360	178	141	106	340	188	199	268	265
I. Zymotic Class	1718	102	76	118	146	92	91	67	247	120	84	119	103
II. Diseases of Uncertain Seat	200	5	–	–	1	–	1	1	4	3	4	3	6
III. Tubercular Class	743	18	14	41	59	34	20	14	36	17	64	74	78
IV. Brain and Nervous System	547	36	21	21	33	16	12	6	12	11	11	12	13
V. Organs of Circulation	363	2	–	–	–	1	–	–	3	7	7	10	16
VI. Respiratory Organs	745	54	43	71	92	29	8	13	15	6	5	13	8
VII. Organs of Digestion	276	36	18	28	16	3	4	–	5	6	8	9	5
VIII. Urinary Organs	120	1	1	2	2	–	2	4	2	5	8	5	5
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	–	4	12
X. Organs of Locomotion	46	–	–	–	1	–	1	–	9	9	4	3	3
XI. Skin, etc.	4	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	24	21	1	–	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	208	194	9	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	27	–	–	–	6	1	1	1	–	2	–	–	1
XV. Age	227	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	158	17	4	3	2	2	1	–	7	2	4	16	15
I. Small Pox	718	52	39	17	14	6	12	13	69	73	68	96	73
Measles	8	–	1	1	2	1	2	1	–	–	–	–	–
Scarlatina	343	1	3	13	32	37	47	34	129	27	4	5	5
Diphtheria	53	–	–	5	9	11	7	2	11	4	–	1	1
Hooping Cough	190	12	11	52	69	21	11	5	9	–	–	–	–
Croup	29	–	–	5	4	7	5	1	7	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	88	17	12	12	7	3	1	–	3	–	–	1	2
Dysentery	8	–	1	–	1	–	–	–	1	–	–	–	–
Cholera	9	1	2	1	1	–	–	–	–	–	–	–	–
Influenza	3	–	1	1	1	–	–	–	–	–	–	–	–
Purpura	6	–	1	–	–	–	–	–	2	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	101	–	–	3	1	2	3	3	5	7	8	7	3
Enteric Fever	63	1	1	2	2	2	3	4	6	5	4	5	6
Relapsing Fever	5	1	–	–	–	–	–	–	–	1	–	1	–
Simple Continued Fever	4	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	8	–	–	2	2	1	–	2	1	–	–	–	–
Metria	17	–	–	–	–	–	–	–	–	–	–	2	7
Rheumatic Fever	10	–	–	–	–	–	–	–	3	–	–	–	2
Erysipelas	29	5	3	1	–	–	–	1	1	1	–	1	1
Pyæmia	7	–	–	1	–	–	–	1	–	1	–	–	1
Syphilis	18	11	1	2	1	–	–	–	–	–	–	–	2
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	20	1	–	–	–	–	–	–	2	1	–	–	1
Abscess	20	2	–	–	–	–	–	1	1	1	2	1	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	17	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	136	1	–	–	–	–	1	–	1	1	2	2	3
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	46	2	2	3	6	3	2	3	4	2	3	4	3
Tabes Mesenterica	59	7	5	8	18	9	–	1	6	1	2	–	–
Phthisis	501	1	–	1	4	4	7	4	5	12	57	69	75
Hydrocephalus	137	8	7	29	31	18	11	6	21	2	2	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	237	221	210	194	242	208	263	245	237	197	111	66	15	3	1	–
Specified Causes	235	219	209	194	240	205	260	245	237	197	111	66	15	3	1	–
Zymotic Class	85	69	39	31	40	16	25	17	18	9	3	1	–	–	–	–
Uncertain Seat	3	6	14	14	26	20	27	23	13	12	10	4	–	–	–	–
Tubercular Class	63	60	50	33	22	18	19	5	3	–	–	1	–	–	–	–
Brain, etc.	10	14	22	21	23	28	42	51	52	51	21	6	2	–	–	–
Heart, etc.	18	15	27	27	49	33	52	41	31	14	7	2	1	–	–	–
Respiratory Organs	20	23	16	33	38	42	37	59	56	40	15	6	3	–	–	–
Digestive Organs	10	6	16	10	16	20	24	8	10	12	6	–	–	–	–	–
Urinary Organs	8	8	6	7	10	9	8	10	9	5	1	2	–	–	–	–
Generative Organs	4	6	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Locomotive Organs	5	1	1	1	5	–	–	2	1	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	3	3	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	15	22	39	48	47	43	9	3	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	8	10	11	13	6	11	10	6	4	4	1	1	–	–	–	–
Small Pox	64	47	21	22	19	3	6	3	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	1	–	2	2	3	5	5	6	2	1	–	–	–	–
Dysentery	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	10	9	7	10	4	5	4	6	–	–	–	–	–	–	–
Enteric Fever	3	3	4	–	4	4	1	1	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	1	4	1	3	1	1	–	–	–	–	–
Pyæmia	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Dropsy	–	1	1	1	1	2	3	2	2	1	1	–	–	–	–	–
Abscess	–	–	–	1	2	2	1	3	2	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	2	1	2	1	3	3	1	–	–	–	–
Cancer	2	4	12	11	22	14	20	16	7	8	6	3	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	4	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	62	55	47	32	22	16	19	5	3	–	–	1	–	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	67	5	4	7	14	4	3	2	6	1	5	4	1
Apoplexy	134	–	–	2	3	3	2	–	2	2	–	3	2
Paralysis	152	–	–	–	–	–	1	–	–	–	1	1	1
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	25	–	–	–	–	–	–	–	–	2	3	2	3
Tetanus	3	–	1	–	1	1	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	79	31	16	11	10	5	3	2	1	–	–	–	–
Brain Disease	79	–	–	1	5	3	3	2	3	6	2	2	6
V. Pericarditis	9	–	–	–	–	–	–	–	1	1	–	3	–
Aneurism	19	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	335	2	–	–	–	1	–	–	2	6	7	7	15
VI. Laryngitis	15	–	–	1	3	2	–	1	–	1	–	1	1
Bronchitis	488	35	41	58	69	18	5	6	5	–	1	3	1
Pleurisy	22	–	–	1	–	–	–	–	1	–	2	1	1
Pneumonia	176	17	2	11	17	7	3	5	8	4	2	4	3
Asthma	17	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	27	2	–	–	3	2	–	1	1	1	–	3	2
VII. Teething	34	–	2	21	11	–	–	–	–	–	–	–	–
Quinsey	3	–	1	–	–	–	–	–	1	–	–	–	–
Gastritis	11	3	1	–	–	–	–	–	–	–	–	–	1
Enteritis	35	12	6	1	2	1	–	–	–	3	–	1	–
Peritonitis	30	1	2	–	–	–	1	–	2	1	3	3	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	14	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	7	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	18	6	1	–	–	–	–	–	–	–	2	1	–
Intussusception	7	–	2	1	–	–	–	–	2	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	39	5	3	4	2	1	–	–	–	1	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	15	8	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	57	1	–	–	–	1	1	–	–	–	1	2	2
Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	7	–	–	–	–	–	–	2	1	1	–	1	–
Nephria	59	–	–	1	1	–	1	1	1	3	6	4	5
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	11	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	27	1	1	1	–	–	1	1	–	–	2	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	26	–	–	–	–	–	–	–	–	–	–	4	12
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	22	–	–	–	1	–	1	–	5	5	2	2	1
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	18	–	–	–	–	–	–	–	4	4	2	1	2
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	1	1	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	7	2	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	–	2	2	1	–	–	2	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	8	7	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	88	–	–	–	–	1	1	–	5	2	3	15	10
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	3	–	1	–	–	–	–	–	–	–	–	1
Not Specified	37	9	3	3	5	–	–	–	2	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	3	1	–	–	1	–	1	–	–	–	–	–	–	–
Apoplexy	1	3	9	6	9	14	14	14	15	22	5	2	1	–	–	–
Paralysis	1	2	4	7	8	8	17	29	29	26	13	3	1	–	–	–
Delirium Tremens	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	4	2	4	–	–	2	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	4	1	5	2	6	8	6	5	3	3	1	–	–	–	–
Pericarditis	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Aneurism	3	1	–	3	4	–	3	3	–	–	–	1	–	–	–	–
Heart Disease	15	14	27	23	43	32	49	38	31	14	7	1	1	–	–	–
Laryngitis	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	8	4	14	24	24	24	44	42	32	15	6	3	–	–	–
Pleurisy	2	2	2	3	1	2	1	2	1	–	–	–	–	–	–	–
Pneumonia	10	11	9	9	10	9	10	10	8	7	–	–	–	–	–	–
Asthma	–	–	1	5	1	2	2	2	3	–	–	–	–	–	–	–
Lung Disease	–	1	–	1	2	4	–	1	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
Enteritis	–	1	–	1	1	–	4	–	1	1	–	–	–	–	–	–
Peritonitis	3	1	1	–	3	–	3	–	–	3	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	1	3	2	1	1	2	–	–	1	1	–	–	–	–	–
Hernia	1	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	2	2	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	3	1	5	4	2	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	9	3	6	10	3	3	6	4	3	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	5	4	4	6	2	2	3	3	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Diabetes	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	–	3	2	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	2	4	2	4	–	2	–	2	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Bone Disease	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	1	2	2	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	1	1	–	2	1	–	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	6	8	6	3	6	4	5	4	2	–	1	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	1	–	2	3	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2710	279	103	146	191	85	65	47	175	96	104	156	128
SPECIFIED CAUSES	2693	273	102	146	190	85	65	47	175	96	104	156	126
I. Zymotic Class	845	57	42	52	67	43	42	26	126	62	38	72	42
II. Diseases of Uncertain Seat	84	2	–	–	1	–	1	1	3	2	2	3	3
III. Tubercular Class	385	12	5	18	33	17	8	8	19	8	37	37	43
IV. Brain and Nervous System	266	20	14	11	18	7	9	1	5	4	7	9	7
V. Organs of Circulation	180	1	–	–	–	–	–	–	1	4	3	4	6
VI. Respiratory Organs	373	35	19	41	55	15	1	6	7	2	1	9	5
VII. Organs of Digestion	135	25	9	16	8	1	1	–	2	1	5	3	1
VIII. Urinary Organs	71	–	–	2	1	–	2	4	1	4	4	1	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	31	–	–	–	–	–	–	–	6	6	3	3	3
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	17	14	1	–	2	–	–	–	–	–	–	–	–
XIII. Premature Debility	109	99	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	4	–	1	1	–	1	–	–	–
XV. Age	71	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	109	8	3	3	1	2	–	–	5	2	4	15	14
I. Small Pox	371	30	24	5	7	4	4	4	33	39	32	61	32
Measles	5	–	1	1	1	1	1	–	–	–	–	–	–
Scarlatina	172	1	1	4	17	16	25	14	71	15	–	3	2
Diphtheria	29	–	–	3	8	5	4	1	5	2	–	–	–
Hooping Cough	78	6	6	21	26	10	4	2	3	–	–	–	–
Croup	16	–	–	3	2	3	1	1	6	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	39	7	7	7	3	2	–	–	–	–	–	–	1
Dysentery	2	–	–	–	1	–	–	–	1	–	–	–	–
Cholera	6	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	1	1	–	–	–	–	–	–	–	–	–
Purpura	2	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	55	–	–	2	1	–	2	1	2	3	4	4	3
Enteric Fever	27	1	–	2	–	1	1	2	3	1	2	4	3
Relapsing Fever	4	1	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	3	–	–	1	1	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	16	4	–	–	–	–	–	–	1	–	–	–	–
Pyæmia	3	–	–	1	–	–	–	–	–	1	–	–	–
Syphilis	8	6	–	1	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	1	–	–	–	–	–	–	2	1	–	–	–
Abscess	12	–	–	–	–	–	–	1	–	1	1	1	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	53	–	–	–	–	–	1	–	1	–	1	2	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	26	1	1	1	4	2	–	2	1	2	2	1	2
Tabes Mesenterica	29	5	1	2	9	5	–	–	4	1	1	–	–
Phthisis	255	1	–	1	2	2	4	–	2	3	33	35	41
Hydrocephalus	75	5	3	14	18	8	4	6	12	2	1	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	123	108	116	98	116	94	133	111	95	73	43	19	4	1	1	–
SPECIFIED CAUSES	122	107	116	98	114	93	131	111	95	73	43	19	4	1	1	–
Zymotic Class	46	30	23	19	19	4	14	8	7	4	1	1	–	–	–	–
Uncertain Seat	2	2	6	5	11	8	14	7	6	1	3	1	–	–	–	–
Tubercular Class	28	27	31	16	11	10	10	3	3	–	–	1	–	–	–	–
Brain, etc.	7	9	12	9	7	11	19	23	21	24	9	2	1	–	–	–
Heart, etc.	7	8	12	13	26	17	31	17	17	7	5	1	–	–	–	–
Respiratory Organs	14	11	8	17	19	24	15	31	15	13	5	3	2	–	–	–
Digestive Organs	4	5	11	5	5	7	13	5	4	3	1	–	–	–	–	–
Urinary Organs	4	3	4	5	9	4	5	6	5	4	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	1	1	–	3	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	7	13	15	18	9	1	1	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	6	10	8	8	2	6	4	4	3	–	1	–	–	–	–	–
Small Pox	35	20	13	14	9	1	3	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	2	3	3	2	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	7	4	4	2	4	2	2	–	–	–	–	–	–	–
Enteric Fever	2	2	–	–	2	–	–	–	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	–	3	–	2	1	1	–	–	–	–	–
Pyæmia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	1	2	–	1	1	2	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	1	1	–	2	–	–	–	–	–
Cancer	2	2	6	4	8	6	9	4	2	1	1	1	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	24	29	15	11	8	10	3	3	–	–	1	–	–	–	–
Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	38	1	1	3	9	3	2	1	4	–	3	4	1
Apoplexy	63	–	–	2	–	–	2	–	–	–	–	2	1
Paralysis	60	–	–	–	–	–	1	–	–	–	–	1	–
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	15	–	–	–	–	–	–	–	–	1	3	1	1
Tetanus	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	48	19	12	5	7	3	1	–	1	–	–	–	–
Brain Disease	35	–	–	1	2	1	3	–	–	3	1	1	4
V. Pericarditis	5	–	–	–	–	–	–	–	1	–	–	2	–
Aneurism	15	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	160	1	–	–	–	–	–	–	–	4	3	2	6
VI. Laryngitis	11	–	–	1	1	2	–	–	–	–	–	1	1
Bronchitis	238	20	18	35	46	10	–	2	2	–	–	1	1
Pleurisy	8	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	98	13	1	5	7	2	1	4	5	2	1	3	2
Asthma	8	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	10	2	–	–	1	1	–	–	–	–	–	2	1
VII. Teething	17	–	1	9	7	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	1	–	–	–	–
Gastritis	7	2	–	–	–	–	–	–	–	–	–	–	1
Enteritis	22	9	5	1	–	1	–	–	–	–	–	–	–
Peritonitis	13	1	2	–	–	–	–	–	1	–	1	2	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	4	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	11	4	–	–	–	–	–	–	–	–	2	–	–
Intussusception	2	–	–	1	–	–	–	–	–	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	4	1	4	1	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	24	1	–	–	–	–	1	–	–	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	6	–	–	–	–	–	–	2	1	1	–	1	–
Nephria	29	–	–	1	–	–	1	1	–	2	2	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	10	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	15	–	–	1	–	–	1	1	–	–	2	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	16	–	–	–	–	–	–	–	4	4	1	2	1
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	11	–	–	–	–	–	–	–	2	2	2	1	2
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	1	–	3
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	2	–	–	–	–	–	–	–	–	–	–
Neglect	1	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	2	1	1	–	–	1	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	70	–	–	–	–	1	–	–	4	2	3	15	9
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	3	–	1	–	–	–	–	–	–	–	–	1
Not Specified	17	6	1	–	1	–	–	–	–	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	2	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Apoplexy	1	1	5	2	3	6	8	9	8	11	1	–	1	–	–	–
Paralysis	1	1	2	3	3	4	7	12	8	10	6	1	–	–	–	–
Delirium Tremens	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	3	2	1	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	1	1	–	1	2	1	4	3	2	1	–	–	–	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	1	–	3	4	–	2	2	–	–	–	–	–	–	–	–
Heart Disease	4	7	12	10	20	17	29	15	17	7	5	1	–	–	–	–
Laryngitis	2	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	4	2	3	8	11	13	8	25	8	11	5	3	2	–	–	–
Pleurisy	–	1	1	2	–	1	1	1	–	–	–	–	–	–	–	–
Pneumonia	8	7	3	6	8	5	5	5	3	2	–	–	–	–	–	–
Asthma	–	–	1	–	–	2	1	–	3	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Enteritis	–	1	–	1	–	–	3	–	–	1	–	–	–	–	–	–
Peritonitis	1	1	1	–	2	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	–	2	3	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	6	3	3	4	1	1	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	3	2	4	5	1	–	1	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	1	1	1	–	3	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	3	–	3	2	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	–	2	–	2	2	–	1	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	5	6	6	4	2	3	3	4	3	–	–	–	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	–	–	2	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2774	216	89	147	174	93	76	59	167	92	95	112	139
SPECIFIED CAUSES	2754	213	87	144	170	93	76	59	165	92	95	112	139
I. Zymotic Class	873	45	34	66	79	49	49	41	121	58	46	47	61
II. Diseases of Uncertain Seat	116	3	–	–	–	–	–	–	1	1	2	–	3
III. Tubercular Class	358	6	9	23	26	17	12	6	17	9	27	37	35
IV. Brain and Nervous System	281	16	7	10	15	9	3	5	7	7	4	3	6
V. Organs of Circulation	183	1	–	–	–	1	–	–	2	3	4	6	10
VI. Respiratory Organs	372	19	24	30	37	14	7	7	8	4	4	4	3
VII. Organs of Digestion	141	11	9	12	8	2	3	–	3	5	3	6	4
VIII. Urinary Organs	49	1	1	–	1	–	–	–	1	1	4	4	3
IX. Organs of Generation	38	–	–	–	–	–	–	–	–	–	–	4	12
X. Organs of Locomotion	15	–	–	–	1	–	1	–	3	3	1	–	–
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	7	7	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	99	95	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	2	1	–	–	–	1	–	–	1
XV. Age	156	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	49	9	1	–	1	–	1	–	2	–	–	1	1
I. Small Pox	347	22	15	12	7	2	8	9	36	34	36	35	41
Measles	3	–	–	–	1	–	1	1	–	–	–	–	–
Scarlatina	171	–	2	9	15	21	22	20	58	12	4	2	3
Diphtheria	24	–	–	2	1	6	3	1	6	2	–	1	1
Hooping Cough	112	6	5	31	43	11	7	3	6	–	–	–	–
Croup	13	–	–	2	2	4	4	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	10	5	5	4	1	1	–	3	–	–	1	1
Dysentery	6	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	1	1	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	2	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	46	–	–	1	–	2	1	2	3	4	4	3	–
Enteric Fever	36	–	1	–	2	1	2	2	3	4	2	1	3
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	–	–	1	1	1	–	1	1	–	–	–	–
Metria	17	–	–	–	–	–	–	–	–	–	–	2	7
Rheumatic Fever	6	–	–	–	–	–	–	–	2	–	–	–	2
Erysipelas	13	1	3	1	–	–	–	1	–	1	–	1	1
Pyæmia	4	–	–	–	–	–	–	1	–	–	–	–	1
Syphilis	10	5	1	1	1	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	12	–	–	–	–	–	–	–	–	–	–	–	1
Abscess	8	2	–	–	–	–	–	–	1	–	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	8	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	83	1	–	–	–	–	–	–	–	1	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	1	1	2	2	1	2	1	3	–	1	3	1
Tabes Mesenterica	30	2	4	6	9	4	–	1	2	–	1	–	–
Phthisis	246	–	–	–	2	2	3	4	3	9	24	34	34
Hydrocephalus	62	3	4	15	13	10	7	–	9	–	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	114	113	94	96	126	114	130	134	142	124	68	47	11	2	–	–
SPECIFIED CAUSES	113	112	93	96	126	112	129	134	142	124	68	47	11	2	–	–
Zymotic Class	39	39	16	12	21	12	11	9	11	5	2	–	–	–	–	–
Uncertain Seat	1	4	8	9	15	12	13	16	7	11	7	3	–	–	–	–
Tubercular Class	35	33	19	17	11	8	9	2	–	–	–	–	–	–	–	–
Brain, etc.	3	5	10	12	16	17	23	28	31	27	12	4	1	–	–	–
Heart, etc.	11	7	15	14	23	16	21	24	14	7	2	1	1	–	–	–
Respiratory Organs	6	12	8	16	19	18	22	28	41	27	10	3	1	–	–	–
Digestive Organs	6	1	5	5	11	13	11	3	6	9	5	–	–	–	–	–
Urinary Organs	4	5	2	2	1	5	3	4	4	1	1	1	–	–	–	–
Generative Organs	4	6	5	1	2	1	1	1	1	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	1	2	–	–	2	–	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	2	1	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	15	26	33	29	34	8	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	3	5	4	5	6	2	1	4	–	1	–	–	–	–
Small Pox	29	27	8	8	10	2	3	2	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	1	–	2	2	1	2	2	4	2	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	1	2	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	4	2	3	6	2	1	2	4	–	–	–	–	–	–	–
Enteric Fever	1	1	4	–	2	4	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	1	1	1	1	1	2	1	1	1	1	–	–	–	–	–
Abscess	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	1	–	1	–	3	1	1	–	–	–	–
Cancer	–	2	6	7	14	8	11	12	5	7	5	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	35	31	18	17	11	8	9	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	29	4	3	4	5	1	1	1	2	1	2	–	–
Apoplexy	71	–	–	–	3	3	–	–	2	2	–	1	1
Paralysis	92	–	–	–	–	–	–	–	–	–	1	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	1	–	1	2
Tetanus	2	–	–	–	1	1	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	31	12	4	6	3	2	2	2	–	–	–	–	–
Brain Disease	44	–	–	–	3	2	–	2	3	3	1	1	2
V. Pericarditis	4	–	–	–	–	–	–	–	–	1	–	1	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	175	1	–	–	–	1	–	–	2	2	4	5	9
VI. Laryngitis	4	–	–	–	2	–	–	1	–	1	–	–	–
Bronchitis	250	15	23	23	23	8	5	4	3	–	1	2	–
Pleurisy	14	–	–	1	–	–	–	–	1	–	2	–	1
Pneumonia	78	4	1	6	10	5	2	1	3	2	1	1	1
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	17	–	–	–	2	1	–	1	1	1	–	1	1
VII. Teething	17	–	1	12	4	–	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	4	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	13	3	1	–	2	–	–	–	–	3	–	1	–
Peritonitis	17	–	–	–	–	–	1	–	1	1	2	1	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	10	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	2	1	–	–	–	–	–	–	–	–	1	–
Intussusception	5	–	2	–	–	–	–	–	2	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	17	1	2	–	1	1	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	10	4	–	–	1	–	2	–	–	–	–	–	–
Liver Disease	33	–	–	–	–	1	–	–	–	–	1	1	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	30	–	–	–	1	–	–	–	1	1	4	4	3
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	1	1	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	26	–	–	–	–	–	–	–	–	–	–	4	12
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	6	–	–	–	1	–	1	–	1	1	1	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	7	–	–	–	–	–	–	–	2	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	4	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	5	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	18	–	–	–	–	–	1	–	1	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	20	3	2	3	4	–	–	–	2	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	4	4	6	8	6	5	7	11	4	2	–	–	–	–
Paralysis	–	1	2	4	5	4	10	17	21	16	7	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	3	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	4	2	5	6	5	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
Heart Disease	11	7	15	13	23	15	20	23	14	7	2	–	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	6	1	6	13	11	16	19	34	21	10	3	1	–	–	–
Pleurisy	2	1	1	1	1	1	–	1	1	–	–	–	–	–	–	–
Pneumonia	2	4	6	3	2	4	5	5	5	5	–	–	–	–	–	–
Asthma	–	–	–	5	1	–	1	2	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	1	2	2	–	1	1	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	1	–	2	–	–	3	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	1	–	1	2	1	1	1	–	–	1	1	–	–	–	–	–
Hernia	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	3	1	3	1	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	3	–	3	6	2	2	5	4	2	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	2	–	1	1	2	2	3	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	–	–	4	–	2	–	1	–	1	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	2	2	1	3	1	1	1	2	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	3491	390	163	267	358	186	101	101	176	83	99	138	111
Specified Causes	3464	385	158	265	357	186	100	101	174	83	98	137	111
I. Zymotic Class	963	64	50	100	156	108	57	67	99	36	26	43	25
II. Diseases of Uncertain Seat	104	2	–	2	3	1	1	1	1	1	–	2	4
III. Tubercular Class	552	6	10	41	51	33	8	11	25	25	47	69	38
IV. Brain and Nervous System	269	38	14	17	13	8	7	4	6	1	3	2	8
V. Organs of Circulation	192	–	1	2	–	–	–	3	3	3	4	2	10
VI. Respiratory Organs	681	67	55	79	103	29	23	11	24	7	5	6	6
VII. Organs of Digestion	156	17	10	19	16	4	2	1	3	2	1	4	5
VIII. Urinary Organs	38	–	–	–	3	–	–	–	–	1	3	1	2
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	2	2	5
X. Organs of Locomotion	16	–	–	–	–	–	–	–	3	4	1	1	1
XI. Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	14	13	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	182	168	11	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	30	–	–	–	8	2	2	2	1	–	1	2	1
XV. Age	149	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	1	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	93	9	5	1	3	1	–	1	9	3	5	3	6
I. Small Pox	300	26	18	17	15	9	9	15	53	27	17	36	18
Measles	124	2	2	25	42	28	8	12	5	–	–	–	–
Scarlatina	8	–	1	1	–	–	1	2	1	1	1	–	–
Diphtheria	103	3	2	10	17	27	11	14	15	1	1	–	–
Hooping Cough	84	5	5	16	26	11	9	7	5	–	–	–	–
Croup	87	3	4	7	23	16	12	12	10	–	–	–	–
Thrush	2	1	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	109	18	15	18	29	11	2	1	1	1	–	–	1
Dysentery	12	–	–	1	–	–	–	–	–	–	–	–	1
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	5	–	–	1	1	1	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	–	–	–	–	–	1	2	2	–	–
Enteric Fever	48	–	–	1	1	2	3	2	4	4	5	1	1
Relapsing Fever	13	–	–	–	–	–	–	1	1	–	–	–	–
Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	–	2	–
Infantile Remittent	5	–	–	1	1	2	1	–	–	–	–	–	–
Metria	10	–	–	–	–	–	–	–	–	–	–	3	3
Rheumatic Fever	3	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	7	–	1	–	–	–	–	1	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	11	5	2	2	–	–	–	–	–	–	–	–	–
Noma	3	1	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	29	–	–	–	1	1	1	1	1	–	–	–	–
Abscess	5	1	–	1	2	–	–	–	–	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	4	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	59	–	–	–	–	–	–	–	–	–	–	2	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	1	5	5	4	1	1	4	1	1	2	–
Tabes Mesenterica	56	2	3	10	20	10	2	–	3	2	1	–	–
Phthisis	385	–	–	6	6	4	3	4	9	20	45	67	38
Hydrocephalus	84	4	6	20	20	15	2	6	9	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	113	131	131	136	141	124	165	112	132	65	38	24	5	1	–	–
Specified Causes	113	129	130	134	139	123	164	112	132	65	38	24	5	1	–	–
Zymotic Class	25	15	18	19	13	14	9	5	8	3	2	1	–	–	–	–
Uncertain Seat	2	7	5	13	18	14	9	5	8	2	3	–	–	–	–	–
Tubercular Class	50	41	27	26	12	14	11	2	3	2	–	–	–	–	–	–
Brain, etc.	5	8	14	16	22	15	17	23	15	6	7	–	–	–	–	–
Heart, etc.	10	12	22	17	14	22	30	15	17	3	2	–	–	–	–	–
Respiratory Organs	12	16	20	24	41	22	48	23	33	17	3	5	1	1	–	–
Digestive Organs	1	9	8	7	7	10	10	8	5	4	2	1	–	–	–	–
Urinary Organs	3	7	3	1	3	3	3	3	2	–	–	–	–	–	–	–
Generative Organs	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	1	–	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	3	2	–	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	20	24	37	28	19	17	4	–	–	–
Sudden Deaths	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	5	6	9	9	5	3	5	3	2	–	–	–	–	–	–	–
Small Pox	14	9	9	6	1	–	–	–	–	–	1	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	1	–	2	1	1	3	1	–	–	1	–	–	–	–
Dysentery	3	–	2	–	1	2	–	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	3	5	1	1	2	1	–	1	–	–	–	–	–	–
Enteric Fever	1	–	–	3	5	7	5	1	2	–	–	–	–	–	–	–
Relapsing Fever	1	–	2	3	2	1	–	–	1	1	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	–	4	5	5	3	2	2	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	1	4	9	12	9	5	3	5	2	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	49	40	27	25	12	13	10	2	3	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	19	–	2	2	3	3	1	2	2	–	1	–	1
Apoplexy	63	1	2	3	2	1	3	–	2	–	1	–	2
Paralysis	75	–	–	1	–	1	1	–	–	–	1	–	2
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	1	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	72	36	10	10	7	3	2	2	2	–	–	–	–
Brain Disease	27	1	–	1	1	–	–	–	–	–	–	1	3
V. Pericarditis	2	–	–	2	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	188	–	1	–	–	–	–	3	3	3	4	2	10
VI. Laryngitis	7	–	–	2	–	1	–	–	4	–	–	–	–
Bronchitis	505	63	50	67	85	20	17	7	10	1	2	1	3
Pleurisy	6	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	146	4	5	10	18	8	6	4	10	5	3	5	3
Asthma	14	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	31	–	1	15	12	3	–	–	–	–	–	–	–
Quinsey	4	–	1	–	1	–	–	–	–	–	–	–	–
Gastritis	5	–	–	–	1	–	–	–	–	–	–	1	–
Enteritis	20	10	5	–	–	–	1	–	–	–	–	–	–
Peritonitis	8	–	–	–	–	–	–	–	–	–	–	3	–
Ascites	8	–	–	1	–	–	–	–	1	–	–	–	1
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	13	1	2	–	–	1	–	–	1	1	1	–	–
Intussusception	4	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	3	–	–	–	–	1	–	1	–	–	–	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	9	1	–	2	2	–	–	–	–	–	–	–	–
Liver Disease	17	1	–	–	–	–	–	1	–	–	–	–	1
Spleen Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	3	–	–	–	1	–	–	–	–	–	1	–	–
Nephria	17	–	–	–	2	–	–	–	–	–	1	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	10	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Bone Disease	6	–	–	–	–	–	–	–	1	1	1	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	9	–	–	–	–	–	–	–	2	3	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	15	–	–	–	–	–	–	–	–	–	1	–	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	12	–	–	–	2	1	–	1	6	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	9	4	–	–	–	–	–	–	–	–	–	–
Drowning	20	–	–	–	1	–	–	–	1	1	2	1	3
Fracture and Contusion	23	–	–	–	–	–	–	–	1	2	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	27	5	5	2	1	–	1	–	2	–	1	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	–	2	3	3	9	2	6	13	5	1	2	–	–	–	–	–
Paralysis	1	4	6	5	8	12	7	10	8	5	3	–	–	–	–	–
Delirium Tremens	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	4	4	4	–	3	–	1	–	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	11	22	17	13	22	30	15	17	3	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	8	9	15	26	17	33	19	26	15	3	5	1	–	–	–
Pleurisy	–	–	1	3	–	–	1	–	1	–	–	–	–	–	–	–
Pneumonia	10	8	8	6	10	2	10	4	5	1	–	–	–	1	–	–
Asthma	–	–	1	–	5	2	3	–	1	1	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	1	–	–	–	2	–	–	–	1	–	–	–	–
Ascites	–	–	–	–	2	–	–	2	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	2	–	1	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	2	–	1	–	1	–	–	1	–	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	1	2	–	–	2	3	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	1	1	1	4	–	1	2	1	–	–	–	–	–
Spleen Disease	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	2	–	1	–	1	3	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	5	3	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	2	2	1	1	2	1	1	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	4	1	1	3	–	2	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	2	1	2	2	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1660	208	91	136	179	90	42	57	81	45	46	63	49
SPECIFIED CAUSES	1644	206	89	134	178	90	41	57	80	45	46	62	49
I. Zymotic Class	474	29	26	49	81	51	19	34	52	19	16	20	12
II. Diseases of Uncertain Seat	37	1	–	–	–	–	1	–	–	1	–	2	3
III. Tubercular Class	231	4	5	21	26	20	4	10	9	12	16	27	13
IV. Brain and Nervous System	151	24	9	11	8	6	3	2	2	1	3	2	5
V. Organs of Circulation	77	–	–	1	–	–	–	3	–	2	2	1	2
VI. Respiratory Organs	332	40	31	41	51	9	13	5	10	4	2	3	3
VII. Organs of Digestion	73	8	4	8	6	2	1	–	1	1	–	3	4
VIII. Urinary Organs	21	–	–	–	1	–	–	–	–	–	1	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	1	2	1	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	98	87	8	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	12	–	–	–	4	1	–	2	1	–	–	1	–
XV. Age	56	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	68	7	5	–	1	1	–	1	4	3	5	3	5
I. Small Pox	157	13	9	4	6	2	4	7	29	15	13	19	9
Measles	62	1	2	15	22	13	2	6	1	–	–	–	–
Scarlatina	7	–	1	–	–	–	1	2	1	1	1	–	–
Diphtheria	48	–	2	7	10	9	4	4	10	–	1	–	–
Hooping Cough	44	3	3	7	14	7	3	5	2	–	–	–	–
Croup	44	1	1	4	15	9	4	6	4	–	–	–	–
Thrush	2	1	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	51	8	8	9	13	6	–	1	1	–	–	–	–
Dysentery	6	–	–	1	–	–	–	–	–	–	–	–	1
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	–	–	–	–	–	–	–	–	1	–	–	–
Enteric Fever	21	–	–	1	–	2	1	1	1	2	1	–	1
Relapsing Fever	9	–	–	–	–	–	–	1	1	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	3	–	–	1	–	2	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	1	–	–	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	1	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	1
Mortification	3	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	2	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	14	–	–	2	2	4	1	1	3	–	–	1	–
Tabes Mesenterica	28	1	3	6	10	4	–	–	1	1	–	–	–
Phthisis	144	–	–	2	2	3	3	4	2	11	16	26	13
Hydrocephalus	45	3	2	11	12	9	–	5	3	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	53	55	62	60	58	50	75	53	60	24	16	6	1	–	–	–
SPECIFIED CAUSES	53	55	61	58	56	49	75	53	60	24	16	6	1	–	–	–
Zymotic Class	15	9	10	12	6	6	5	2	1	–	–	–	–	–	–	–
Uncertain Seat	–	5	1	3	2	3	5	4	5	–	1	–	–	–	–	–
Tubercular Class	15	10	10	10	7	5	3	1	1	2	–	–	–	–	–	–
Brain, etc.	5	4	6	7	11	9	10	10	8	2	3	–	–	–	–	–
Heart, etc.	3	5	8	4	4	6	18	8	7	2	1	–	–	–	–	–
Respiratory Organs	6	7	11	13	18	12	16	8	16	8	3	1	1	–	–	–
Digestive Organs	1	5	4	3	2	5	5	5	3	2	–	–	–	–	–	–
Urinary Organs	3	5	2	–	1	1	2	2	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	12	15	8	8	5	–	–	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	4	6	6	5	2	3	1	1	–	–	–	–	–	–	–
Small Pox	10	7	6	3	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Dysentery	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	2	1	–	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	–	–	2	1	5	1	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	3	2	2	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	3	1	–	2	2	4	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phthisis	15	9	10	10	7	5	2	1	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	11	–	1	1	2	1	1	1	1	–	1	–	1
Apoplexy	28	1	1	1	1	1	1	–	1	–	1	–	–
Paralysis	42	–	–	–	–	1	–	–	–	–	1	–	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	47	22	7	8	5	3	1	1	–	–	–	–	–
Brain Disease	13	1	–	1	–	–	–	–	–	–	–	1	2
V. Pericarditis	1	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	74	–	–	–	–	–	–	3	–	2	2	1	2
VI. Laryngitis	3	–	–	1	–	–	–	–	2	–	–	–	–
Bronchitis	241	39	28	35	41	4	11	4	4	1	1	1	–
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	71	1	3	5	10	5	2	1	4	2	1	2	3
Asthma	11	–	–	–	–	–	–	–	–	1	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	12	–	–	6	4	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	1	–	–	–	–	–	–	1	–
Enteritis	12	5	3	–	–	–	1	–	–	–	–	–	–
Peritonitis	5	–	–	–	–	–	–	–	–	–	–	2	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	5	1	–	–	–	–	–	–	1	1	–	–	–
Intussusception	3	1	1	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	–	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	9	–	–	–	1	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	–	–	1	2	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	1	1	–	1	3	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	7	4	–	–	–	–	–	–	–	–	–	–
Drowning	17	–	–	–	–	–	–	–	1	1	2	1	3
Fracture and Contusion	17	–	–	–	–	–	–	–	–	2	1	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	16	2	2	2	1	–	1	–	1	–	–	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	6	2	1	5	2	–	2	–	–	–	–	–
Paralysis	1	3	4	3	2	6	6	5	5	2	1	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	1	1	2	–	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	4	8	4	3	6	18	8	7	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	2	4	9	12	8	6	7	12	7	3	1	1	–	–	–
Pleurisy	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	6	5	5	2	2	1	6	1	4	–	–	–	–	–	–	–
Asthma	–	–	1	–	4	2	2	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	2	–	–	1	2	–	1	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	3	3	1	–	1	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1831	182	72	131	179	96	59	44	95	38	53	75	62
SPECIFIED CAUSES	1820	179	69	131	179	96	59	44	94	38	52	75	62
I. Zymotic Class	489	35	24	51	75	57	38	33	47	17	10	23	13
II. Diseases of Uncertain Seat	67	1	–	2	3	1	–	1	1	–	–	–	1
III. Tubercular Class	321	2	5	20	25	13	4	1	16	13	31	42	25
IV. Brain and Nervous System	118	14	5	6	5	2	4	2	4	–	–	–	3
V. Organs of Circulation	115	–	1	1	–	–	–	–	3	1	2	1	8
VI. Respiratory Organs	349	27	24	38	52	20	10	6	14	3	3	3	3
VII. Organs of Digestion	83	9	6	11	10	2	1	1	2	1	1	1	1
VIII. Urinary Organs	17	–	–	–	2	–	–	–	–	1	2	1	1
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	2	2	5
X Organs of Locomotion	10	–	–	–	–	–	–	–	2	2	–	1	–
XI Skin, etc.	2	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	9	8	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	84	81	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	4	1	2	–	–	–	1	1	1
XV. Age	93	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	2	–	1	2	–	–	–	5	–	–	–	1
I. Small Pox	143	13	9	13	9	7	5	8	24	12	4	17	9
Measles	62	1	–	10	20	15	6	6	4	–	–	–	–
Scarlatina	1	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	55	3	–	3	7	18	7	10	5	1	–	–	–
Hooping Cough	40	2	2	9	12	4	6	2	3	–	–	–	–
Croup	43	2	3	3	8	7	8	6	6	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	58	10	7	9	16	5	2	–	–	1	–	–	1
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	1	1	–	–	–	–	–	–	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	12	–	–	–	–	–	–	–	1	1	2	–	–
Enteric Fever	27	–	–	–	1	–	2	1	3	2	4	1	–
Relapsing Fever	4	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	2	–	–	–	1	–	1	–	–	–	–	–	–
Metria	10	–	–	–	–	–	–	–	–	–	–	3	3
Rheumatic Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	4	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	2	–	–	–	–	–	–	–	–	–
Noma	3	1	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	1	1	–	1	1	–	–	–	–
Abscess	5	1	–	1	2	–	–	–	–	–	–	–	–
Ulcer	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	41	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	13	–	1	3	3	–	–	–	1	1	1	1	–
Tabes Mesenterica	28	1	–	4	10	6	2	–	2	1	1	–	–
Phthisis	241	–	–	4	4	1	–	–	7	9	29	41	25
Hydrocephalus	39	1	4	9	8	6	2	1	6	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	60	76	69	76	83	74	90	59	72	41	22	18	4	1	–	–
SPECIFIED CAUSES	60	74	69	76	83	74	89	59	72	41	22	18	4	1	–	–
Zymotic Class	10	6	8	7	7	8	4	3	7	3	2	1	–	–	–	–
Uncertain Seat	2	2	4	10	16	11	4	1	3	2	2	–	–	–	–	–
Tubercular Class	35	31	17	16	5	9	8	1	2	–	–	–	–	–	–	–
Brain, etc.	–	4	8	9	11	6	7	13	7	4	4	–	–	–	–	–
Heart, etc.	7	7	14	13	10	16	12	7	10	1	1	–	–	–	–	–
Respiratory Organs	6	9	9	11	23	10	32	15	17	9	–	4	–	1	–	–
Digestive Organs	–	4	4	4	5	5	5	3	2	2	2	1	–	–	–	–
Urinary Organs	–	2	1	1	2	2	1	1	–	–	–	–	–	–	–	–
Generative Organs	–	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	–	–	3	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	12	22	20	11	12	4	–	–	–
Sudden Deaths	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	3	3	–	1	2	2	1	–	–	–	–	–	–	–
Small Pox	4	2	3	3	–	–	–	–	–	–	1	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	1	1	–	2	1	–	–	1	–	–	–	–
Dysentery	–	–	1	–	1	2	–	–	1	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	3	3	–	1	–	–	–	1	–	–	–	–	–	–
Enteric Fever	–	–	–	1	4	2	4	1	1	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	4	5	2	1	–	1	–	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	1	3	6	11	9	3	1	1	2	2	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	31	17	15	5	8	8	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	1	1	1	2	–	1	1	–	–	–	–
Apoplexy	35	–	1	2	1	–	2	–	1	–	–	–	2
Paralysis	33	–	–	1	–	–	1	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	25	14	3	2	2	–	1	1	2	–	–	–	–
Brain Disease	14	–	–	–	1	–	–	–	–	–	–	–	1
V. Pericarditis	1	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	114	–	1	–	–	–	–	–	3	1	2	1	8
VI. Laryngitis	4	–	–	1	–	1	–	–	2	–	–	–	–
Bronchitis	264	24	22	32	44	16	6	3	6	–	1	–	3
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	75	3	2	5	8	3	4	3	6	3	2	3	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	19	–	1	9	8	1	–	–	–	–	–	–	–
Quinsey	2	–	1	–	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	5	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	5	–	–	1	–	–	–	–	1	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	2	–	–	1	–	–	–	–	1	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	2	–	–	–	–	1	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	1	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	7	1	–	–	–	–	–	1	–	–	–	–	–
Spleen Disease	4	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	1	–	–	–	–	–	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	10	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	2	–	–	–	–	–	–	–	–	–	1	–	–
X. Bone Disease	5	–	–	–	–	–	–	–	1	1	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	5	–	–	–	–	–	–	–	1	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	1	–	–	–	3	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	6	–	–	–	–	–	–	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	11	3	3	–	–	–	–	–	1	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	3	1	3	–	5	8	3	1	–	–	–	–	–	–
Paralysis	–	1	2	2	6	6	1	5	3	3	2	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	3	2	–	1	–	1	–	2	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	7	14	13	10	16	12	7	10	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	6	5	6	14	9	27	12	14	8	–	4	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	4	3	3	4	8	1	4	3	1	1	–	–	–	1	–	–
Asthma	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Ascites	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	2	–	–	1	2	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	–	2	–	–	–	1	–	–	–	–	–
Spleen Disease	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2119	198	79	116	144	93	63	38	124	68	72	81	91
SPECIFIED CAUSES	2110	195	78	116	143	93	63	38	124	67	72	80	91
I. Zymotic Class	531	36	23	35	68	46	40	20	55	20	27	24	25
II. Diseases of Uncertain Seat	85	2	2	1	1	4	–	–	–	2	2	1	–
III. Tubercular Class	330	1	5	22	26	12	11	5	34	25	29	30	36
IV. Brain and Nervous System	202	24	14	3	9	4	4	5	10	2	2	5	6
V. Organs of Circulation	124	–	–	1	–	–	–	–	1	4	2	5	5
VI. Respiratory Organs	321	26	19	33	26	15	4	6	12	3	1	5	9
VII. Organs of Digestion	127	9	5	15	12	6	1	–	4	3	3	3	3
VIII. Urinary Organs	63	–	–	–	–	1	1	1	1	1	1	3	3
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	1	–
X. Organs of Locomotion	20	–	–	–	–	–	–	–	4	5	–	–	1
XI. Skin, etc.	5	2	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	8	6	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	91	80	7	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	1	1	1	–	–	1	1	–	–
XV. Age	114	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	60	9	2	1	–	3	1	1	3	1	3	3	3
I. Small Pox	130	11	7	1	–	1	–	1	5	5	20	13	20
Measles	51	–	2	10	17	9	8	2	2	–	–	–	–
Scarlatina	67	1	2	5	11	7	7	3	19	7	–	1	–
Diphtheria	66	4	2	1	9	11	11	8	16	2	–	2	–
Hooping Cough	31	–	2	5	11	4	5	1	2	1	–	–	–
Croup	42	–	1	5	11	10	8	2	5	–	–	–	–
Thrush	5	3	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa	44	7	4	5	4	1	–	–	1	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	1	1	–	1	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	1	–	–	–	–	–	2	–	2	–
Enteric Fever	28	–	–	–	2	–	–	–	3	2	3	5	–
Relapsing Fever	5	–	–	–	–	–	–	–	–	1	2	–	1
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	7	1	–	–	1	2	–	3	–	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	1	–	3
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	8	4	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	11	5	2	–	1	1	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	12	1	–	–	–	2	–	–	–	–	–	–	–
Abscess	14	–	2	–	1	2	–	–	–	2	1	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	49	–	–	–	–	–	–	–	–	–	1	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	24	1	–	–	2	1	–	–	8	5	2	1	1
Tabes Mesenterica	25	–	2	2	8	3	2	–	4	2	1	–	–
Phthisis	222	–	–	4	5	2	4	1	10	17	25	29	35
Hydrocephalus	59	–	3	16	11	6	5	4	12	1	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	68	69	56	69	78	86	100	111	116	85	65	35	8	6	–	–
Specified Causes	68	69	56	69	77	85	100	111	116	85	65	35	8	6	–	–
Zymotic Class	20	21	12	9	9	8	6	11	8	1	5	2	–	–	–	–
Uncertain Seat	3	3	3	2	12	8	10	10	9	4	2	4	–	–	–	–
Tubercular Class	21	20	13	13	6	8	9	1	–	2	1	–	–	–	–	–
Brain, etc.	4	2	7	8	9	7	14	20	19	13	9	2	–	–	–	–
Heart, etc.	4	5	3	8	17	13	16	13	14	10	3	–	–	–	–	–
Respiratory Organs	5	3	5	12	8	20	21	30	24	16	12	5	1	–	–	–
Digestive Organs	3	2	2	4	5	7	8	10	12	8	2	–	–	–	–	–
Urinary Organs	1	4	5	3	5	6	8	6	8	3	1	–	1	–	–	–
Generative Organs	4	2	2	–	2	–	2	1	2	1	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	1	–	1	1	1	1	1	1	–	–	–	–
Skin	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	7	18	24	29	21	6	5	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	1	5	3	7	3	6	1	1	1	1	–	–	–	1	–	–
Small Pox	13	11	6	3	4	4	1	2	2	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	1	1	1	–	3	3	4	–	4	2	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	2	2	1	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	1	–	3	1	1	4	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	2	3	1	2	–	–	–	–	–	–	–
Abscess	1	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Cancer	1	2	3	1	11	5	7	6	4	4	2	2	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	21	19	12	12	6	7	9	1	–	2	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	16	1	1	–	1	1	–	3	7	1	–	–	–
Apoplexy	33	–	1	–	–	–	1	–	–	–	–	1	1
Paralysis	50	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	–	1	1	3
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	48	20	12	3	7	2	2	2	–	–	–	–	–
Brain Disease	38	3	–	–	1	1	1	–	3	1	1	1	2
V. Pericarditis	3	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	115	–	–	1	–	–	–	–	–	4	2	5	5
VI. Laryngitis	8	–	2	–	–	1	–	1	2	–	–	–	–
Bronchitis	232	18	14	29	23	13	3	5	7	1	–	2	4
Pleurisy	7	–	–	–	–	–	–	–	–	2	–	–	1
Pneumonia	51	8	3	4	2	1	1	–	3	–	1	1	2
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	10	–	–	–	1	–	–	–	–	–	–	2	2
VII. Teething	30	–	2	13	11	4	–	–	–	–	–	–	–
Quinsey	3	–	–	–	–	1	–	–	–	–	–	–	1
Gastritis	5	–	–	–	–	1	–	–	–	–	–	–	1
Enteritis	8	1	1	1	1	–	–	–	1	–	–	1	–
Peritonitis	7	–	–	1	–	–	–	–	1	1	1	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	1	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	14	–	–	–	–	–	–	–	–	1	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	22	1	2	–	–	–	1	–	1	–	–	–	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	2	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	17	–	–	–	–	–	–	1	–	–	–	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	1	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	26	–	–	–	–	1	1	–	1	–	1	–	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	1	–
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	6	–	–	–	–	–	–	–	1	2	–	–	1
Rheumatism	7	–	–	–	–	–	–	–	1	–	–	–	–
Joint Disease	7	–	–	–	–	–	–	–	2	3	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	2	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	1	–	3	–	–	1	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	8	5	2	–	–	–	–	1	–	–	–	–	–
Drowning	14	–	–	–	–	–	–	–	1	1	2	1	1
Fracture and Contusion	19	–	–	–	–	–	1	–	1	–	–	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	3	–	–	–	–	–	–	–	–	1	–	–
Not Specified	9	3	1	–	1	–	–	–	–	1	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	4	3	5	4	5	3	1	–	–	–	–	–
Paralysis	2	–	2	2	3	2	5	10	9	6	6	2	–	–	–	–
Delirium Tremens	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	2	3	1	1	3	4	4	4	2	–	–	–	–	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	4	4	2	6	15	12	15	13	14	10	3	–	–	–	–	–
Laryngitis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	3	5	2	11	16	20	20	14	12	5	1	–	–	–
Pleurisy	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	5	4	4	2	3	1	1	–	–	–	–	–	–
Asthma	–	–	–	–	1	3	2	5	1	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	1	–	–	–	–	2	2	1	3	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	–	3	2	1	3	4	1	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Liver Disease	–	1	–	2	3	1	1	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	2	2	–	–	–	4	–	3	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Stone	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	1	1	1	–	1	1	1	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	2	1	4	3	3	2	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	2	–	2	1	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	–	1	1	–	1	1	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	3	–	2	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	4	2	3	–	–	1	1	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1040	116	47	56	71	52	32	14	66	43	38	39	47
SPECIFIED CAUSES	1033	115	46	56	70	52	32	14	66	42	38	38	47
I. Zymotic Class	262	23	11	17	35	23	19	5	24	17	13	13	13
II. Diseases of Uncertain Seat	29	1	1	–	–	2	–	–	–	1	–	1	–
III. Tubercular Class	161	1	3	6	14	8	6	2	22	12	18	13	15
IV. Brain and Nervous System	110	16	10	1	4	3	2	3	2	1	2	2	3
V. Organs of Circulation	62	–	–	1	–	–	–	–	–	2	1	2	3
VI. Respiratory Organs	153	15	10	18	11	9	3	3	9	2	1	1	6
VII. Organs of Digestion	56	5	2	8	6	3	–	–	4	1	1	2	3
VIII. Urinary Organs	39	–	–	–	–	1	1	1	1	1	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	11	–	–	–	–	–	–	–	2	3	–	–	1
XI. Skin, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	6	4	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	55	45	6	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	–	1	–	–	1	–	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	45	5	2	–	–	2	–	–	2	1	2	3	3
I. Small Pox	68	7	3	–	–	–	–	1	2	4	9	8	12
Measles	24	–	1	5	8	3	4	–	2	–	–	–	–
Scarlatina	35	–	1	4	6	4	2	–	8	7	–	1	–
Diphtheria	30	3	–	–	6	8	4	2	6	1	–	–	–
Hooping Cough	12	–	2	1	4	1	3	–	–	1	–	–	–
Croup	21	–	1	3	5	5	5	–	2	–	–	–	–
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	19	5	1	2	2	1	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	3	–	–	1	1	–	1	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	–	–	–	–	–	–	–	–	2	–	1	–
Enteric Fever	12	–	–	–	1	–	–	–	1	1	3	2	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	1	–	–	1
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	5	1	–	–	1	1	–	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	1	–	1	1	–
Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	4	2	–	1	–	–	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	1	–	–	–	1	–	–	–	–	–	–	–
Abscess	7	–	1	–	–	1	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	15	1	–	–	1	–	–	–	5	4	1	–	1
Tabes Mesenterica	13	–	1	1	5	2	1	–	2	–	1	–	–
Phthisis	102	–	–	1	3	1	2	–	6	7	15	13	14
Hydrocephalus	31	–	2	4	5	5	2	2	9	1	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	28	27	38	44	47	42	55	44	31	19	9	4	1	–	–
SPECIFIED CAUSES	30	28	27	38	43	46	42	55	44	31	19	9	4	1	–	–
Zymotic Class	9	10	6	5	4	2	4	5	3	–	–	1	–	–	–	–
Uncertain Seat	2	1	1	–	6	3	3	3	3	–	1	–	–	–	–	–
Tubercular Class	10	6	5	7	4	3	4	1	–	1	–	–	–	–	–	–
Brain, etc.	2	1	3	3	8	6	5	13	10	7	3	–	–	–	–	–
Heart, etc.	–	2	2	5	10	9	8	7	4	5	1	–	–	–	–	–
Respiratory Organs	3	2	3	5	3	8	6	15	10	5	3	1	1	–	–	–
Digestive Organs	–	–	–	2	2	3	6	4	2	2	–	–	–	–	–	–
Urinary Organs	1	1	4	2	3	6	4	4	4	2	1	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	6	8	10	7	2	1	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	1	4	2	7	3	5	1	1	1	–	–	–	–	–	–	–
Small Pox	6	5	3	2	2	–	1	2	1	–	–	–	–	–	–	–
Measles	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	2	1	1	–	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Abscess	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	–	1	–	5	2	2	1	1	–	1	–	–	–	–	–
Gout	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	6	4	6	4	3	4	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	1	–	1	1	–	3	2	–	–	–	–
Apoplexy	18	–	1	–	–	–	1	–	–	–	–	1	1
Paralysis	25	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	1	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	15	8	1	3	1	–	–	–	–	–	–	–
Brain Disease	19	1	–	–	–	1	1	–	–	1	1	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	54	–	–	1	–	–	–	–	–	2	1	2	3
VI. Laryngitis	6	–	2	–	–	1	–	1	1	–	–	–	–
Bronchitis	103	10	7	17	9	8	3	2	6	1	–	1	3
Pleurisy	3	–	–	–	–	–	–	–	–	1	–	–	1
Pneumonia	28	5	1	1	1	–	–	–	2	–	1	–	1
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	–	–	1	–	–	–	–	–	–	–	1
VII. Teething	14	–	–	7	5	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	–	–	–	1
Gastritis	4	–	–	–	–	1	–	–	–	–	–	–	1
Enteritis	4	–	1	–	1	–	–	–	1	–	–	1	–
Peritonitis	6	–	–	1	–	–	–	–	1	1	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	1	1	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	1	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	1	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	1	1	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	–	1	–	–	1
Rheumatism	4	–	–	–	–	–	–	–	1	–	–	–	–
Joint Disease	4	–	–	–	–	–	–	–	1	2	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	2	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	2	–	–	–	–	–	–	–	–	–	–
Drowning	13	–	–	–	–	–	–	–	1	1	1	1	1
Fracture and Contusion	15	–	–	–	–	–	–	–	1	–	–	2	–
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	1	–	–
Not Specified	7	1	1	–	1	–	–	–	–	1	–	1	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	3	3	2	3	1	2	–	–	–	–	–	–
Paralysis	1	–	1	–	3	1	1	8	5	3	2	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	2	1	1	1	1	3	2	1	–	–	–	–	–
Pericarditis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	3	8	8	7	7	4	5	1	–	–	–	–	–
Laryngitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	1	1	3	4	9	6	4	3	1	1	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	2	2	2	3	1	2	1	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	2	1	3	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	1	–	1	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	–	2	–	–	–	2	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cystitis	–	1	–	1	–	1	–	1	1	1	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	1	–	4	1	1	1	1	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	3	–	2	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	4	2	2	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1079	82	32	60	73	41	31	24	58	25	34	42	44
SPECIFIED CAUSES	1077	80	32	60	73	41	31	24	58	25	34	42	44
I. Zymotic Class	269	13	12	18	33	23	21	15	31	3	14	11	12
II. Diseases of Uncertain Seat	56	1	1	1	1	2	–	–	–	1	2	–	–
III. Tubercular Class	169	–	2	16	12	4	5	3	12	13	11	17	21
IV. Brain and Nervous System	92	8	4	2	5	1	2	2	8	1	–	3	3
V. Organs of Circulation	62	–	–	–	–	–	–	–	1	2	1	3	2
VI. Respiratory Organs	168	11	9	15	15	6	1	3	3	1	–	4	3
VII. Organs of Digestion	71	4	3	7	6	3	1	–	–	2	2	1	–
VIII. Urinary Organs	24	–	–	–	–	–	–	–	–	–	1	2	3
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	1	–
X. Organs of Locomotion	9	–	–	–	–	–	–	–	2	2	–	–	–
XI. Skin, etc.	3	2	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	36	35	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	1	–	–	–	–	1	–	–
XV. Age	78	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	15	4	–	1	–	1	1	1	1	–	1	–	–
I. Small Pox	62	4	4	1	–	1	–	–	3	1	11	5	8
Measles	27	–	1	5	9	6	4	2	–	–	–	–	–
Scarlatina	32	1	1	1	5	3	5	3	11	–	–	–	–
Diphtheria	36	1	2	1	3	3	7	6	10	1	–	2	–
Hooping Cough	19	–	–	4	7	3	2	1	2	–	–	–	–
Croup	21	–	–	2	6	5	3	2	3	–	–	–	–
Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	2	3	3	2	–	–	–	–	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	–	–	1	–	–	–	–	–	–	–	1	–
Enteric Fever	16	–	–	–	1	–	–	–	2	1	–	3	–
Relapsing Fever	2	–	–	–	–	–	–	–	–	–	2	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	2	–	–	–	–	1	–	1	–	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	1	–	3
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	1	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	1	–	–	–	–	–	–	–
Abscess	7	–	1	–	1	1	–	–	–	1	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	35	–	–	–	–	–	–	–	–	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	1	1	–	–	3	1	1	1	–
Tabes Mesenterica	12	–	1	1	3	1	1	–	2	2	–	–	–
Phthisis	120	–	–	3	2	1	1	1	4	10	10	16	21
Hydrocephalus	28	–	1	12	6	1	3	2	3	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	38	41	29	31	34	39	58	56	72	54	46	26	4	5	–	–
SPECIFIED CAUSES	38	41	29	31	34	39	58	56	72	54	46	26	4	5	–	–
Zymotic Class	11	11	6	4	5	6	2	6	5	1	5	1	–	–	–	–
Uncertain Seat	1	2	2	2	6	5	7	7	6	4	1	4	–	–	–	–
Tubercular Class	11	14	8	6	2	5	5	–	–	1	1	–	–	–	–	–
Brain, etc.	2	1	4	5	1	1	9	7	9	6	6	2	–	–	–	–
Heart, etc.	4	3	1	3	7	4	8	6	10	5	2	–	–	–	–	–
Respiratory Organs	2	1	2	7	5	12	15	15	14	11	9	4	–	–	–	–
Digestive Organs	3	2	2	2	3	4	2	6	10	6	2	–	–	–	–	–
Urinary Organs	–	3	1	1	2	–	4	2	4	1	–	–	–	–	–	–
Generative Organs	4	2	2	–	2	–	2	1	2	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	1	–	1	1	1	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	12	16	19	14	4	4	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	–	–	1	–	–	–	1	–	–	–	1	–	–
Small Pox	7	6	3	1	2	4	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	–	1	2	3	–	4	1	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	–	2	1	–	–	2	–	–	–	–	–	–	–	–
Enteric Fever	1	–	3	–	–	2	1	–	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	2	–	2	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Cancer	–	2	2	1	6	3	5	5	3	4	1	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phthisis	11	13	8	6	2	4	5	–	–	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	1	–	–	–	–	–	–	5	1	–	–	–
Apoplexy	15	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	25	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	20	5	4	2	4	1	2	2	–	–	–	–	–
Brain Disease	19	2	–	–	1	–	–	–	3	–	–	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	61	–	–	–	–	–	–	–	–	2	1	3	2
VI. Laryngitis	2	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	129	8	7	12	14	5	–	3	1	–	–	1	1
Pleurisy	4	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	23	3	2	3	1	1	1	–	1	–	–	1	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	2	1
VII. Teething	16	–	2	6	6	2	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	1	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	12	–	–	–	–	–	–	–	–	1	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	1	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	9	–	–	–	–	–	–	–	–	–	–	1	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	–	–	–	–	–	–	1	–	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	6	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	1	–
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	1	–	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	–	–	–	–	–	1	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	4	–	–	–	–	–	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1872.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	2	1	1	–	3	1	4	1	1	–	–	–	–	–
Paralysis	1	–	1	2	–	1	4	2	4	3	4	2	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	1	–	–	2	3	1	2	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	1	3	7	4	8	6	10	5	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	2	4	1	8	12	11	14	10	9	4	–	–	–	–
Pleurisy	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	3	2	1	1	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	1	1	2	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	1	–	–	–	–	2	1	1	2	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	–	1	–	1	3	3	1	–	–	–	–	–
Pancreas Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	2	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	1	1	–	2	2	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	2	–	2	1	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1697	192	76	157	186	95	44	39	87	47	53	45	52
Specified Causes	1636	167	71	151	181	90	44	39	84	47	50	45	51
I. Zymotic Class	349	20	12	48	81	43	26	21	34	9	6	4	7
II. Diseases of Uncertain Seat	48	1	1	–	1	1	–	–	2	1	1	1	–
III. Tubercular Class	291	5	11	24	33	15	7	8	14	16	24	29	21
IV. Brain and Nervous System	142	10	2	9	4	6	4	2	10	6	3	1	4
V. Organs of Circulation	89	–	–	–	–	–	–	1	1	2	–	3	3
VI. Respiratory Organs	251	28	23	37	36	17	5	4	5	3	3	–	4
VII. Organs of Digestion	105	7	7	25	17	2	–	1	6	1	2	1	4
VIII. Urinary Organs	23	–	–	–	–	–	–	1	1	1	–	1	–
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	1	2
X. Organs of Locomotion	7	–	–	–	–	–	–	1	1	–	–	–	1
XI. Skin, etc.	7	–	2	2	1	–	–	–	1	–	–	–	–
XII. Malformation	3	1	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	103	93	7	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	25	–	–	–	6	5	1	–	3	2	–	1	–
XV. Age	79	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	1	–	1
XVII. Violent Deaths	99	2	5	2	2	1	1	–	6	6	10	3	4
I. Small Pox	9	1	–	1	1	–	–	–	3	1	1	–	1
Measles	6	–	–	–	3	1	2	–	–	–	–	–	–
Scarlatina	43	–	–	1	8	7	8	6	12	1	–	–	–
Diphtheria	21	1	–	1	5	6	4	2	2	–	–	–	–
Hooping Cough	110	5	8	26	43	16	5	4	3	–	–	–	–
Croup	44	2	–	5	10	10	6	8	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	37	6	3	9	4	1	–	1	–	2	–	–	1
Dysentery	7	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	5	1	1	2	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	–	–	–	1	1	–	–	1	1	2	2	3
Enteric Fever	19	–	–	–	1	–	–	–	8	4	2	1	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	2	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	1	1	2
Erysipelas	6	–	–	2	1	1	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	4	–	–	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	14	–	–	–	–	1	–	–	2	1	1	–	–
Abscess	3	1	1	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	2	2	2	7	–	–	1	–	4	–	1	–
Tabes Mesenterica	15	–	–	2	1	2	1	1	4	1	1	1	–
Phthisis	193	1	3	3	8	6	1	3	5	11	21	27	21
Hydrocephalus	64	2	6	17	17	7	5	3	5	–	2	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	65	54	68	53	65	69	77	45	51	39	20	8	3	1	–	6
Specified Causes	64	53	67	53	64	68	75	44	51	39	20	8	3	1	–	6
Zymotic Class	7	2	8	2	6	2	4	1	4	2	–	–	–	–	–	–
Uncertain Seat	6	4	5	–	4	7	7	3	–	3	–	–	–	–	–	–
Tubercular Class	13	20	23	8	8	8	2	–	2	–	–	–	–	–	–	–
Brain, etc.	11	2	3	8	10	11	15	6	7	5	3	–	–	–	–	–
Heart, etc.	5	9	3	9	14	10	12	8	2	5	2	–	–	–	–	–
Respiratory Organs	4	5	5	7	10	16	12	7	12	5	2	1	–	–	–	–
Digestive Organs	3	2	4	5	2	3	5	3	3	–	1	–	–	–	–	1
Urinary Organs	–	–	2	1	5	3	3	2	2	1	–	–	–	–	–	–
Generative Organs	4	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	1
Skin	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	13	16	17	12	7	3	1	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	10	6	12	9	3	7	3	1	2	–	–	–	–	–	–	4
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	2	2	2	–	2	1	–	–	–	–	–	–
Dysentery	1	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	4	1	2	–	1	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	–	–	1	2	2	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Cancer	1	3	4	–	3	4	4	1	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	20	22	8	8	8	2	–	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	22	–	2	4	1	2	2	–	4	3	–	–	1
Apoplexy	33	2	–	–	–	–	–	1	2	–	1	–	1
Paralysis	37	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	15	7	–	3	1	1	2	–	1	–	–	–	–
Brain Disease	23	1	–	1	2	3	–	1	3	3	1	1	–
V. Pericarditis	3	–	–	–	–	–	–	1	–	1	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	84	–	–	–	–	–	–	–	1	1	–	3	3
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	181	22	18	30	29	13	4	3	2	1	–	–	1
Pleurisy	6	1	–	–	–	1	1	–	–	–	–	–	–
Pneumonia	55	5	5	6	6	3	–	1	3	2	3	–	3
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	34	–	2	18	13	1	–	–	–	–	–	–	–
Quinsey	3	–	–	2	–	–	–	–	1	–	–	–	–
Gastritis	3	–	–	1	–	–	–	–	1	–	–	–	–
Enteritis	21	5	3	3	3	1	–	–	3	–	–	–	–
Peritonitis	11	–	1	–	–	–	–	–	–	1	2	1	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	1	–	–	–	1	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	1	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	9	1	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	–	–	1	–
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	8	–	–	–	–	–	–	–	–	–	–	1	2
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	3	–	–	–	–	–	–	1	1	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	1	–	–	–	–	1	–	–	–	–
Skin Disease	4	–	2	1	1	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	2	1	1	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	2	3	1	–	–	–	–	–	–	–	–	–
Drowning	23	–	–	–	–	–	–	–	1	–	1	–	–
Fracture and Contusion	45	–	–	–	–	–	–	–	4	4	6	2	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	4	–	–	–	–	–	–	–	–	1	2	–	1
Not Specified	61	25	5	6	5	5	–	–	3	–	3	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	–	1	4	4	3	3	3	1	3	1	–	–	–	–	–
Paralysis	2	1	1	3	1	6	10	3	6	2	1	–	–	–	–	–
Delirium Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	4	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	8	3	9	14	10	11	8	2	5	2	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	2	5	7	10	10	6	10	4	2	–	–	–	–	–
Pleurisy	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	3	2	1	3	3	1	–	2	–	–	1	–	–	–	–
Asthma	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1
Liver Disease	1	–	1	1	–	2	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	1	1	–	2	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Carbuncle	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	4	1	8	2	2	3	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	3	3	4	–	3	–	1	2	–	–	–	–	–	–	4
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	1	–	1	1	2	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1430	137	53	102	158	51	32	25	57	33	52	68	43
Specified Causes	1411	126	52	101	156	50	32	25	56	33	52	68	43
I. Zymotic Class	301	14	17	35	76	30	17	12	17	4	10	16	3
II. Diseases of Uncertain Seat	60	1	–	–	–	–	–	1	1	1	–	1	1
III. Tubercular Class	258	8	10	14	29	9	8	7	18	15	28	34	23
IV. Brain and Nervous System	132	11	3	7	6	1	–	2	2	3	3	3	4
V. Organs of Circulation	46	–	–	–	–	–	–	–	–	1	2	–	–
VI. Respiratory Organs	212	12	14	23	28	7	4	2	6	4	3	3	4
VII. Organs of Digestion	110	11	4	15	14	1	1	–	2	3	3	1	1
VIII. Urinary Organs	16	–	–	–	–	1	–	–	1	1	–	1	–
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	–	3	2
X. Organs of Locomotion	11	–	–	–	–	–	–	–	1	–	3	3	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	74	66	1	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	2	1	2	1	1	1	–	1	1
XV. Age	117	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	1	–	1	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	3	1	–	–	–	–	–	7	–	–	2	4
I. Small Pox	9	1	–	–	–	1	–	–	2	2	1	1	1
Measles	31	–	–	3	18	5	3	1	–	–	1	–	–
Scarlatina	12	1	–	1	2	2	1	2	2	1	–	–	–
Diphtheria	13	–	–	2	5	1	3	1	1	–	–	–	–
Hooping Cough	96	7	8	20	37	9	7	5	3	–	–	–	–
Croup	26	1	2	2	6	7	2	2	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	31	3	4	4	6	2	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	37	–	–	–	–	1	1	–	1	1	4	7	2
Enteric Fever	13	–	–	–	1	1	–	–	1	–	–	6	–
Relapsing Fever	3	–	–	–	–	–	–	–	–	–	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	9	–	2	3	1	1	–	1	1	–	–	–	–
Metria	8	–	–	–	–	–	–	–	–	–	1	2	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	–	–	–	1	1	1	–	–	1
Abscess	5	1	–	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	2	1	2	1	–	–
Tabes Mesenterica	36	3	2	3	6	3	4	2	6	3	3	1	–
Phthisis	168	3	1	1	5	4	1	2	7	10	23	33	23
Hydrocephalus	48	2	7	10	18	2	3	1	4	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	54	44	51	45	55	56	77	67	80	41	33	10	4	2	–	–
Specified Causes	54	44	50	45	54	56	77	67	80	41	33	10	4	2	–	–
Zymotic Class	7	9	4	4	6	4	2	3	8	2	–	1	–	–	–	–
Uncertain Seat	3	3	1	4	4	9	8	10	5	5	1	1	–	–	–	–
Tubercular Class	16	10	12	7	6	3	1	–	–	–	–	–	–	–	–	–
Brain, etc.	3	6	4	3	10	8	20	14	15	2	2	–	–	–	–	–
Heart, etc.	3	2	7	1	5	7	3	9	5	–	1	–	–	–	–	–
Respiratory Organ	6	5	9	8	12	13	22	11	11	3	2	–	–	–	–	–
Digestive Organs	9	4	5	11	5	4	5	6	5	–	–	–	–	–	–	–
Urinary Organs	1	1	2	–	1	3	2	–	2	–	–	–	–	–	–	–
Generative Organs	3	3	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	–	3	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	12	28	29	26	7	4	2	–	–
Sudden Deaths	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	3	1	3	5	1	3	2	1	–	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	–	1	–	1	5	1	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	3	1	3	3	2	1	1	1	1	–	–	–	–	–	–
Enteric Fever	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	2	3	5	3	3	2	–	1	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Cancer	1	2	1	2	2	6	3	5	2	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	10	12	7	6	3	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	1	–	–	–	2	–	2	–	1
Apoplexy	33	2	2	3	4	1	–	–	–	1	–	–	–
Paralysis	57	–	–	–	–	–	–	1	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	–	–	1	3	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	9	1	4	1	–	–	1	–	–	–	–	–
Brain Disease	10	–	–	–	–	–	–	–	–	1	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	43	–	–	–	–	–	–	–	–	1	1	–	–
VI. Laryngitis	5	–	–	–	1	–	–	–	1	–	–	–	2
Bronchitis	161	9	13	20	24	5	2	2	4	2	3	–	2
Pleurisy	1	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	37	3	1	2	3	2	1	–	1	2	–	2	–
Asthma	6	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	2	–	–	–	–	–	1	–	–	–	–	–	–
VII. Teething	26	–	1	12	12	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	–	1	–	–	–
Gastritis	4	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	25	7	2	3	1	–	1	–	1	2	1	–	–
Peritonitis	4	–	–	–	–	–	–	–	1	–	–	–	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	–	–	1	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	9	–	–	–	–	–	–	–	–	–	1	–	–
Jaundice	7	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	1	–	–	–
Nephria	4	–	–	–	–	1	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	3	2
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	–	–	–	–	2	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	1	–
Joint Disease	4	–	–	–	–	–	–	–	1	–	1	2	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	3	–	–	–	2
Fracture and Contusion	18	–	–	–	–	–	–	–	3	–	–	2	2
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	19	11	1	1	2	1	–	–	1	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	–	3	3	4	2	4	–	–	–	–	–	–	–
Paralysis	1	2	2	3	5	3	13	11	11	2	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	2	2	7	1	5	7	3	8	5	–	1	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	6	6	10	10	18	6	11	3	2	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	5	1	2	1	2	3	2	4	–	–	–	–	–	–	–	–
Asthma	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	2	1	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	1	1	1	1	3	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
Liver Disease	1	–	1	5	–	2	–	1	1	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Childbirth	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	1	1	1	2	2	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1338	147	66	73	94	63	39	43	88	45	44	57	54
Specified Causes	1333	147	66	73	94	62	39	43	88	45	43	56	54
I. Zymotic Class	497	29	28	23	46	36	30	30	59	30	26	27	31
II. Diseases of Uncertain Seat	30	–	–	–	1	1	–	–	1	–	–	–	–
III. Tubercular Class	162	2	13	16	16	6	5	5	8	10	7	16	9
IV. Brain and Nervous System	112	10	7	7	9	4	–	2	5	–	–	1	–
V. Organs of Circulation	64	–	–	–	–	–	–	–	2	1	2	2	3
VI. Respiratory Organs	172	18	9	21	15	12	2	2	8	2	1	2	2
VII. Organs of Digestion	60	8	3	6	5	1	–	1	1	–	1	1	1
VIII. Urinary Organs	23	–	–	–	1	–	1	–	3	1	–	–	1
IX. Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	6	–	–	–	–	–	–	–	1	1	–	–	1
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	74	69	5	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	1	–	–	–	–	1	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	50	5	1	–	–	1	1	3	–	–	5	5	5
I. Small Pox	223	10	16	9	2	4	8	5	25	21	16	21	27
Measles	12	2	1	1	5	1	2	–	–	–	–	–	–
Scarlatina	87	–	–	2	14	15	13	11	25	4	–	–	1
Diphtheria	9	1	1	2	–	–	–	3	1	–	1	–	–
Hooping Cough	30	–	2	5	15	6	1	–	1	–	–	–	–
Croup	31	1	–	2	8	7	4	8	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	9	6	1	2	2	–	–	–	1	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	19	–	–	–	–	1	–	2	1	–	2	2	1
Enteric Fever	24	–	–	1	–	–	2	1	4	1	6	3	1
Relapsing Fever	4	–	–	–	–	–	–	–	1	1	1	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	16	3	2	–	–	–	–	–	–	–	–	–	1
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	3	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	4	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	5	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	1	1	–	–	–	–	1	–	–	–
Tabes Mesenterica	13	–	2	5	1	–	–	2	3	–	–	–	–
Phthisis	95	–	1	–	2	–	1	–	2	8	7	16	9
Hydrocephalus	51	2	10	10	12	6	4	3	3	1	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	62	59	44	36	52	48	47	46	53	42	20	13	3	–	–	–
Specified Causes	62	59	43	36	52	48	46	46	53	42	20	13	3	–	–	–
Zymotic Class	30	24	11	4	5	9	5	9	4	–	1	–	–	–	–	–
Uncertain Seat	1	1	3	1	4	2	3	3	4	2	3	–	–	–	–	–
Tubercular Class	14	8	11	7	3	4	1	1	–	–	–	–	–	–	–	–
Brain, etc.	1	4	4	3	5	9	7	10	11	7	3	2	1	–	–	–
Heart, etc.	3	7	2	8	5	6	6	4	6	5	1	1	–	–	–	–
Respiratory Organs	5	1	7	5	10	9	10	7	15	6	2	1	–	–	–	–
Digestive Organs	3	2	–	2	13	4	2	3	1	2	–	–	–	–	–	–
Urinary Organs	–	3	1	–	3	–	5	2	2	–	–	–	–	–	–	–
Generative Organs	1	4	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	8	19	8	9	2	–	–	–
Sudden Deaths	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	4	2	1	2	3	2	2	2	1	2	–	–	–	–	–
Small Pox	22	22	5	2	1	3	1	2	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	4	1	2	1	–	–	–	–	–	–	–	–	–	–
Enteric Fever	1	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Erysipelas	2	–	1	–	–	2	1	2	1	–	1	–	–	–	–	–
Pyæmia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–
Abscess	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Cancer	–	–	3	1	1	2	2	1	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	8	11	7	3	4	1	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	10	–	–	3	4	1	–	–	–	–	–	–	–
Apoplexy	20	–	–	–	–	1	–	1	–	–	–	–	–
Paralysis	35	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	27	10	6	3	4	1	–	1	2	–	–	–	–
Brain Disease	16	–	1	1	1	1	–	–	2	–	–	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	60	–	–	–	–	–	–	–	2	1	1	2	3
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	119	10	6	17	12	5	2	1	6	–	1	1	1
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	39	3	3	4	2	7	–	1	2	2	–	1	1
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	5	–	–	1	–	–	–	–	–	–	–	–
VII. Teething	8	–	–	3	4	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	2	3	1	–	–	–	–	–	–	–	–	–
Peritonitis	8	2	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	2	–	1	–	–	–	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	11	1	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	1	–	–	1	–	–	–
Nephria	4	–	–	–	–	–	–	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	12	–	–	–	1	–	–	–	2	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	1	1	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	18	1	–	–	–	–	–	1	–	–	1	2	3
Fracture and Contusion	16	–	–	–	–	–	–	–	–	–	3	3	1
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	–	–	1	–	–	1	–	1
Not Specified	5	–	–	–	–	1	–	–	–	–	1	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	3	2	3	1	4	1	–	1	1	–	–	–
Paralysis	–	–	1	2	2	5	3	6	6	5	3	1	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	3	1	–	–	1	1	2	–	1	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Heart Disease	2	7	2	8	5	6	5	4	6	4	1	1	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	4	4	8	7	8	5	12	4	2	1	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Pneumonia	4	–	1	1	1	1	1	–	2	2	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	4	1	1	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	3	2	–	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	1	–	3	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	1	4	1	1	1	–	–	1	–	1	–	–	–	–	–	–
Fracture and Contusion	2	–	1	–	–	2	–	–	2	–	2	–	–	–	–	–
Gunshot Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	587	47	12	29	23	13	9	6	12	12	23	34	27
Specified Causes	581	44	12	29	23	13	9	6	12	12	23	34	27
I. Zymotic Class	96	7	3	8	7	7	3	2	4	3	9	10	7
II. Diseases of Uncertain Seat	15	–	–	–	–	–	1	–	–	1	–	–	–
III. Tubercular Class	96	–	2	7	3	2	3	1	2	3	10	17	12
IV. Brain and Nervous System	55	1	–	–	3	1	1	2	1	1	1	–	–
V. Organs of Circulation	47	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	80	7	3	8	4	2	–	–	3	2	1	1	1
VII. Organs of Digestion	42	1	–	5	5	1	1	–	–	–	–	1	–
VIII. Urinary Organs	10	–	–	–	–	–	–	–	–	–	–	1	1
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	1	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	32	27	4	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	66	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	25	–	–	–	–	–	–	1	2	2	1	3	3
I. Small Pox	17	2	–	–	–	–	–	–	–	1	3	4	2
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	–	–	–	1	2	–	2	–	–	–	1	–
Diphtheria	6	–	–	–	–	1	–	–	2	–	–	1	–
Hooping Cough	1	–	–	–	–	1	–	–	–	–	–	–	–
Croup	8	–	–	–	3	1	3	–	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	20	4	2	6	2	–	–	–	–	–	1	–	–
Dysentery	3	–	1	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	–	–	–	–	1	–	2	3	2
Enteric Fever	7	–	–	–	–	–	–	–	–	1	3	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	–	3
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	1	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	1	1	–	–	–	–	–	1	1	1
Tabes Mesenterica	6	–	1	3	–	–	–	1	–	–	1	–	–
Phthisis	72	–	–	–	–	–	–	–	1	3	8	16	11
Hydrocephalus	12	–	1	3	2	2	3	–	1	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	21	16	19	23	26	31	41	35	57	33	23	12	3	–	–	–
Specified Causes	21	16	19	23	25	30	41	35	56	33	23	12	3	–	–	–
Zymotic Class	3	1	3	1	2	3	4	3	4	1	1	–	–	–	–	–
Uncertain Seat	1	1	2	2	2	–	2	1	2	–	–	–	–	–	–	–
Tubercular Class	7	6	7	4	3	3	1	2	–	1	–	–	–	–	–	–
Brain, etc.	–	1	1	6	3	7	5	5	9	3	4	–	–	–	–	–
Heart, etc.	3	2	2	3	4	2	10	8	8	2	1	–	–	–	–	–
Respiratory Organs	1	1	1	2	4	4	5	8	11	4	4	3	–	–	–	–
Digestive Organs	3	2	2	3	3	2	7	3	2	1	–	–	–	–	–	–
Urinary Organs	1	–	1	1	1	1	2	–	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	4	16	20	12	9	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Violent Deaths	2	2	–	1	2	1	1	1	1	1	1	–	–	–	–	–
Small Pox	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	–	–	1	–	2	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	1	1	2	1	1	–	1	–	–	–	–	–	–
Enteric Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Caucer	1	–	2	2	–	–	2	–	1	–	–	–	–	–	–	–
Gont	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	6	6	4	3	3	1	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	–	2	1	–	1	1	1	1	–	–
Apoplexy	14	–	–	–	1	–	–	–	–	–	–	–	–
Paralysis	23	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	1	–	–	–	–	–	1	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	1	–	–	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	45	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Bronchitis	53	6	3	7	4	1	–	–	–	1	1	–	–
Pleurisy	3	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	17	1	–	1	–	1	–	–	2	1	–	–	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	5	4	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	–	2	–	–	1	–
Fracture and Contusion	12	–	–	–	–	–	–	1	–	2	–	1	3
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	6	3	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1872.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	2	2	2	2	1	1	–	–	–	–	–
Paralysis	–	–	–	2	1	3	3	3	7	1	3	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	1	–	2	–	–	–	1	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	2	3	4	1	10	8	8	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	–	2	3	5	9	3	3	3	–	–	–	–
Pleurisy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	1	3	–	–	1	2	1	1	–	–	–	–	–
Asthma	–	–	–	–	1	1	2	2	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	–	–	4	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	1	–	2	2	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

		DEATHS in 1872.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1872	39°·0	41°·2	41°·8	45°·2	47°·4	55°·1	59°·3	56°·5	51°·5	45°·8	41°·3	38°·3	46°·9
	SCOTLAND	7700	6774	6771	7062	6385	5598	5951	5572	5169	5909	5944	6906	75,741
	PRINCIPAL TOWN DISTRICTS	3176	2781	2663	2773	2613	2209	2301	2237	2106	2391	2322	2614	30186
	LARGE TOWN DISTRICTS	808	726	781	886	676	603	710	614	600	665	700	824	8593
	SMALL TOWN DISTRICTS	1686	1474	1499	1505	1412	1307	1320	1246	1193	1298	1372	1643	16955
	MAINLAND-RURAL DISTRICTS	1830	1620	1643	1694	1524	1302	1466	1308	1148	1403	1386	1615	17939
	INSULAR-RURAL DISTRICTS	200	173	185	204	160	177	154	167	122	152	164	210	2068
	DIVISIONS.													
1	NORTHERN	186	174	172	175	164	140	165	139	111	135	156	191	1908
2	NORTH-WESTERN	272	249	263	257	228	180	183	206	190	228	216	287	2759
3	NORTH-EASTERN	768	700	684	663	628	493	532	477	436	544	516	644	7085
4	EAST-MIDLAND	1323	1088	1008	1018	922	793	946	844	826	941	954	1165	11828
5	WEST-MIDLAND	533	443	483	479	450	432	472	464	401	491	429	518	5595
6	SOUTH-WESTERN	2979	2640	2708	2949	2660	2423	2505	2386	2232	2485	2531	2829	31327
7	SOUTH-EASTERN	1272	1119	1106	1142	1012	844	855	796	723	810	854	936	11469
8	SOUTHERN	367	361	347	379	321	293	293	260	250	275	288	336	3770
	COUNTIES.													
	I. NORTHERN.													
1	Shetland	55	41	45	41	40	41	40	29	23	30	31	53	469
2	Orkney	27	37	34	50	40	36	31	37	25	29	42	47	435
3	Caithness	56	49	64	46	57	34	62	52	47	49	53	66	635
4	Sutherland	48	47	29	38	27	29	32	21	16	27	30	25	369
	II. NORTH-WESTERN.													
5	Ross and Cromarty	124	110	123	97	104	81	85	95	84	102	92	135	1232
6	Inverness	148	139	140	160	124	99	98	111	106	126	124	152	1527
	III. NORTH-EASTERN.													
7	Nairn	11	8	6	9	11	10	18	14	8	7	17	17	136
8	Elgin (or Moray)	85	72	77	71	71	51	62	42	53	45	54	63	746
9	Banff	85	76	101	93	89	77	66	76	59	98	79	110	1009
10	Aberdeen	507	489	447	435	408	316	329	308	279	354	321	406	4599
11	Kincardine	80	55	53	55	49	39	57	37	37	40	45	48	595
	IV. EAST MIDLAND.													
12	Forfar	715	543	451	451	421	350	408	424	416	466	461	574	5680
13	Perth	229	231	213	216	214	166	225	180	168	187	193	235	2457
14	Fife	322	264	299	285	240	228	254	198	207	244	245	305	3091
15	Kinross	8	10	9	12	14	10	18	6	7	10	16	17	137
16	Clackmannan	49	40	36	54	33	39	41	36	28	34	39	34	463
	V. WEST MIDLAND.													
17	Stirling	199	168	196	192	183	149	204	162	172	199	187	233	2244
18	Dumbarton	145	127	113	119	129	121	119	105	107	148	104	122	1459
19	Argyll	165	120	138	133	105	133	114	138	91	110	114	133	1494
20	Bute	24	28	36	35	33	29	35	59	31	34	24	30	398
	VI. SOUTH-WESTERN.													
21	Renfrew	477	398	403	456	428	370	415	408	410	420	426	449	5060
22	Ayr	453	383	426	418	339	337	339	300	266	311	358	423	4353
23	Lanark	2049	1859	1879	2075	1893	1716	1751	1678	1556	1754	1747	1957	21914
	VII. SOUTH-EASTERN.													
24	Linlithgow	74	71	62	79	68	64	71	64	63	80	78	96	870
25	Edinburgh	985	899	871	884	799	641	636	589	540	598	614	652	8708
26	Haddington	83	51	72	74	59	53	54	50	38	52	58	70	714
27	Berwick	54	51	58	46	35	39	46	45	41	42	44	53	554
28	Peebles	29	18	12	20	21	22	13	19	14	14	21	17	220
29	Selkirk	47	29	31	39	30	25	35	29	27	24	39	48	403
	VIII. SOUTHERN.													
30	Roxburgh	81	77	75	82	57	53	61	75	67	53	59	75	815
31	Dumfries	146	140	135	151	148	108	126	90	88	112	116	121	1481
32	Kirkcudbright	72	60	75	81	70	71	57	50	44	57	68	68	773
33	Wigtown	68	84	62	65	46	61	49	45	51	53	45	72	701

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE COMPOUND DISTRICTS, 1872.

No	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and Part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenriness	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328*b*	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy & Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
402	Anstruther-Easter	Parts of Anstruther and Kilrenny.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, &c., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South Knapdale.
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddom.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	*Fortrose.	
130	Drainie		*Lossiemouth.
164	Rathven		*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251 [1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar		Stonehaven.
258 [1]	Fetteresso		Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry		Carnoustie.
280	Craig	Montrose.	
282 [4]	St Andrews (Dundee)		Broughty-Ferry.
310	Monifieth		Do.
316	Panbride		Carnoustie.
371	Lecropt	Stirling.	Bridge of Allan.
374	Logie		Do.
385	Muckhart		Dollar.
386 *a*	Muthill		Crieff.
389	Rattray		Blairgowrie
400	Abdie		Suburban of Newburgh.
405	Auchterderran		Lochgelly.
408	Ballingry		Do.
427	Elie		Suburban of Earlsferry.
436	Kilconquhar	*Earlsferry.	Do.
438	Kilrenny	Anstruther-Easter.	
456	Scoonie		*Leven.
459	Wemyss		Buckhaven.
466	Clackmannan		Alloa.
475	Campsie		*Lennoxtown.
478	Dunipace		Denny.
488	St Ninians		Bannockburn.
493	Bonhill		*Alexandria.
494	Cardross		*Renton.
500	New or East Kilpatrick		*Milngavie.
503	Row		*Helensburgh.
523	Kilmore and Kilbride	*Oban.	
559 [1]	Abbey	Paisley.	
559 [2]	Do. (Landward)		Barrhead.
560	Cathcart		Busby. Crosshill (Suburban of Glasgow).
562	Eastwood		*Pollokshaws and Thornliebank.
564	Greenock (East)	Port-Glasgow.	
571	Mearns		Busby.
576 [1]	Old Ardrossan		Saltcoats.
577	Auchinleck		Cumnock.
593	Galston		Newmilns.
597	Kilmarnock		Hurlford.
603	Loudoun		Galston and Newmilns.
611	Riccarton	Kilmarnock.	Hurlford.
613	Sorn		*Catrine.
615	Stevenston		Saltcoats.
621	Avondale		*Strathaven.
622 [2]	Shettleston		Tollcross.
625 [1]	Bothwell		*Bellshill.
625 [2]	Holytown		Calderbank.
628	Cambusnethan		*Newmains and Wishaw.
639	Dalziel		Motherwell.
643	East Kilbride		Busby.
646 [1]	Govan Church		Suburban of Glasgow.
646 [2]	Partick		Hillhead, Whiteinch, and Suburban of Glasgow,
647	Hamilton		Larkhall and Motherwell.
651 [2]	New Monkland (Landward)		Suburban of Airdrie.
652	Old Monkland		
	(1) Western District		Baillieston, and Tollcross.
	(2) Middle District		Coatbridge and Rosehall.
	(3) Eastern District		Do. do. and Calderbank.
654	Rutherglen		Cambuslang.
664	Carriden		Bo'ness.
673 [2]	Fauldhouse		*Crofthead.
689	Inveresk	*Musselburgh.	
691	Lasswade		Penicuik.
727	Ayton		Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Anuan.	
863	Crossmichael		Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton		Castle-Douglas.
876	Minnigaff		Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame		Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
„ St Bathans, 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 90*a*
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328*b*
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Ban.-Ternan 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Caddonfoot, 774*a*
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Central (Glasg.) 644
Ceres, . . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 128*b*
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbrae, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . . 818
Dalziel, . 639
Daviot, . . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries, . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96*b*
Dyce, . 190
Dyke, . . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 736

* The actual number of Districts is 1021—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddleston, . 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . 135
Elie, . . 427
Ellon, . 192
Enzie, . 152
Errol, . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingal, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . . 646
Govan Church, 646
Graitney (or Gretna), 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
High (Glasgow) 644
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberdn), 203
Inverallen 93
Inveraray 513
Inverarity, 292
Inveravon, 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . . 833
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrennan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, . 363
Kilsyth, . . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97
Ladhope, . 776*b*
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, and Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Loglealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . . 499
Lyne, . 765

Madderty, . 378
Mains, . 307

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222a
Mid & S. Yell, 6
Millbrex, . 222b
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, 695
Newburgh, . 450
Newburn, . 451
Newbyth, . 210
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227a
New Monkland, 651
New Pitsligo, 227b
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Park, . . 646
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386b
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Port of Menteith, . 388
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96b
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements, 282
St Cyrus, . 267
St Fergus, . 166
St George, 685
St Giles, . . 685
St Kilda, . 111
St Madoes, 392
St Marys, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters, . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237b
Scone, . 394a
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay and Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, . 112
Stenton, . 721
Stevenston, 615
Stewarton, . 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698b
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, . 240
Strathfillan, 394b
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, . 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394c
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, . 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree (Argyll), 551
Tyrie Aberd'n.), 248

Udny, . 249
Uig, . . 89
Unst, . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853a
Wandell and Lamington, 659
Wanlockhead, 853b
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, . 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, . 900
Whitsome, . 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells 249

EDINBURGH: PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.